



## Notes for genera: basal clades of Fungi (including *Aphelidiomycota*, *Basidiobolomycota*, *Blastocladiomycota*, *Calcarisporiellomycota*, *Caulochytriomycota*, *Chytridiomycota*, *Entomophthoromycota*, *Glomeromycota*, *Kickxellomycota*, *Monoblepharomycota*, *Mortierellomycota*, *Mucoromycota*, *Neocallimastigomycota*, *Olpidiomycota*, *Rozellomycota* and *Zoopagomycota*)

Nalin N. Wijayawardene<sup>1,2</sup> · Julia Pawłowska<sup>3</sup> · Peter M. Letcher<sup>4</sup> · Paul M. Kirk<sup>5</sup> · Richard A. Humber<sup>6</sup> · Arthur Schüßler<sup>7</sup> · Marta Wrzosek<sup>3</sup> · Anna Muszewska<sup>8</sup> · Alicja Okrasińska<sup>3</sup> · Łukasz Istel<sup>3</sup> · Aleksandra Gęsiorska<sup>3</sup> · Paul Mungai<sup>9</sup> · Adebola Azeez Lateef<sup>10</sup> · Kunhiraman C. Rajeshkumar<sup>11</sup> · Rajshree V. Singh<sup>11</sup> · Renate Radek<sup>12</sup> · Grit Walther<sup>13</sup> · Lysett Wagner<sup>13</sup> · Christopher Walker<sup>14,15</sup> · D. Siril A. Wijesundara<sup>16</sup> · Moslem Papizadeh<sup>17</sup> · Somayeh Dolatabadi<sup>18</sup> · Belle D. Shenoy<sup>19</sup> · Yuri S. Tokarev<sup>20</sup> · Saisamorn Lumyong<sup>21</sup> · Kevin D. Hyde<sup>1,2</sup>

Received: 28 July 2018 / Accepted: 24 August 2018 / Published online: 19 September 2018

© School of Science 2018

### Abstract

Compared to the higher fungi (Dikarya), taxonomic and evolutionary studies on the basal clades of fungi are fewer in number. Thus, the generic boundaries and higher ranks in the basal clades of fungi are poorly known. Recent DNA based taxonomic studies have provided reliable and accurate information. It is therefore necessary to compile all available information since basal clades genera lack updated checklists or outlines. Recently, Tedersoo et al. (MycoKeys 13:1–20, 2016) accepted *Aphelidiomycota* and *Rozellomycota* in Fungal clade. Thus, we regard both these phyla as members in Kingdom Fungi. We accept 16 phyla in basal clades viz. *Aphelidiomycota*, *Basidiobolomycota*, *Blastocladiomycota*, *Calcarisporiellomycota*, *Caulochytriomycota*, *Chytridiomycota*, *Entomophthoromycota*, *Glomeromycota*, *Kickxellomycota*, *Monoblepharomycota*, *Mortierellomycota*, *Mucoromycota*, *Neocallimastigomycota*, *Olpidiomycota*, *Rozellomycota* and *Zoopagomycota*. Thus, 611 genera in 153 families, 43 orders and 18 classes are provided with details of classification, synonyms, life modes, distribution, recent literature and genomic data. Moreover, *Catenariaceae* Couch is proposed to be conserved, *Cladochytriales* Mozl.-Standr. is emended and the family *Nephridiophagaceae* is introduced.

**Keywords** Invalid genera · *Nephridiophagaceae* fam. nov. · Outline · Phylogeny · Validation

### Introduction

Classification and understanding the evolution of fungi has become one of the recent hot topics for research in mycology (Hyde et al. 2017a). DNA based systematic and evolutionary studies have become fundamental among mycologists and taxonomists as these provide a strong

foundation for understanding the kingdom Fungi. There have been numerous taxonomic studies on the Ascomycota (e.g. Hyde et al. 2013, 2017b; Ariyawansa et al. 2015; Li et al. 2016; Wijayawardene et al. 2016, 2018), Basidiomycota (E.g. Justo and Hibbett 2011; Justo et al. 2011; Millanes et al. 2011; He and Dai 2012; Ortiz-Santana et al. 2013) (i.e. Dikarya) and in the basal clades of fungi (e.g. Spatafora et al. 2016; Seto et al. 2017; Radek et al. 2017), which are important sources for dictionaries, outlines, checklists, various databases and the basic study of the fungi (Kirk et al. 2008, 2013; Lumbsch and Huhndorf

✉ Kevin D. Hyde  
kdhdyde3@gmail.com

Extended author information available on the last page of the article

2010; Hyde et al. 2011, 2013, 2014; Humber 2012, 2016; Benny et al. 2014, 2016b; Wijayawardene et al. 2012, 2014, 2017a, b, 2018; Lücking et al. 2017; Index Fungorum 2018). However, understanding of the earliest diverging events of fungi are poorly understood as compared to the higher fungi i.e. Dikarya (Spatafora et al. 2016). Furthermore, the classification of basal clades of fungi is also debatable as mycologists do not have a broad agreement (e.g. Humber 2016 vs. Spatafora et al. 2016 on *Entomophthoromycota* and *Glomeromycota*). Moreover, elevating lower ranks to higher ranks and demoting the higher ranks to lower ranks (Spatafora et al. 2016; Tedersoo et al. 2016) also causes disagreements.

## Distribution, life modes, applications

The basal lineages of fungi comprise the aquatic taxa (e.g. *Blastocladiomycota*, *Chytridiomycota*, *Neocallimastigomycetes*), and the terrestrial taxa (e.g. *Entomophthoromycota*, *Glomeromycota*) (Benny et al. 2016a, b). Most of the taxa are ubiquitous and show different life modes, viz. some causing diseases in agricultural crops (e.g. Choanephora rot caused by *Choanephora cucurbitarum*; *Gilbertella persicaria* as the cause of soft rot in *Syzygium cumini* and fruit rot in papaya *fide* Pinho et al. 2014; Cruz-Lachica et al. 2016); pathogens of humans and other mammals (e.g. mucormycosis caused by *Apophysomyces* spp. *fide* Kennedy et al. 2016; mucormycosis caused by *Rhizopus arrhizus*), mycoparasites (e.g. *Syncephalis* *fide* Lazarus et al. 2017), amoebae endoparasites (e.g. *Amoebophilus* *fide* Mrva 2011). Moreover, some taxa have been used in biotechnological biodegradation, biosorption, bioremediation and biotransformations (Benny et al. 2016a, b).

## Classification

The classification of basal clades genera is conflicting in different publications. The collective term, Zygomycota Moreau was treated as a phylum in eumycotan fungi (e.g. Kendrick 2000; Kirk et al. 2008), but this rank has not been supported as a monophyletic clade in recent analyses and thus eumycotan taxa have been separated into different phyla (Spatafora et al. 2016). However, the establishment of new phyla has not been broadly accepted, thus synonymizing or erecting phyla/ subphyla have been frequent since James et al. (2006) (e.g. Hibbett et al. 2007) introduced *Neocallimastigomycota* to accommodate *Neocallimastigomycetes*, but Spatafora et al. (2016) treated this as a class in *Chytridiomycota*. Seto et al. (2017), however, recognized *Neocallimastigomycota* as a distinct phylum in their phylogenetic analyses. Table 1 summarizes the

overview of phyla in basal clades based on major publications since 2000.

Recently, Tedersoo et al. (2016) proposed a new classification which accepted *Rozellomycota* (including *Micrasteriida*) and *Aphelidiomycota* as phyla in Kingdom Fungi. Furthermore, Tedersoo et al. (2016) introduced *Calcarisporiellomycota*, *Kickxellomycota* and *Mortierellomycota* as new phyla. In this study, we follow classification in Tedersoo et al. (2016).

## Overview

We accept 16 phyla (viz. *Aphelidiomycota*, *Basidiobolomycota*, *Blastocladiomycota*, *Calcarisporiellomycota*, *Caulochytriomycota*, *Chytridiomycota*, *Entomophthoromycota*, *Glomeromycota*, *Kickxellomycota*, *Monoblepharomycota*, *Mortierellomycota*, *Mucoromycota*, *Neocallimastigomycota*, *Olpidiomycota*, *Rozellomycota* and *Zoopagomycota*) as early divergence groups in fungi (Fig. 1). Below, we provide the outline of all phyla and short entries for each genus in notes section. Moreover, we propose to conserve the family *Catenariaceae* Couch (which is based on *Catenaria* Sorokin; nom. illegit., Art. 53.1 *fide* Index Fungorum 2018), emend *Cladochytriales* Mozl.-Standr. and introduce *Nephridiophagaceae* R. Radek et al.

## Materials and Methods

### Data collection

Collecting data on existing names (including genera and higher ranks) was based on Kirk et al. (2008, 2013), Species Fungorum (2018) and Catalogue of Life (<http://www.catalogueoflife.org/>). The works by Humber (2012), Benny et al. (2016a, b), Spatafora et al. (2016), Cali et al. (2017), Desirò et al. (2017) and Tedersoo et al. (2016) were also used for further clarification. Data are provided in accordance to information available in publications and publicly-accessible databases such as NCBI. Wijayawardene et al. (2017a) was followed as the template for entries. The citation of the articles given in each entry was decided by the author who provided the entry and is not standardized. Based on recent publications and Species Fungorum (2018), synonyms of generic names (if fewer than 10) are also provided.

### Taxonomy

***Catenariaceae* Couch *nom. cons. prop.***  
Nom. illegit., see Art. 18.3 (Melbourne)

**Table 1** Phyla currently recognized in different studies

Phylum	<i>Basidiobolomycota</i>	<i>Blastocladiomycota</i>	<i>Caulochytriomycota</i>	<i>Chytridiomycota</i>	<i>Entomophthoromycota</i>	<i>Glomeromycota</i>
Introduced by	Doweld (2001)	James et al. (2006)	Doweld (2014g)	Doweld (2001)	Humber (2012)	Schüller et al. (2001)
Demoted by					Spatafora et al. (2016)	Spatafora et al. (2016)
Current rank	Phylum	Phylum	Phylum	Phylum	Subphylum Entomophthoromycotina	Subphylum Glomeromycotina
In this study	Phylum	Phylum	Phylum	Phylum	Phylum	Phylum
Phylum	<i>Monoblepharomycota</i>	<i>Mucoromycota</i>	<i>Neocallimastigomycota</i>	<i>Oligidomycota</i>	<i>Zoopagomycota</i>	
Introduced by		Doweld (2001)	Hibbett et al. (2007)	Doweld (2013c)	Doweld (2013c)	Spatafora et al. (2016)
Demoted by			Spatafora et al. (2016)/Seto et al. (2017)			
Current rank			Class Neozygomycetes/or as the phylum		Phylum	
In this study			Phylum		Phylum	

Type: *Catenaria* Sorokīn, Revue mycol., Toulouse 11(no. 43): 139 (1889) *nom. cons. prop.*  
*nom. illegit.* Art. 53.1

#### *Cladochytriales* Mozl.-Standr. emend.

Index Fungorum (2018) mentioned that the type was not indicated in Mozley-Standridge et al. (2009) thus below we state the type.

Type: *Cladochytrium* Nowak., Cohn Beitr. Biol. Pfl. 2: 92. 1876”.

See Mozley-Standridge et al. (2009) for a Latin and English description.

In here, we introduce new family *Nephridiophagaceae*

#### *Nephridiophagales* Doweld

Life style obligate biotrophic/parasitic in arthropods; uni- to multinucleate stages; endogenous spore formation; no thallic organization.

Order type: *Nephridiophagaceae* R. Radek, Letcher, Wijayaw., P.M. Kirk & K.D. Hyde

*Nephridiophagaceae* R. Radek, Letcher, Wijayaw., P.M. Kirk & K.D. Hyde *fam. nov.*

Index Fungorum number: IF550099

Merogonial plasmodia; sporogenic plasmodia with endogenous spore formation and residual somatic nuclei; cryptomitosis; bi- or tetranuclear sporoblasts; mature spores mostly uninucleate, flattened-oval form. Sporoblasts generally delimited in the sporogenic cytoplasm by ER cisternae and spore wall material deposited between the two resulting membranes. Extra- and intracellular in Malpighian tubules of insects. Transmission by oral infection.

Family type: *Nephridiophaga* Ivanić 1937


Notes: Doweld (2014f) introduced *Nephridiophagales* Doweld based on the morphology of insect parasitic genus *Nephridiophaga* Ivanić. However, Doweld (2014f) did not typify the order with a family (i.e. ordinal type). Radek et al. (2017) showed that three *Nephridiophaga* species viz. *N. blattellae* (H. Crawley) P. Woolever, *N. maderae* R. Radek et al. and *N. blaberi* Fabel et al. grouped as a distinct clade in their phylogenetic analyses. Hence, we introduce new family, *Nephridiophagaceae* as the ordinal type of *Nephridiophagales* (Fig. 2).

#### Outline for basal clades

**APHELIIDIOMYCOTA** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Aphelidiomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Aphelidiales** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov



**Fig. 1** Cladogram showing relationships between basal clades following taxonomy proposed by Tedersoo et al. (2016)

**Aphelidiaceae** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov  
*Amoeboaphelidium* Scherff.

*Aphelidium* Zopf

*Paraphelidium* Karpov, Moreira, Lopez-Garcia  
*Pseudaphelidium* Schweikert & Schnepf

**BASIDIBOLOMYCOTA** Doweld

*Basidiobolomycetes* Humber

*Basidiobolales* Caval.-Sm.

*Basidiobolaceae* Claussen

*Basidiobolus* Eidam

*Schizangiella* J. Dwyer, B. Burwell, Humber, C. Mcleod, M. Fleetwood & T. Johnson bis

**BLASTOCLADIOMYCOTA** T.Y. James

*Blastocladiomycetes* Doweld

*Blastocladiales* H.E. Petersen

*Blastocladiaceae* H.E. Petersen

*Allomyces* E.J. Butler

*Blastocladia* Reinsch

*Blastocladiopsis* Sparrow

**Catenariaceae** Couch

*Catenophlyctis* Karling

*Nematoceromyces* Doweld

**Paraphysodermataceae** Doweld

*Paraphysoderra* Boussiba Boussiba, Zarka & T.Y. James

**Sorochytriaceae** Dewel

*Sorochytrium* Dewel

**Blastocladiales** genera incertae sedis

*Endoblastidium* Codreanu

**Catenomycetales** Doweld

**Catenomycetaceae** Doweld

*Catenomyces* A.M. Hanson

**Callimastigales** Doweld

**Callimastigaceae** Fonseca

*Callimastix* Weissenb.

**Coelomomycetaceae** Couch

*Coelomomyces* Keilin

*Coelomycidium* Debais.

**Blastocladiomycetes** genera incertae sedis

*Microallomyces* R. Emers. & J.A. Robertson

**Physodermatomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Physodermatales** Caval.-Sm.

**Physodermataceae** Sparrow

*Physoderma* Wallr.

**CAULOCHYTRIOMYCOTA** Doweld

*Caulochytriomycetes* Doweld

*Caulochytriales* Doweld

*Caulochytriaceae* Subram.

*Caulochytrium* Voos & L.S. Olive

**CHYTRIDIOMYCOTA** Doweld

*Chytridiomycetes* Caval.-Sm.

*Chytridiales* Cohn

**Asterophlyctaceae** Doweld

*Asterophlyctis* H.E. Petersen

**Chytridiaceae** Nowak.

*Chytridium* A. Braun

*Dendrochytridium* Letcher, Longcore & M.J. Powell

*Irineochytrium* Letcher, Longcore & M.J. Powell

*Polyphlyctis* Karling

**Chytriomycetaceae** Letcher

*Avachytrium* Vélez & Letcher

*Chytriomyses* Karling

*Entophyslyctis* A. Fisch.

*Fayochytriomyses* W.J. Davis, Letcher, Longcore & M.J.


Powell

*Obelidium* Nowak.

*Odontochytrium* Vélez & Letcher

*Pendulichytrium* K. Seto & Degawa

*Physocladia* Sparrow



**Fig. 2** **A, B:** *Nephridiophaga archimandrita*, **C–E:** *N. lucihormetica*. Bars **A–D** = 10  $\mu$ m, **E** = 1  $\mu$ m. **A** Sporogenic plasmodium with mature spores. Arrow = plasma membrane of plasmodium. Differential interference contrast (DIC). **B** Giemsa stained microscopic smear; sporogenic plasmodium. Arrows point to residual nuclei between the spores. Bright field. **C** Giemsa stained vegetative plasmodia with

many nuclei. DIC. **D** Ultrathin section of infected Malpighian tubule. Vegetative plasmodia (vp) and sporogenic plasmodia (sp) with internal spores (s) attach to the microvilli (mv) of the epithelial cells (ec). **E** Part of a sporogenic plasmodium with mature spores. Spore with spore wall (arrow), nucleus (n) and mitochondria (mi). A further residual nucleus (n) is in the cytoplasm of the plasmodium

*Podochytrium* Pfizer

*Rhizoclosmatium* H.E. Petersen

*Siphonaria* H.E. Petersen

**Phlyctochytriaceae** Doweld

*Phlyctochytrium* J. Schröt.

**Phlyctorhizaceae** Doweld

*Phlyctorhiza* A.M. Hanson

**Pseudorhizidiaceae** Doweld

*Pseudorhizidium* M.J. Powell, Letcher & Longcore

**Scherffeliomycetaceae** Doweld

*Scherffeliomyces* Sparrow

**Zygorhizidiaceae** Doweld

*Zygorhizidium* Löwenthal

**Chytridiales** genera incertae sedis

*Delfinacytrium* Vélez & Letcher

**Nephridiophagales** Doweld

**Nephridiophagaceae** R. Radek, Letcher, Wijayaw., P.M.

Kirk & K.D. Hyde

*Coleospora* Gibbs

*Nephridiophaga* Ivanić

*Oryctospora* Purrini & Weiser

*Peltomyces* Léger

**Polyphagales** Doweld

**Polyphagaceae** F. Maekawa

*Polyphagus* Nowak.

**Saccopodiales** Doweld

**Saccopodiaceae** Jacz. & P.A. Jacz.

*Saccopodium* Sorokīn

**Chytridiomycetes** families incertae sedis

**Amoebochytriaceae** Doweld

*Amoebochytrium* Zopf

**Sparrowiaceae** Doweld

*Sparrowia* Willoughby

**Sphaeromonadaceae** Doweld

*Sphaeromonas* E. Liebet.

**Tetrachytriaceae** Doweld

*Tetrachytrium* Sorokīn

**Thalassochytriaceae** Doweld

*Thalassochytrium* Nyvall, M. Pedersén & Longcore

**Chytridiomycetes** genera incertae sedis

*Aphanistis* Sorokīn

*Blyttiomycetes* A.F. Bartsch

*Gamolpidium* Vlădescu

*Mucophilus* Plehn

*Plasmophagus* De Wild.

*Rhizidiocystis* Sideris

*Rhizosiphon* Scherff.

*Sagittospora* Lubinsky

*Scherffeliomycopsis* Geitler

*Septolpidium* Sparrow

*Sorokinocystis* Doweld

*Trematophlyctis* Pat.

<i>Bertramia</i> Mesnil & Caullery	<b>Alogomycetaceae</b> Doweld
<i>Canteria</i> Karling	<i>Alogomyces</i> D.R. Simmons & Letcher
<i>Dangewardia</i> Schröd.	<b>Lobulomycetaceae</b> D.R. Simmons
<i>Dangewardiana</i> Valkanov ex A. Batko	<i>Clydaea</i> D.R. Simmons
<i>Dictyomorpha</i> Mullins	<i>Cyclopsomyces</i> K. Seto & Degawa
<i>Ichthyochytrium</i> Plehn	<i>Lobulomyces</i> D.R. Simmons
<i>Loborhiza</i> A.M. Hanson	<i>Maunachytrium</i> D.R. Simmons
<i>Macrochytrium</i> Minden	
<i>Megachytrium</i> Sparrow	<b>Lobulomycetales</b> genus <i>incertae sedis</i>
<i>Mitochytridium</i> P.A. Dang.	<i>Algochytrrops</i> Doweld
<i>Nowakowskia</i> Borzí	<b>Mesochytriomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<i>Olpidiaster</i> Pascher	<b>Gromochytriales</b> Karpov & Aleoshin
<i>Perolpidium</i> Doweld	<b>Gromochytriaceae</b> Karpov & Aleoshin
<i>Physorhizophidium</i> Scherff.	<i>Gromochytrium</i> Karpov & Aleoshin
<i>Pseudopileum</i> Canter	<b>Mesochytriales</b> Doweld
<i>Rhopalophlyctis</i> Karling	<b>Mesochytriaceae</b> Doweld
<i>Riethophlyctis</i> Doweld	<i>Mesochytrium</i> B.V. Gromov, Mamkaeva & Pljusch
<i>Saccommyses</i> Serbinow	
<i>Schizolpidium</i> Doweld	<b>Polychytriomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<i>Septosperma</i> Whiffen ex R.L. Seym.	<b>Polychytriales</b> Longcore & D.R. Simmons
<i>Solutoparies</i> Whiffen ex W.H. Blackw. & M.J. Powell	<b>Arkayaceae</b> Doweld
<i>Sporophlyctidium</i> Sparrow	<i>Arkaya</i> Longcore & D.R. Simmons
<i>Sporophlyctis</i> Serbinow	
<i>Truitella</i> Karling	<b>Polychytriaceae</b> Doweld
<i>Volvorax</i> Doweld	<i>Karlingiomycetes</i> Sparrow
<i>Zygochytrium</i> Sorokīn	<i>Lacustromyces</i> Longcore
<i>Zygophlyctis</i> Doweld	<i>Neokarlingia</i> Longcore & D.R. Simmons
<b>Cladochytiomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<i>Polychytrium</i> Ajello
<b>Cladochytriales</b> Mozl.-Standr.	<b>Rhizophydiomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<b>Catenochytridiaceae</b> Doweld	<b>Rhizophydiales</b> Letcher
<i>Catenochytridium</i> Berdan	<b>Alphamycetaceae</b> Letcher
<b>Cladochytriaceae</b> J. Schröt.	<i>Alphamyces</i> Letcher
<i>Cladochytrium</i> Nowak	<i>Betamyces</i> Letcher
<b>Endochytriaceae</b> Sparrow ex D.J.S. Barr	<i>Gammamyces</i> Letcher
<i>Diplophlyctis</i> J. Schröt.	<b>Angulomycetaceae</b> Letcher
<i>Endochytrium</i> Sparrow	<i>Angulomyces</i> Letcher
<b>Nowakowskellaceae</b> Sparrow ex Mozl.-Standr.	<b>Aquamycetaceae</b> Letcher
<i>Nowakowskella</i> J. Schröt.	<i>Aquamyces</i> Letcher
<b>Septochytriaceae</b> Mozl.-Standr.	<b>Batrachochytridiaceae</b> Doweld
<i>Septochytrium</i> Berdan	<i>Batrachochytrium</i> Longcore, Pessier & D.K. Nichols
<b>Cladochytriales</b> genera <i>incertae sedis</i>	<b>Coralloidiomycetaceae</b> Doweld
<i>Allochytridium</i> D.J.S. Barr & Désauln.	<i>Coralloidiomycetes</i> Letcher
<i>Cylindrochytridium</i> Karling	<b>Dinomycetaceae</b> Karpov & Guillou
<i>Nephrochytrium</i> Karling	<i>Dinomyces</i> Karpov & Guillou
<b>Lobulomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	
<b>Lobulomycetales</b> D.R. Simmons	

<b>Globomycetaceae</b> Letcher	<i>Spizellomycetales</i> D.J.S. Barr
<i>Globomyces</i> Letcher	<i>Powellomyctaceae</i> D.R. Simmons
<i>Urceomyces</i> Letcher	<i>Fimicolochytrium</i> D.R. Simmons & Longcore
<b>Gorgonomycetaceae</b> Letcher	<i>Geranomyces</i> D.R. Simmons
<i>Gorgonomyces</i> Letcher	<i>Powellomyces</i> Longcore
<b>Halomycetaceae</b> Letcher & M.J. Powell	<i>Thoreauomyces</i> D.R. Simmons & Longcore
<i>Halomyces</i> Letcher & M.J. Powell	<b>Spizellomycetaceae</b> D.J.S. Barr
<i>Paludomyces</i> Letcher & M.J. Powell	<i>Barromyces</i> M.J. Powell & Letcher
<i>Paranamyces</i> Letcher & M.J. Powell	<i>Brevicalcar</i> Letcher & M.J. Powell
<i>Ulkenomyces</i> Letcher & M.J. Powell	<i>Bulbosomyces</i> Letcher & Longcore
<b>Kappamycetaceae</b> Letcher	<i>Gaertneriomyces</i> D.J.S. Barr
<i>Kappamyces</i> Letcher & M.J. Powell	<i>Gallinipes</i> Letcher & M.J. Powell
<b>Operculomycetaceae</b> Doweld	<i>Kochiomyces</i> D.J.S. Barr
<i>Operculomyces</i> M.J. Powell, Letcher & Longcore	<i>Spizellomyces</i> D.J.S. Barr
<b>Pateramycetaceae</b> Letcher	<i>Triparticalcar</i> D.J.S. Barr
<i>Pateramyces</i> Letcher	<b>Synchytriomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<b>Protrudomycetaceae</b> Letcher	<b>Synchytriales</b> Doweld
<i>Protrudomyces</i> Letcher	<b>Synchytriaceae</b> J. Schröt.
<b>Rhizophydiateae</b> Letcher	<i>Carpenterophlyctis</i> Doweld
<i>Rhizophydiuum</i> Schenk ex Rabenh.	<i>Endodesmidium</i> Canter
<b>Staurastromycetaceae</b> S. Van den Wyngaert, K. Seto & K. Rojas	<i>Johnkarlingia</i> Pavgi & S.L. Singh
<i>Staurastromyces</i> S. Van den Wyngaert, K. Seto & K. Rojas-Jimenez	<i>Synchytrium</i> de Bary & Woronin
<b>Terramycetaceae</b> Letcher	<b>Synchytriales</b> genera incertae sedis
<i>Boothiomyces</i> Letcher	<i>Micromyces</i> P.A. Dang.
<i>Terramyces</i> Letcher	<b>Chytridiomycota</b> genera incertae sedis
<b>Uebelmesseromycetaceae</b> M.J. Powell & Letcher	<i>Achlyella</i> Lagerh.
<i>Uebelmesseromyces</i> M.J. Powell & Letcher	<i>Coenomyces</i> K.N. Deckenb.
<b>Rhizophydiales</b> genera incertae sedis	<i>Achlyogeton</i> Schenk
<i>Homolaphlyctis</i> Longcore et al.	<b>CALCARISPORIELLOMYCOTA</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<b>Rhizophlyctidomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<b>Calcarisporiellomycotina</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<b>Rhizophlyctidales</b> Letcher	<b>Calcarisporiellomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<b>Arizonaphlyctidaceae</b> Letcher	<b>Calcarisporiellales</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<i>Arizonaphlyctis</i> Letcher	<b>Calcarisporiellaceae</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov
<b>Borealophlyctidaceae</b> Letcher	<i>Calcarisporiella</i> de Hoog
<i>Borealophlyctis</i> Letcher	<i>Echinocochlamydosporium</i> X.Z. Jiang, H.Y. Yu, M.C. Xiang, X.Y. Liu & Xing Z. Liu
<b>Rhizophlyctidaceae</b> H.E. Petersen	
<i>Rhizophlyctis</i> A. Fisch.	
<b>Sonoraphlyctidaceae</b> Letcher	
<i>Sonoraphlyctis</i> Letcher	
<b>Spizellomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	

<b>ENTOMOPHTHOROMYCOTA</b> Humber	<i>Acaulospora</i> Gerd. & Trappe
<b>Entomophthoromycotina</b> Humber	
<b>Entomophthoromycetes</b> Humber	<i>Diversisporaceae</i> C. Walker & A. Schüßler
<b>Entomophthorales</b> G. Winter	<i>Corymbiglomus</i> Błaszk. & Chwat
<b>Ancylistaceae</b> J. Schröt.	<i>Desertispora</i> Błaszk., Kozłowska, Ryszka, Al-Yahya'ei & Symanczik
<b>Ancylistes</b> Pfitzer	<i>Diversispora</i> C. Walker & A. Schüßler
<b>Conidiobolus</b> Bref.	<i>Otospora</i> Oehl, Palenz. & N. Ferrol
<b>Macrobiotophthora</b> Reukauf	<i>Redeckera</i> C. Walker & A. Schüßler
<b>Completoriaceae</b> Humber	<i>Tricispora</i> Oehl, Sieverd., G.A. Silva & Palenz.
<b>Completoria</b> Lohde	
<b>Entomophthoraceae</b> Nowak.	<b>Gigasporaceae</b> J.B. Morton & Benny
<b>Batko</b> Humber	<i>Cetraspora</i> Oehl, F. A. Souza & Sieverd.
<b>Entomophaga</b> A. Batko	<i>Dentiscutata</i> Sieverd., F.A. Souza & Oehl
<b>Entomophthora</b> Fresen.	<i>Gigaspora</i> Gerd. & Trappe
<b>Erynia</b> (Nowak, ex A. Batko) Remaud. & Hennebert	<i>Racocetra</i> Oehl, F.A. Souza & Sieverd.
<b>Eryniopsis</b> Humber	<i>Scutellospora</i> C. Walker & F.E. Sanders
<b>Furia</b> (A. Batko) Humber	<i>Bulbospora</i> Oehl & G.A. Silva
<b>Massospora</b> Peck	<i>Intraornatospora</i> B.T. Goto, Oehl & G.A. Silva
<b>Orthomyces</b> Steinkr., Humber & J.B. Oliv.	<i>Paradentiscutata</i> B.T. Goto, Oehl & G.A. Silva
<b>Strongwellsea</b> A. Batko & J. Weiser	
<b>Tarichium</b> Cohn <i>sensu stricto</i>	<b>Pacisporaceae</b> C. Walker, Błaszk., A. Schüßler & Schwarzott
<b>Zoophthora</b> A. Batko	<i>Pacispora</i> Sieverd. & Oehl
<b>Meristacraceae</b> Humber	
<b>Meristacrum</b> Drechsler	<b>Sacculosporaceae</b> Oehl, Sieverd., G.A. Silva, B.T. Goto, Sánchez-Castro & Palenz.
<b>Tabanomyces</b> Couch, R.J. Andrejeva, Laird & Nolan	<i>Sacculospora</i> Oehl, Sieverd., G.A. Silva, B.T. Goto, I.C. Sánchez & Palenz.
<b>Neozygitymecetes</b> Humber	
<b>Neozygitalles</b> Humber	<b>Glomerales</b> J.B. Morton & Benny
<b>Neozygitaceae</b> Ben Ze'ev, R.G. Kenneth & Uziel	<b>Claroideoglomeraceae</b> C. Walker & A. Schüßler
<b>Apterivorax</b> S. Keller	<i>Claroideoglobo</i> C. Walker & A. Schüßler
<b>Neozygites</b> Witlaczil	
<b>Tarichium</b> Cohn <i>pro parte</i>	<b>Glomeraceae</b> Piroz. & Dalpé
<b>Thaxterosporium</b> Ben Ze'ev & R.G. Kenneth	<i>Septoglomus</i> Sieverd., G.A. Silva & Oehl
<b>GLOMEROMYCOTA</b> C. Walker & A. Schüßler	<i>Sclerocystis</i> Berk. & Broome
<b>Archaeosporomycetes</b> Sieverd., G.A. Silva, B.T. Goto & Oehl	<i>Rhizophagus</i> P.A. Dang.
<b>Archaeosporales</b> C. Walker & A. Schüßler	<i>Kamienskia</i> Błaszk., Chwat & Kovács
<b>Ambisporaceae</b> C. Walker et al.	<i>Glomus</i> Tul. & C. Tul.
<b>Ambispora</b> C. Walker, Vestberg & A. Schüßler	<i>Funneliformis</i> C. Walker & A. Schüßler
<b>Archaeosporaceae</b> J.B. Morton & D. Redecker	<i>Dominikia</i> Błaszk., Chwat & Kovács
<b>Archaeospora</b> J.B. Morton & D. Redecker	
<b>Palaeospora</b> Oehl, Palenz., Sánchez-Castro & G.A. Silva	<b>Glomeromycetes</b> genus <i>incertae sedis</i> , <i>Entrophospora</i> R.N. Ames & R.W. Schneid.
<b>Geosiphonaceae</b> Engl. & E. Gilg	
<b>Geosiphon</b> F. Wettst.	<b>Paraglomeromycetes</b> Oehl, G.A. Silva, B.T. Goto & Sieverd.
<b>Glomeromycetes</b> Caval.-Sm.	<b>Paraglomerales</b> C. Walker & A. Schüßler
<b>Diversisporales</b> C. Walker & A. Schüßler	<b>Paraglomeraceae</b> J.B. Morton & D. Redecker
<b>Acaulosporaceae</b> J.B. Morton & Benny	<i>Paraglomus</i> J.B. Morton & D. Redecker
	<i>Innospora</i> Błaszk., Kovács, Chwat & Kozłowska

**Pervetustaceae** Błaszk., Chwat, Kozłowska, Symanczik & Al-Yahya'ei  
*Pervetustus* Błaszk., Chwat, Kozłowska, Symanczik & Al-Yahya'ei

**KICKXELLOMYCOTA** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Asellariomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Asellariales** Manier ex Manier & Lichtw.

**Asellariaceae** Manier ex Manier & Lichtw.

*Asellaria* R.A. Poiss.

**Asellariales** genus incertae sedis

*Baltomyces* Cafaro

**Barbatosporomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Barbatosporales** Doweld

**Barbatosporaceae** Doweld

*Barbatospora* M.M. White, Siri & Lichtw.

**Dimargaritomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Dimargaritales** R.K. Benj.

**Dimargaritaceae** R.K. Benj.

*Dimargaris* Tiegh.

*Dispira* Tiegh.

*Tieghemomyces* R.K. Benj.

**Dimargaritales** genus incertae sedis

*Spinalia* Vuill.

**Harpellomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Harpellales** Lichtw. & Manier

**Harpellaceae** L. Léger & Duboscq ex P.M. Kirk & P.F. Cannon

*Carouxella* Manier, Rioux & Whisler

*Harpella* L. Léger & Duboscq

*Harpellomyces* Lichtw. & S.T. Moss

*Klastostachys* Lichtw., M.C. Williams & M.M. White

*Stachylina* L. Léger & M. Gauthier

*Stachylinoides* Lichtw. & López-Lastra

**Legeriomycetaceae** Pouzar

*Austrosmittium* Lichtw. & M.C. Williams

*Bactromyces* William & Strongman

*Baetimyces* L.G. Valle & Santam.

*Bojamycetes* Longcore

*Capniomyces* S.W. Peterson & Lichtw.

*Caudomyces* Lichtw., Kobayasi & Indoh

*Coleopteromyces* Ferrington, Lichtw. & López-Lastra

*Dacryodiomyces* Lichtw.

*Ejectosporus* S.W. Peterson, Lichtw. & M.C. Williams

*Ephemerellomyces* M.M. White & Lichtw.

*Furculomyces* Lichtw. & M.C. Williams

*Gauthieromyces* Lichtw.

*Genistelloides* S.W. Peterson, Lichtw. & B.W. Horn

*Genistellospora* Lichtw.

*Glotzia* M. Gauthier ex Manier & Lichtw.

*Graminella* L. Léger & M. Gauthier ex Manier

*Laculus* William & Strongman

*Lancisporomyces* Santam.

*Legerioides* M.M. White

*Legeriomyces* Pouzar

*Legeriosimilis* M.C. Williams, Lichtw., M.M. White & J.K. Misra

*Orphella* L. Léger & M. Gauthier

*Pennella* Manier

*Plecopteromyces* Lichtw., Ferrington & López-Lastra

*Pseudoharpella* Ferrington, M.M. White & Lichtw.

*Pteromaktron* Whisler

*Simuliomyces* Lichtw.

*Sinotrichium* Juan Wang

*Smittium* R.A. Poiss.

*Spartiella* Tuzet & Manier ex Manier

*Stipella* L. Léger & M. Gauthier

*Stypomyces* Doweld

*Tectimyces* L.G. Valle & Santam.

*Trichozygospora* Lichtw.

*Trifoliellum* Strongman & M.M. White

*Zancudomyces* Yan Wang, Tretter, Lichtw. & M.M. White

*Zygopolaris* S.T. Moss, Lichtw. & Manier

**Harpellales** genus incertae sedis

*Trissocladomyces* Doweld

**Kickxellomycetes** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

**Kickxellales** Kreisel ex R.K. Benj.

**Kickxellaceae** Linder

*Coemansia* Tiegh. & G. Le Monn.

*Dipsacomycetes* R.K. Benj.

*Kickxella* Coem.

*Linderina* Raper & Fennell

*Martensella* Coem.

*Martensiomyces* J.A. Mey.

*Mycoemilia* Kurihara, Degawa & Tokum.

*Myconymphaea* Kurihara, Degawa & Tokum.

*Pinnaticoemansia* Kurihara & Degawa

<i>Spirodactylon</i> R.K. Benj.	<i>Aquamortierella</i> Embree & Indoh
<i>Spiromyces</i> R.K. Benj.	<i>Dissophora</i> Thaxt.
<b>Ramicandelaberomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<i>Gamsiella</i> (R.K. Benj.) Benny & M. Blackw.
<b>Ramicandelaberales</b> Doweld	<i>Mortierella</i> Coem.
<b>Ramicandelaberaceae</b> Doweld	<i>Modicella</i> Kanouse
<i>Ramicandelaber</i> Y. Ogawa, S. Hayashi, Degawa & Yaguchi	<i>Lobosporangium</i> M. Blackw. & Benny
<b>Kickxellomycotina</b> genera incertae sedis	<b>MUCOROMYCOTA</b> Doweld
<i>Ballocephala</i> Drechsler	<i>Mucoromycotina</i> Benny
<i>Zygnemomyces</i> K. Miura	<b>Endogonomycetes</b> Doweld
<b>MONOLEPHAROMYCOTA</b> Doweld	<b>Endogonales</b> Jacz. & P.A. Jacz.
<b>Hyaloraphidiomycetes</b> Doweld	<b>Endogonaceae</b> Paol.
<b>Hyaloraphidiales</b> Doweld	<i>Densospora</i> McGee
<b>Hyaloraphidiaceae</b> Doweld	<i>Endogone</i> Link
<i>Hyaloraphidium</i> Korshikov	<i>Jimgerdemannia</i> Trappe
<i>Monoblepharidomycetes</i> J.H. Schaffn.	<i>Peridiospora</i> C.G. Wu & Suh J. Lin
<i>Monoblepharidales</i> Sparrow	<i>Sclerogone</i> Warcup
<i>Gonapodyaceae</i> H.E. Petersen ex P.M. Kirk, P.F. Cannon & J.C. David	<i>Sphaerocreas</i> Sacc. & Ellis
<i>Gonapodya</i> A. Fisch.	<b>Mucoromycetes</b> Doweld
<i>Monoblepharella</i> Sparrow	<b>Mucorales</b> Fr.
<b>Harpochytriaceae</b> Wille	<b>Cunninghamellaceae</b> Naumov ex R.K. Benj.
<i>Harpochytrium</i> Lagerh.	<i>Absidia</i> Tiegh.
<i>Monoblepharidaceae</i> A. Fisch.	<i>Chlamydoabsidia</i> Hesselt. & J.J. Ellis
<i>Monoblepharis</i> Cornu	<i>Cunninghamella</i> Matr.
<i>Oedogoniomycetaceae</i> D.J.S. Barr	<i>Gongronella</i> Ribaldi
<i>Oedogoniomyces</i> Kobayasi & M. Ôkubo	<i>Halteromyces</i> Shipton & Schipper
<b>Telasphaerulaceae</b> Longcore & T.Y. James	<i>Hesseltinella</i> H.P. Upadhyay
<i>Telasphaerula</i> Longcore & T.Y. James	<b>Backusellaceae</b> K. Voigt & P.M. Kirk
<b>Sanchytriomycetes</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<i>Backusella</i> Hesselt. & J.J. Ellis
<b>Sanchytriales</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<b>Choanephoraceae</b> J. Schröt.
<b>Sanchytriaceae</b> Karpov & Aleoshin	<i>Blakeslea</i> Thaxt.
<i>Amoeboradix</i> Karpov, Lopez-Garcia, Mamkaeva & Moreira	<i>Choanephora</i> Curr.
<i>Sanchytrium</i> Karpov & Aleoshin	<i>Gilbertella</i> Hesselt.
<b>MORTIERELLOMYCOTA</b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<i>Poitrasia</i> P.M. Kirk
<b>Mortierellomycotina</b> Kerst. Hoffm., K. Voigt & P.M. Kirk	<b>Lentamycetaceae</b> K. Voigt & P.M. Kirk
<b>Mortierellomycetes</b> Doweld	<i>Lentamycetes</i> Kerst. Hoffm. & K. Voigt
<b>Mortierellales</b> Caval.-Sm.	<b>Lichtheimiaceae</b> Kerst. Hoffm., Walther & K. Voigt
<b>Mortierellaceae</b> A. Fisch.	<i>Dichotomocladium</i> Benny & R.K. Benj.
	<i>Lichtheimia</i> Vuill.
	<i>Rhizomucor</i> Lucet & Costantin
	<i>Thermomucor</i> Subrahm., B.S. Mehrotra & Thirum.
	<b>Mucoraceae</b> Dumort.
	<i>Actinomucor</i> Schostak.
	<i>Ambomucor</i> R.Y. Zheng & X.Y. Liu
	<i>Chaetocladium</i> Fresen.
	<i>Dicranophora</i> J. Schröt.
	<i>Ellisomyces</i> Benny & R.K. Benj.

<i>Helicostylum</i> Corda	<i>Umbelopsidales</i> Spatafora & Stajich
<i>Hypomucor</i> Schipper & Lunn	<i>Umbelopsidaceae</i> W. Gams & W. Mey.
<i>Isomucor</i> J.I. Souza, Pires-Zottar. & Harakava	<i>Umbelopsis</i> Amos & H.L. Barnett
<i>Kirkiana</i> L.S. Loh, Kuthub. & Nawawi	
<i>Mucor</i> Fresen.	<i>Mucoromycotina</i> genera incertae sedis
<i>Nawawiella</i> L.S. Loh & Kuthub.	<i>Bifiguratus</i> Torr.-Cruz & Porras-Alfaro
<i>Parasitella</i> Bainier	<i>Palaeoendogone</i> Strullu-Derr., Kenrick, Pressel, Duckett, J.P. Rioult & Strullu
<i>Pilaira</i> Tiegh.	
<i>Pirella</i> Bainier	
<i>Rhizopodopsis</i> Boedijn	<i>Mucoromycota</i> genus incertae sedis
<i>Thamnidium</i> Link	<i>Nothadelphia</i> Degawa & W. Gams
<i>Tortumyces</i> L.S. Loh	
<b><i>Mycocladaceae</i></b> Kerst. Hoffm.	<b><i>NEOCALLIMASTIGOMYCOTA</i></b> M.J. Powell
<i>Mycocladus</i> Beauverie	<i>Neocallimastigomycetes</i> M.J. Powell
<b><i>Mycotyphaceae</i></b> Benny & R.K. Benj.	<i>Neocallimastigales</i> J.L. Li, I.B. Heath & L. Packer
<i>Benjamiella</i> Arx	<i>Anaeromycetaceae</i> Doweld
<i>Cokeromyces</i> Shanor	<i>Anaeromyces</i> Breton, Bernalier, Dusser, Fonty, B. Gaillard & J. Guillot
<i>Kirkomyces</i> Benny	<i>Neocallimastigaceae</i> I.B. Heath (= <i>Piromonadaceae</i> Doweld)
<i>Mycotypha</i> Fenner	<i>Buwchfawromyces</i> T.M. Callaghan & G.W. Griff.
<b><i>Phycomycetaceae</i></b> Arx	<i>Caecomyces</i> J.J. Gold
<i>Phycomyces</i> Kunze	<i>Cyllamyces</i> Ozkose, B.J. Thomas, D.R. Davies, G.W. Griff. & Theodorou
<i>Spinellus</i> Tiegh.	<i>Neocallimastix</i> Vávra & Joyon ex I.B. Heath
<b><i>Pilobolaceae</i></b> Corda	<i>Oontomyces</i> Dagar
<i>Pilobolus</i> Tode	<i>Orpinomyces</i> D.J.S. Barr, H. Kudo, Jakober & K.J. Cheng
<i>Utharomyces</i> Boedijn ex P.M. Kirk & Benny	<i>Pecoramycetes</i> Hanafy, N.H. Youssef, G.W. Griff. & Elshahed
<b><i>Radiomycetaceae</i></b> Hesselt. & J.J. Ellis	<i>Piromyces</i> J.J. Gold, I.B. Heath & Bauchop (= <i>Piromonas</i> E. Liebet.)
<i>Radiomyces</i> Embree	
<b><i>Rhizopodaceae</i></b> K. Schum.	<b><i>Sphaeromonadaceae</i></b> Doweld
<i>Amylomyces</i> Calmette	<i>Sphaeromonas</i> E. Liebet.
<i>Rhizopus</i> Ehrenb.	
<i>Sporodiniella</i> Boedijn	<b><i>OLPIDIOMYCOTA</i></b> Doweld
<i>Syzygites</i> Ehrenb.	<i>Olpidiomycetes</i> Doweld
<b><i>Saksenaeaceae</i></b> Hesselt. & J.J. Ellis	<i>Olpidiales</i> Caval.-Sm.
<i>Apophysomyces</i> P.C. Misra	<i>Olpidiaceae</i> J. Schröt.
<i>Saksenaea</i> S.B. Saksena	<i>Chytridhaema</i> Moniez
<b><i>Syncephalastraceae</i></b> Naumov ex R.K. Benj.	<i>Cibdelia</i> Juel
<i>Circinella</i> Tiegh. & G. Le Monn.	<i>Leiolidium</i> Doweld
<i>Fennellomyces</i> Benny & R.K. Benj.	<i>Olpidium</i> (A. Braun) J. Schröt.
<i>Phascolomyces</i> Boedijn ex Benny & R.K. Benj.	
<i>Protomycocladus</i> Schipper & Samson	<b><i>ROZELLOMYCOTA</i></b> Doweld
<i>Syncephalastrum</i> J. Schröt.	<i>Microsporidea</i> Corliss & Levine
<i>Thamnostylum</i> Arx & H.P. Upadhyay	<i>Chytridiopsida</i> Weiser
<i>Zychaea</i> Benny & R.K. Benj.	<i>Burkeidae</i> Sprague
<b><i>Umbelopsidomycetes</i></b> Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov	<i>Burkea</i> Sprague
	<b><i>Buxtehudiidae</i></b> Larsson
	<i>Jiroveciana</i> Larsson
	<i>Buxtehudea</i> Larsson
	<b><i>Chytridiopsidae</i></b> Sprague, Ormières & Manier
	<i>Acarispora</i> Radek and Alberti

***Chytridiopsis*** Schneider  
***Intexta*** Larsson, Steiner & Bjørnson  
***Nolleria*** Beard, Butler & Becnel

***Enterocytozoonidae*** Cali & Owen  
***Desmozoon*** Freeman & Sommerville  
***Enterocytozoon*** Desportes, Le Charpentier, Galian, Bernard, Cochand-Priollet, Lavergne, Ravisse & Modigliani  
***Enterospora*** Stentiford, Bateman, Longshaw & Feist  
***Hepatospora*** Stentiford, Bateman, Dubuffet, Chambers & Stone  
***Nucleospora*** Hedrick, Groff & Baxa  
***Obruspora*** Diamant, Rothman, Goren, Galil, Yokes, Szitenberg & Huchon  
***Paranucleospora*** Nylund, Watanabe, Nylund, Sævareid, Erik Arnesen & Karlsbakk  
***Hesseidae*** Ormières & Sprague  
***Hessea*** Ormières & Sprague

***Dissociodihaplophasida*** Sprague  
***Caudosporidae*** Weiser  
***Binucleospora*** Bronnvall & Larsson  
***Caudospora*** Weiser  
***Flabelliforma*** Canning, R. Killick-Kendrick & Killick-Kendrick  
***Neoflabelliforma*** Morris & Freeman  
***Octosporea*** Flu  
***Polydispyrenia*** Canning & Hazard  
***Ringueletium*** Garcia  
***Scipionospora*** Bylén & Larsson  
***Weiseria*** Doby & Saguez  
***Myrmecomorba*** R.M. Plowes, J.J. Becnel, E.G. LeBrun, D.H. Oi, S.M. Valles, N.T. Jones & L.E. Gilbert  
***Golbergiidae*** Issi  
***Golbergia*** Weiser  
***Krishtalia*** Kilochitskii  
***Simuliospora*** Khodzhaeva, Krylova & Issi

***Mrazekiidae*** Léger & Hesse  
***Agmasoma*** Hazard & Oldacre  
***Anostracospora*** Rode, Landes, Lievens, Flaven, Segard, Jabbour-Zahab, Michalakis, Agnew, Vivarés & Lenormand  
***Euplotespora*** Fokin, Di Giuseppe, Erra & Dini  
***Helmichia*** Larsson  
***Hrabyeia*** Lom & Dyková  
***Jirovecia*** Weiser  
***Mrazekia*** Léger & Hesse  
***Rectispora*** Larsson  
***Nosematidae*** Labbe  
***Nosema*** Nägeli  
***Oligosporidium*** Codreanu-Balcescu, Codreanu & Traciuc  
***Vairimorpha*** Pilley

***Ovavesiculidae*** Sprague, Becnel & Hazard  
***Antonospora*** Fries, Paxton, Tengo, Slemenda, da Silva, & Pieniazek

***Ovavesicula*** Andreadis & Hanula  
***Paranosema*** Sokolova, Dolgikh, Morzhina, Nassonova, Issi, Terry, Ironside, Smith

***Pseudopleistophoridae*** Sprague  
***Pseudopleistophora*** Sprague  
***Steinhausia*** Sprague, Ormières & Manier

***Spragueidae*** Weissenberg  
***Inodosporus*** Overstreet & Weidner  
***Kabatana*** Lom, Dyková & Tonguthai  
***Microgemma*** Ralphs & Matthews  
***Spraguea*** Weissenberg  
***Potaspora*** Casal, Matos, Teles-Grilo & Azevedo  
***Tetramicra*** Matthews & Matthews

***Glugeida*** Gurley  
***Abelsporidae*** Azevedo  
***Abelspora*** Azevedo

***Encephalitozoonidae*** Voronin  
***Encephalitozoon*** Levaditi, Nicolau & Schoen  
***Mockfordia*** Sokolova, Sokolov & C.E. Carlton

***Glugeidae*** Gurley  
***Alloglugea*** Paperna & Lainson  
***Amazonospora*** Azevedo & Matos  
***Glugea*** Thélohan  
***Ichthyosporidium*** Caullery & Mesnil  
***Johenrea*** Lange, Becnel, Razafindratiana, Przybyszewski & H. Razafindrafara  
***Loma*** Morrison & Sprague  
***Parapleistophora*** Issi, Kadyrova, Pushkar, Khodzhaeva & Krylova  
***Pseudoloma*** Matthews, Brown, Larison, Bishop-Stewart, Rogers & Kent

***Gurleyidae*** Sprague  
***Agglomerata*** Larsson & Yan  
***Binucleata*** Refardt, Decaestecker, Johnson & Vávra  
***Episeptum*** Larsson  
***Gurleya*** Doflein  
***Lanatospora*** Voronin  
***Larssonia*** Vidtmann & Sokolova  
***Marssoniella*** Lemmermann  
***Norlevinea*** Vávra  
***Paraepiseptum*** Hyliš, Oborník, Nebesářová & Vávra  
***Pyrotheca*** Hesse  
***Senoma*** Simakova, Pankova, Tokarev & Issi  
***Zelenkaia*** Hyliš, Oborník, Nebesářová & Vávra

**Microfilidae** Sprague, Becnel & Hazard  
*Microfilmum* Faye, Toguebaye & Bouix

**Pleistophoridae** Doflein

*Dasyatispora* Diamant, Goren, Yokeş, Galil, Klopman, Huchon, Szitenberg & Karhan

*Heterosporis* Schubert

*Myosporidium* Baquero, Rubio, Moura, Pieniazek & Jordana

*Ovipleistophora* Pekkarinen, Lom & F. Nilsen

*Pleistophora* Gurley

*Trachipleistophora* Hollister, Canning, Weidner, Field, Kench & Marriott

*Vavraia* Weiser

**Tuzetiidae** Sprague, Tuzet & Maurand

*Nelliemelba* Larsson

*Pankovaia* Simakova, Tokarev & Issi

*Paratuzetia* Poddubnaya, Tokarev & Issi

*Tuzetia* Maurand, Fize, Vernick & Michel

**Unikaryonidae** Sprague

*Canningia* Weiser, Wegensteiner & Žizka

*Dictyocela* Terry, Smith, Sharpe, Rigaud, Littlewood, Ironside, Rollinson, Bouchon, MacNeil, Dick & Dunn

*Larssonella* Weiser & David

*Unikaryon* Canning, Lai & Lie

**Meiodihaplophasida** Sprague, Becnel, Hazard

**Amblyosporidae** Weiser

*Aedispora* Kilochitskii

*Amblyospora* Hazard & Oldacre

*Andreanna* Simakova, C.R. Vossbrinck & Andreadis

*Becnelia* Tonka & Weiser

*Crepidulospora* Simakova, Pankova & Issi

*Cristulospora* Khodzhaeva & Issi

*Culicospora* Weiser

*Culicosporella* Weiser

*Dimeiospora* Simakova, Pankova & Issi

*Edhazardia* Becnel, V. Sprague & Fukuda

*Hyalinocysta* Hazard & Oldacre

*Intrapredatorus* Chen, Kuo & Wu 1998

*Novothelohania* Andreadis, Simakova, Vossbrinck, Shepard & Yurchenko

*Parastempelia* Khodzhaeva

*Parathelohania* Codreanu

*Trichocitosporea* Larsson

*Tricornia* Pell & Canning

**Burenellidae** Jouvenaz & Hazard

*Burenella* Jouvenaz & Hazard

*Pilospora* Hazard & Oldacre  
*Tabanispora* Bykova, Sokolova & Issi

**Cylindrosporidae** Issi & Voronin

*Cylindrospora* Issi & Voronin

**Duboscqiidae** R. Sprague

*Duboscqia* Pérez

*Mitoplistophora* Codreanu

*Pulicispora* Vedmed, Krylova & Issi

*Tardivesicula* Larsson & Bylén

*Trichoduboscqia* L. Léger

**Pereziidae** Loubes, Maurand, Comps & Campillo

*Ameson* V. Sprague

*Nadelspora* Olson, Tiekotter & Reno

*Perezia* Léger & Duboscq

*Pernicivesicula* Bylén & Larsson

**Striatosporidae** Issi & Voronin

*Striatospora* Issi & Voronin

**Thelohaniidae** Hazard & Oldacre

*Bohuslavia* Larsson

*Chapmannium* Hazard & Oldacre

*Coccospora* Wallr.

*Cucumispora* Ovcharenko, Bacela, Wilkinson, Ironside, Rigaud & Wattier

*Hyperspora* Stentiford, Ramilo, Abollo, Kerr, Bateman, Feist, Bass & Villalba

*Napamichum* Larsson

*Nudispora* Larsson

*Octotetraspora* Issi, Kadyrova, Pushkar, Khodzhaeva & Krylova

*Ormieresia* C.P. Vivarès, G. Bouix & Manier

*Orthothelohania* Codreanu & Codreanu-Balcescu

*Paradoxium* G.D. Stentiford, S.H. Ross, R. Kerr, D. Bass & K.S. Bateman

*Pegmatheca* Hazard & Oldacre

*Resiomeria* Larsson

*Spherospora* J.J. Garcia

*Thelohania* Henneguy

*Toxoglugea* Léger & Hesse

**Microsporidea** families *incertae sedis*,

**Areosporiidae** G.D. Stentiford, S. Bateman, Feist, S. Oyarzún, J.C. Uribe, M. Palacios & D.M. Stone

**Areospora** G.D. Stentiford, S. Bateman, Feist, S. Oyarzún, J.C. Uribe, M. Palacios & D.M. Stone

**Berwaldiidae** Simakova, Tokarev, Issi

*Berwaldia* Larsson

<i>Fibrillanosema</i> Slothouber Galbreath, Smith, Terry, Becnel, & Dunn	<i>Auraspora</i> Weiser & K. Purrini <i>Baculea</i> Loubès & Akbarieh <i>Campanulospora</i> Issi, Radishcheva & Dolzhenko <i>Caulleryetta</i> Dogiel <i>Chytridioides</i> Tregouboff <i>Ciliatosporidium</i> Foissner & Foissner <i>Crispospora</i> Tokarev, Voronin, Seliverstova, Pavlova & Issi <i>Cryptosporina</i> Hazard & Oldacre <i>Cystosporogenes</i> Canning, Barker, Nicholas & Page <i>Endoreticulatus</i> Brooks, Becnel & Kennedy <i>Enterocytospora</i> Rode, Landes, Lievens, Flaven, Segard, Jabbour-Zahab, Michalakis, Agnew, Vivarés & Lenormand <i>Evlachovia</i> Voronin <i>Geusia</i> Rühl & Korn <i>Globulispera</i> Vávra, Hylis, Viala, Nebesarova <i>Glugoides</i> (Chatton) Larsson, Ebert, Vávra & Voronin <i>Gurleyides</i> Voronin <i>Hamiltonsporidium</i> Haag, Larsson, Refardt, and Ebert <i>Hazardia</i> Weiser <i>Hirsutosporos</i> Batson <i>Holobispora</i> Voronin <i>Issia</i> Weiser <i>Janacekia</i> Larsson <i>Kinorhynchospora</i> Adrianov & Rybakov <i>Liebermannia</i> Sokolova, Lange & Fuxa <i>Mariona</i> Stempell <i>Merocinta</i> Pell & Canning <i>Microsporidium</i> Balbiani <i>Multilamina</i> Becnel, Scheffrahn, Vossbrinck & Bahder <i>Myxocystis</i> Mrazek <i>Nematocenator</i> Sapir, Dillman, Connon, Grupe, Ingels, Mundo-Ocampo, Levin, Bladwin, Orphan & Sternberg <i>Nematocida</i> Troemel, Félix, Whiteman, Barrière & Ausubel <i>Nosemoides</i> Vinckier <i>Orthosomella</i> Canning, Wigley & Barker <i>Sheriffia</i> Larsson <i>Spiroglugea</i> Léger & Hesse <i>Sporanauta</i> Ardila-Garcia & Fast <i>Stempellia</i> Léger & Hesse <i>Systenostrema</i> Hazard & Oldacre <i>Takaokaspora</i> Andreadis, Takaoka, Otsuka & Vossbrinck <i>Trichotuzetia</i> Vávra, Larsson & Baker <i>Triwangia</i> Wang, Nai, Chih Wang, Solter, Hsu, Wang & Lo <i>Vittaforma</i> Silveira & Canning <i>Wittmannia</i> Czaker
<i>Cougourdellidae</i> Poisson	
<i>Cougourdella</i> E. Hesse	
<i>Facilisporidae</i> Jones, Prosperi-Porta & Kim	
<i>Facilispora</i> Jones, Prosperi-Porta & Kim	
<i>Heterovesiculidae</i> Lange, Macvean, Henry & Streett	
<i>Heterovesicula</i> Lange, Macvean, Henry & Streett	
<i>Myosporidae</i> Stentiford, Bateman, Small, Moss, Shields, Reece & Tuck	
<i>Myospora</i> Stentiford, Bateman, Small, Moss, Shields, Reece & Tuck	
<i>Neonosemoidiidae</i> Faye, Toguebaye & Bouix	
<i>Neonosemoides</i> Faye & Toguebaye	
<i>Ordosporidae</i> Larsson, Ebert & Vávra	
<i>Ordospora</i> Larsson, Ebert & Vávra	
<i>Pleistosporidiidae</i> Codreanu-Balcescu & Codreanu	
<i>Pleistosporidium</i> Codreanu-Balcescu & Codreanu	
<i>Neopereziidae</i> . Voronin	
<i>Bacillidium</i> Janda	
<i>Bryonosema</i> Canning, Refardt, Vossbrinck, Okamura & Curry	
<i>Neoperezia</i> Issi & Voronin	
<i>Pseudonosema</i> Canning, Refardt, Vossbrinck, Okamura & Curry	
<i>Schroedera</i> D.J. Morris & A. Adams	
<i>Trichonosema</i> Canning, Refardt, Vossbrinck, Okamura & Curry	
<i>Telomyxidae</i> Léger & Hesse	
<i>Telomyxa</i> Léger & Hesse	
<i>Toxoglugeidae</i> Larsson	
<i>Toxospora</i> Voronin	
<i>Tubulinosematidae</i> Franzen, Fischer, Schröder, Schölmerich & Schneuwly	
<i>Anncalia</i> Issi, Krylova & Nikolaeva	
<i>Kneallhazia</i> Sokolova & Fuxa	
<i>Tubulinosema</i> Franzen, Fischer, Schröder, Schölmerich & Schneuwly	
<i>Microsporidea</i> genera <i>incertae sedis</i>	
<i>Alfenia</i> Larsson	
<i>Anisofilaria</i> Tokarev, Voronin, Seliverstova, Dolgikh, Pavlova, Ignatieva & Issi	
<i>Rudimicrosporea</i> Sprague	
<i>Metchnikovellida</i> Vivier	
<i>Amphiacanthidae</i> Larsson	
<i>Amphiacantha</i> Caullery & Mesnil	
<i>Amphiamblys</i> Caullery & Mesnil	

***Metchnikovellidae*** Caullery & Mesnil  
*Desportesia* Issi & Voronin  
*Metchnikovella* Caullery & Mesnil  
*Microsporidiopsis* Schereschewsky

***Rozellomycota*** genera incertae sedis  
*Mitosporidium* Haag, James, Pombert, Larsson, Schaer, Refardt & Ebert  
*Nucleophaga* Dangeard  
*Paramicrosporidium* Corsaro, Walochnik, Venditti, Steinmann, Müller & Michel  
*Rozella* Cornu

**ZOOPAGOMYCOTA** Gryganskyi, M.E. Sm., Spatafora & Stajich

***Zoopagomycetes*** Doweld  
***Zoopagales*** Bessey ex R.K. Benj.

***Cochlonemataceae*** Dudd.  
*Amoebophilus* P.A. Dang.  
*Aplectosoma* Drechsler  
*Bdellospora* Drechsler  
*Cochlonema* Drechsler  
*Endocoelius* Drechsler  
*Euryancale* Drechsler

***Helicocephalidaceae*** Boedijn  
*Brachymyces* G.L. Barron  
*Helicocephalum* Thaxt.  
*Rhopalomyces* Corda  
*Verrucocephalum* Degawa

***Piptocephalidaceae*** J. Schröt.  
*Kuzuhaea* R.K. Benj.  
*Piptocephalis* de Bary  
*Syncephalis* Tiegh. & G. Le Monn.

***Sigmoideomycetaceae*** Benny, R.K. Benj. & P.M. Kirk  
*Reticulocephalis* Benny, R.K. Benj. & P.M. Kirk  
*Sigmoideomyces* Thaxt.  
*Sphondylocephalum* Stalpers  
*Thamnocephalis* Blakeslee

***Zoopagaceae*** Drechsler  
*Acaulopage* Drechsler  
*Cystopage* Drechsler  
*Lecophagus* M.W. Dick  
*Stylopage* Drechsler  
*Tentaculophagus* Doweld  
*Zoophage* Drechsler  
*Zoophagus* Sommerst.

***Zoopagales*** genera incertae sedis  
*Massartia* De Wild.

***Zoopagomycotina*** genus incertae sedis  
*Basidiolum* Cienk.

## NOTES FOR GENERA

In this section we provide an introduction for each phylum and entries for each genus with taxonomic placements, habitat, recent references etc.

### ***Aphelidiomycota*** Tedersoo et al.

Tedersoo et al. (2016) introduced *Aphelidiomycota* which comprises one class, one order and one family. Currently, we accept four genera belonging in *Aphelidiomycota*.

### Notes for genera

***Amoeboaphelidium*** Scherff. 1925, *Aphelidiaceae*, *Aphelidiales*, *Aphelidiomycetes*, *Aphelidiomycota*, five species, type: *A. achnanthidis* Scherff., parasites, aquatic, cosmopolitan, see Letcher et al. (2015b; new species), Karpov et al. (2016; phylogeny), sequences are available.

***Aphelidium*** Zopf 1885, *Aphelidiaceae*, *Aphelidiales*, *Aphelidiomycetes*, *Aphelidiomycota*, seven species, type: *A. deformans* Zopf, parasites of algae, aquatic, worldwide, see Karpov et al. (2016; phylogeny), Letcher et al. (2017a; new species), sequences are available.

***Paraphelidium*** Karpov, Moreira, Lopez-Garcia 2017b, *Aphelidiaceae*, *Aphelidiales*, *Aphelidiomycetes*, *Aphelidiomycota*, two species, type: *P. tribonemae* Karpov, Moreira, Lopez-Garcia, parasites of *Tribonema gayanum*, aquatic, Russia, see Karpov et al. (2017b, c; taxonomy, phylogeny), sequences are available.

***Pseudaphelidium*** Schweikert & Schnepf 1996, *Aphelidiaceae*, *Aphelidiales*, *Aphelidiomycetes*, *Aphelidiomycota*, one species, type: *P. dresensis* Schweikert & Schnepf, parasite, marine, Germany, see Schweikert and Schnepf (1996, 1997; description, light microscopy, electron microscopy), sequences are unavailable.

### ***Basidiobolomycota*** Doweld

Doweld (2001) introduced *Basidiobolomycota* based on *Basidiobolus* Eidam. Taxonomic placement of *Basidiobolus* (including higher taxonomic ranks i.e. *Basidiobolaceae*, *Basidiobolales*, *Basidiobolomycetes*) was doubtful since different publications accommodated it in different placements in Kingdom Fungi. Nagahama et al. (1995) and James et al. (2000) showed that *Basidiobolus* grouped with *Chytridiomycetes* based on 18S rDNA sequence analyses. However, James et al. (2006), for the first time, accepted *Basidiobolus* belongs in *Entomophthoromycota*. The placement in James et al. (2006) was followed by Humber (2012) and Gryganskyi et al. (2013a, b). Nevertheless,

Hibbett et al. (2007) provided contrary conclusion with all above placements on *Basidiobolus*, and placed it in uncertain placement in Kingdom Fungi. Nevertheless, Tedersoo et al. (2016) accepted *Basidiobolomycota* (*fide* Doweld 2001) as a distinct phylum in their newly proposed classification of fungi. Our phylogenetic analyses also agree with this placement thus in here, we conclude *Basidiobolomycota* as a distinct phylum which comprises *Basidiobolus* and *Schizangiella* J. Dwyer et al. (Fig. 1).

### Notes for genera

***Basidiobolus*** Eidam 1886, *Basidiobolaceae*, *Basidiobolales*, *Basidiobolomycetes*, *Entomophthoromycota*, four species, type: *B. ranarum* Eidam, on dung, human pathogen, worldwide, see Rabie et al. (2011; Basidiobolomycosis), Sharma et al. (2011; human pathogen), Humber (2012; classification), Kumar Verma et al. (2012; subcutaneous zygomycosis), Kwon-Chung (2012; human pathogen), Gryganskyi et al. (2013a; notes), Kirk et al. (2013; genus accepted), Al-Maani et al. (2014; gastrointestinal basidiobolomycosis), Mendoza et al. (2015; human pathogen), Almoosa et al. (2017; pediatric gastrointestinal basidiobolomycosis), cultures and sequences are available, genomes available: *B. meristosporus* CDC-B9252 and CBS 931.73 (Chibucus et al. 2016) available at NCBI genomes, *B. heterosporus* CDC-B8920 (Chibucus et al. 2016) available at NCBI genomes.

***Schizangiella*** J. Dwyer, B. Burwell, Humber, C. Mcleod, M. Fleetwood & T. Johnson bis 2006, *Basidiobolaceae*, *Basidiobolales*, *Basidiobolomycetes*, *Entomophthoromycota*, one species, type: *S. serpentis* J. Dwyer, B. Burwell, Humber, C. Mcleod, M. Fleetwood & T. Johnson bis, snake pathogen, cosmopolitan, see Gryganskyi et al. (2013a; notes, phylogeny), Hoffmann et al. (2013; notes), Humber (2016; classification), cultures and sequences are available.

### ***Blastocladiomycota* T.Y. James**

James et al. (2006) elevated the order *Blastocladiales*, which was traditionally treated as in *Chytridiomycota*, to a phylum *Blastocladiomycota*. The members of *Blastocladiomycota* show different life modes such as saprobic, invertebrate parasites (e.g. *Callimastix* Weissenb., *Coelomomyces* Keilin), and fungal and algal parasites (Hoffman et al. 2008; James et al. 2011). In evolution perspective, *Blastocladiales* differs from the chytrids which have zygotic meiosis while most *Blastocladiales* have a life cycle with sporadic meiosis (James et al. 2006). Subsequent studies by Hibbett et al. (2007), Porter et al. (2011), James et al. (2012, 2014), Jones et al. (2016), Seto et al. (2017) and Krings et al. (2016) also recognized *Blastocladiomycota* as a distinct phylum of fungi.

In this study, we accept one class, three orders, eight families and 14 genera in *Blastocladiomycota*.

### Notes for genera

***Allomyces*** E.J. Butler 1911 (= *Septocladia* Coker & F.A. Grant 1922), *Blastocladiaceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, c. ten species, type: *A. arbusculus* E.J. Butler, from soil, cosmopolitan, see Porter et al. (2011; phylogeny), James and Berbee (2012; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

***Blastocladia*** Reinsch 1877, *Blastocladiaceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, c. 20 species, type: *B. pringsheimii* Reinsch, saprobes, aquatic, Argentina, see Porter et al. (2011; DNA, phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

***Blastocladiopsis*** Sparrow 1950, *Blastocladiaceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, two species, type: *B. parva* Whiffen ex Sparrow, saprobes, aquatic, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

***Callimastix*** Weissenb. 1912, *Callimastigaceae*, *Callimastigales*, *Blastocladiomycetes*, *Blastocladiomycota*, one species, type: *C. cyclopis* Weissenb., on crustaceans, terrestrial, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

***Catenomyces*** A.M. Hanson 1944, *Catenomycetaceae*, *Catenomycetales*, *Blastocladiomycetes*, *Blastocladiomycota*, two species, type: *C. persicinus* A.M. Hanson, saprobes, North America, see Freeman et al. (Freeman et al. 2009; phylogeny), Kirk et al. (2013; genus accepted), Hillman et al. (2017; microbes in gastrointestinal tract), cultures and sequences are available.

***Catenophlyctis*** Karling 1965 (= *Perirhiza* Karling 1946), *Catenariaceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, two species, type: *C. variabilis* (Karling) Karling, saprobes, worldwide, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

***Coelomomyces*** Keilin 1921, *Coelomycetaceae*, *Callimastigales*, *Blastocladiomycetes*, *Blastocladiomycota*, c. 75 species, type: *C. stegomyiae* Keilin, insect pathogens, worldwide, see Seye et al. (2009; pathogens of *Aedes albopictus*), Kirk et al. (2013; genus accepted), sequences are available.

***Coelomycidium*** Debais. 1919 (= *Zografa* Bogoyavl. 1922), *Coelomycetaceae*, *Callimastigales*, *Blastocladiomycetes*, *Blastocladiomycota*, one species, type: *C. simulii* Debais., insect pathogens, worldwide, see Porter et al. (2011; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

***Endoblastidium*** Codreanu 1931, *Blastocladiales* genera incertae sedis, *Blastocladiomycetes*, *Blastocladiomycota*, one species, type: *E. caulleryi* Codreanu, saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available for unidentified species.

**Microallomyces** R. Emers. & J.A. Robertson 1974, *Blastocladiomycetes* genera *incertae sedis*, *Blastocladiomycota*, two species, type: *M. dendroideus* R. Emers. & J.A. Robertson, saprobes, aquatic, Costa Rica, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Nematoceromyces** Doweld 2013, *Catenariaceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, three species, type: *N. spinosus* (W. Martin) Doweld, parasitic in eggs of insects, cosmopolitan, see Doweld et al. (2014k; genus accepted), cultures and sequences are unavailable.

**Paraphysoderma** Boussiba, Zarka & T.Y. James 2011, *Paraphysodermataceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, three species, type: *P. sedebokerense* Boussiba, Zarka & T.Y. James, parasitic on *Haematococcus pluvialis*, Israel, see James et al. (2011; taxonomy), Letcher et al. (2016; ultrastructure studies), Strittmatter et al. (2016; flagellated dispersion stage), cultures and sequences are available.

**Physoderma** Wallr. 1833 (= *Oedomyces* Sacc. ex Trab. 1894; = *Physopella* G. Poirault 1905; = *Urophlyctis* J. Schröt. (1886) [1889]), *Physodermataceae*, *Physodermatales*, *Physodermatomycetes*, *Blastocladiomycota*, c. 60 species, type: *P. maculare* Wallr., saprobes, worldwide, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Sorochytrium** Dewel 1985, *Sorochytriaceae*, *Blastocladiales*, *Blastocladiomycetes*, *Blastocladiomycota*, one species, type: *S. milnesiophthora* Dewel, saprobes, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

### Caulochytriomycota Doweld

Doweld (2014g) introduced *Caulochytriomycota* based on *Caulochytrium* Voos & L.S. Olive. *Caulochytrium gloeosporii* Voos & L.S. Olive, the type species of *Caulochytrium* was isolated from dead leguminous pods and treated as in *Chytridiales* (Voos and Olive 1968). The genus lacks DNA sequences in GenBank (accession date 29.06.2018) thus the erection was based only on morphology and habitat. Currently the phylum comprises one class, one order, one family and one genus.

### Note for genus

**Caulochytrium** Voos & L.S. Olive 1968, *Caulochytriacaeae*, *Caulochytriales*, *Caulochytriomycetes*, *Caulochytriomycota*, two species, type: *C. gloeosporii* Voos & L.S. Olive, saprobes, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

### Chytridiomycota Doweld

Doweld (2001) introduced *Chytridiomycota* based on *Chytridium* A. Braun (1851). Hibbett et al. (2007) also introduced *Chytridiomycota* M.J. Powell based on the same genus thus this name is treated as an isonym of *Chytridiomycota* Doweld. (Index Fungorum 2018). Taxa in *Chytridiomycota* (Figs. 3 and 4) show a broad range of distribution and mostly occur as aquatic (fresh water or marine) saprobes and parasites, although taxa in some orders (e.g. *Spizellomycetales* and *Rhizophlyctidales*) are nearly exclusively terrestrial saprobes of refractive substrates.

Hibbett et al. (2007) accepted two classes i.e. *Chytridiomycetes* Caval.-Sm. (including three orders) and *Monoblepharidomycetes* J.H. Schaffn. (including one order). Subsequent studies by Letcher et al. (2008a, b, c), Mozley-Standridge et al. (2009), Simmons et al. (2009), Longcore and Simmons (2012), Karpov et al. (2014) added several orders to *Chytridiomycetes*. We accept two classes, 13 orders, 57 families and 151 genera in *Chytridiomycota*.

### Notes for genera


**Achlyella** Lagerh. 1890, *Chytridiomycota* genera *incertae sedis*, one species, type: *A. flahaultii* Lagerh., on pollen grains, aquatic, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Achlyogeton** Schenk 1859, *Chytridiomycota* genera *incertae sedis*, one species, type: *A. entophytum* Schenk, parasitic, aquatic, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Algochytrrops** Doweld 2014i, *Lobulomycetales* genera *incertae sedis*, *Lobulomycetes*, *Chytridiomycota*, one species, type: *A. polysiphoniae* (Cohn) Doweld, epibiotic, marine, cosmopolitan, see Simmons et al. (2009; as *Chytridium polysiphoniae*, phylogeny), Doweld (2014i; taxonomy), cultures and sequences are unavailable.

**Allochytridium** D.J.S. Barr & Désauln. 1987 (= *Allochytridium* Salkin 1970), *Cladochytriales* genera *incertae sedis*, *Cladochytriomycetes*, *Chytridiomycota*, one species, type: *A. luteum* D.J.S. Barr & Désauln., from sandy soil, Canada, see Mozley-Standridge et al. (2009; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Alogomyces** D.R. Simmons & Letcher 2012, *Alogomycetaceae*, *Lobulomycetales*, *Lobulomycetes*, *Chytridiomycota*, one species, type: *A. tanneri* D.R. Simmons & Letcher, from horse manure, USA, see Simmons et al. (2012; taxonomy), Doweld (2014b; introduced *Alogomycetaceae*), cultures and sequences are available.



**Fig. 3** A–D Chytridiomycetidae, Chytridiales. A *Chytromyces hyalinus*. B *Obelidium mucronatum*. C *Podochytrium dentatum*. D *Physocladia obscura*. E, F Chytridiaceae, Chytridiales. E *Phlyctochytrium planicorne*. F *Phlyctochytrium bullatum*. G, H Lobulomyctetales.

G *Lobulomyces poculatus*. H *Lobulomyces angularis*. I–L Rhizophydiales. I *Rhizophyllum globosum*. J *Operculomyces laminatus*. K *Terramyces subangulosus*. L *Coralloidiomyces digitatus*

**Alphamycetes** Letcher 2008, Alphamycetaceae, Rhizophydiales, Rhizophydiomycetes, Chytridiomycota, one species, type: *A. chaetifer* (Sparrow) Letcher, on pollen, Argentina, see Letcher et al. (2008c, 2012a, b; taxonomy), Akinwole et al. (2014; fatty acids), cultures and sequences are available.

**Amoebochytrium** Zopf 1884, Amoebochytriaceae, Chytridiomycetes families incertae sedis, Chytridiomycota, one species, type: *A. rhizidioides* Zopf, from soil, cosmopolitan, see Kirk et al. (2013; genus accepted), Doweld (2014c; introduced Amoebochytriaceae), cultures and sequences are unavailable.


**Angulomyces** Letcher 2008, Angulomycetaceae, Rhizophydiales, Rhizophydiomycetes, Chytridiomycota, one

species, type: *A. argentinensis* Letcher, from submersed mud, cosmopolitan, see Letcher et al. (2008b; taxonomy), Davis et al. (2013; from Alabama), cultures and sequences are available, ITS of the type culture NR\_119644.

**Aphanistis** Sorokin 1883, Chytridiomycetes genera incertae sedis, Chytridiomycota, two species, type: needs typification, Asia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Aquamycetes** Letcher 2008, Aquamycetaceae, Rhizophydiales, Rhizophydiomycetes, Chytridiomycota, one species, type: *A. chlorogonii* (Serbinow) Letcher, South America, see Letcher et al. (2008c; taxonomy, phylogeny), cultures and sequences are available, ITS of the type culture EF585643.

**Fig. 4 A, B** Spizellomycetaceae, Spizellomycetales. **A** *Spizellomyces punctatus*. **B** *Phlyctochytrium reinboldiae*. **C** Powellomycetaceae, Spizellomycetales. *Powellomyces variabilis*. **D** Rhizophlyctidales. *Rhizophlyctis rosea*. **E** Cladochytriales. *Cladochytrium replicatum*. **F**, **G** Blastocladiomycota. **F** *Allomyces anomalus*. **G** *Catenaria anguillulae*. **H–N** incertae sedis. **H** *Blyttiomycetes helicus*. **I** *Polyphlyctis cystofera*. **J** *Phlyctochytrium mucronatum*. **K** *Chytridium rhizophydii*. **L** *Septosperma rhizophydii*. **M** *Rhizophydium obpyriformis*. **N** *Rhizophlyctis ingoldii*



**Arizonaphlyctis** Letcher 2008, Arizonaphlyctidaceae, Rhizophlyctidales, Rhizophlyctidomycetes, Chytridiomycota, one species, type: *A. lemmoneensis* Letcher, USA, see Letcher et al. (2008a; taxonomy, phylogeny), cultures and sequences are available, ITS of the type culture EU379214.

**Arkaya** Longcore & D.R. Simmons 2012, Arkayaceae, Polychytriales, Polychytriomycetes, Chytridiomycota, two species, type: *A. lepida* Longcore & D.R. Simmons, USA, see Longcore and Simmons (2012; taxonomy, phylogeny), cultures and sequences are available.

**Asterophlyctis** H.E. Petersen 1903, Asterophlyctaceae, Chytridiales, Chytridiomycetes, Chytridiomycota, two species, type species: *A. sarcoptoides* H.E. Petersen, see Vélez et al. (2011, taxonomy, phylogeny), Doweld (2014e; introduced Asterophlyctaceae), cultures and sequences available.

**Avachytrium** Vélez & Letcher 2013, Chytridiomycetaceae, Chytridiales, Chytridiomycetes, Chytridiomycota, two species, type: *A. platense* Vélez & Letcher, USA, see Vélez et al. (2013; taxonomy, phylogeny), Letcher et al. (2014;

DNA), cultures and sequences are available, ITS of the type culture NR\_111808.

**Barromyces** M.J. Powell & Letcher 2018, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *B. tenuis* (D.J.S. Barr) M.J. Powell & Letche, from soil, USA, see Powell et al. (2018; taxonomy), ITS of type culture FJ827713.

**Batrachochytrium** Longcore, Pessier & D.K. Nichols 1999, *Batrachochytriaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, two species, type: *B. dendrobatidis* Longcore, Pessier & D.K. Nichols, from skin of amphibians, USA, The Netherlands, see Fisher et al. (2009; amphibian chytridiomycosis), Van Rooij et al. (2012; amphibian pathogens), Blooi et al. (2013; real time PCR), Doweld (2013b; *Batrachochytriaceae*), Martel et al. (2013; new species, phylogeny), Dillon et al. (2017; pathogens), cultures and sequences are available.

**Bertrania** Mesnil & Caullery 1897, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, six species, type: *B. capitellae* Mesnil & Caullery, in annelids, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Betamyces** Letcher 2012, *Alphamycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *A. americaemeridionalis* Letcher, Vélez, Schultz & M.J. Powell, on pollen, Argentina, see Letcher et al. (2012b; taxonomy), cultures and sequences are available, ITS of the type culture EF585664.

**Blyttiomycetes** A.F. Bartsch 1939, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, eleven species, type: *B. spinulosus* (A. Blytt) A.F. Bartsch, saprobes, aquatic, worldwide, see Blackwell et al. (2011; reported from Alabama and Argentina, notes), Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Boothiomycetes** Letcher 2006, *Terramycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *B. macroporosum* (Karling) Letcher, from soil, terrestrial, New Zealand, see Davis et al. (2013; DNA, reported from Alabama), cultures and sequences are available, ITS of the type culture NR\_119591.

**Borealophlyctis** Letcher 2008, *Borealophlyctidaceae*, *Rhizophlyctidales*, *Rhizophlyctidomycetes*, *Chytridiomycota*, two species, type: *B. paxensis* Letcher, from soil, on pollen, terrestrial, USA, see Letcher et al. (2008c; taxonomy), Davis et al. (2016a, b; new species), cultures and sequences are available, ITS of the type culture NR\_111314.

**Brevicalcar** Letcher & M.J. Powell 2018, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *B. kilaueaense* Letcher and M.J. Powell, from soil, on pollen, terrestrial, Hawaii, see Letcher and Powell (2018; taxonomy), cultures and sequences are available.

**Bulbosomyces** Letcher & Longcore 2018, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *B. maxikinetosomus* Letcher & Longcore, from soil, on pollen, terrestrial, USA, see Letcher and Powell (2018; taxonomy), cultures and sequences are available.

**Canteria** Karling 1971, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *C. apophysata* (Canter) Karling, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Carpenterophlyctis** Doweld 2013 (= *Carpenterella* Tehon & H.A. Harris 1941, *Synchytriaceae*, *Synchytriales*, *Synchytriomycetes*, *Chytridiomycota*, two species, type: *C. cannae* (Mundk. & Tirum.) Doweld, see Doweld (2013a; nomenclature), cultures and sequences are unavailable.

**Catenochytridium** Berdan 1939, *Catenochytridiaceae*, *Cladochytriales*, *Cladochytriomycetes*, *Chytridiomycota*, c. eight species, type: *C. carolinianum* Berdan, saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available for unidentified species.

**Chytridium** A. Braun 1851, *Chytridiaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, c. 50 species, type: *C. olla* A. Braun, worldwide, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Chytriomycetes** Karling 1945, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, c. 30 species, type: *C. hyalinus* Karling, worldwide, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Cladochytrium** Nowak. 1877 (= *Pyroconnum* Prunet 1897), *Cladochytriacae*, *Cladochytriales*, *Cladochytriomycetes*, *Chytridiomycota*, c. 15 species, type: *C. tenue* Nowak., Europe, see Mozley-Standridge et al. (2009; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Clydaea** D.R. Simmons 2009, *Lobulomycetaceae*, *Lobulomycetales*, *Lobulomycetes*, *Chytridiomycota*, one species, type: *C. vesicula* D.R. Simmons, USA, see Simmons et al. (2009; taxonomy), cultures and sequences are available, ITS of the type culture NR\_121339.

**Coenomyces** K.N. Deckenb. 1901 (= *Deckenbachia* Jacz. 1931), *Chytridiomycota* genera *incertae sedis*, one species, type: *C. consuens* K.N. Deckenb., saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Coleospora** Gibbs 1959, *Nephridiophagaceae*, *Nephridiophagales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *C. binucleata* Gibbs, insect parasites, cultures and sequences are unavailable.

**Coralloidiomycetes** Letcher 2008, *Coralloidiomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *C. digitatus* Letcher, saprobes, South America, see Letcher et al. (2008b; genus accepted).

Doweld (2014d; introduced *Coralloidiomycetaceae*), Powell et al. (2015; phylogeny), cultures and sequences are available.

***Cyclopsomyces*** K. Seto & Degawa 2015, *Lobulomycetaceae*, *Lobulomycetales*, *Lobulomycetes*, *Chytridiomycota*, one species, type: *C. plurioperculatus* K. Seto & Degawa, saprobes, Asia, see Seto et al. (2015; taxonomy, phylogeny), cultures and sequences are available.

***Cylindrochytridium*** Karling 1941, *Cladochytriales* genera *incertae sedis*, *Cladochytriomycetes*, *Chytridiomycota*, two species, type: *C. johnstonii* Karling, saprobes, cosmopolitan, see Kirk et al. (2008) accepted the genus but Kirk et al. (2013) did not list the genus, Steiger et al. (2012; phylogeny, accepted as in *Cladochytriales*).

***Dangeardia*** Schröd. 1898, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, six species, type: *D. mamillata* Schröd., saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

***Dangeardiana*** Valkanov ex A. Batko 1970 (= *Dangeardiana* Valkanov 1964), *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, two species, type: *D. eudorinae* Valkanov ex A. Batko, saprobes, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

***Delfinachytrium*** Vélez & Letcher 2013, *Chytridiales* genera *incertae sedis*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *D. mesopotamicum* Vélez & Letcher, from marsh of semipermanent stream, Argentina, see Vélez et al. (2013; genus accepted), cultures and sequences are available.

***Dendrochytridium*** Letcher, Longcore & M.J. Powell 2014, *Chytridiaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *D. crassum* Letcher, Longcore & M.J. Powell, saprobes, Argentina, see Letcher et al. (2014; taxonomy, phylogeny), cultures and sequences are available.

***Dictyomorpha*** Mullins 1961, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, two species, type: *D. dioica* Couch ex Mullins, insect pathogens, USA, see Kirk et al. (2013; genus accepted), Blackwell et al. (2017; taxonomy), cultures and sequences are unavailable.

***Dinomyces*** Karpov & Guillou 2014, *Dinomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *D. arenysensis* Karpov & Guillou, from *Alexandrium*, Europe, see Lepelletier et al. (2014; taxonomy), Gleason et al. (2015; parasitic on harmful algal blooms), Jephcott et al. (2016; impact on harmful algal blooms), cultures and sequences are available.

***Diplophlyctis*** J. Schröt. 1892 (= *Asterophlyctis* H.E. Petersen 1903), *Endochytriaeae*, *Cladochytriales*, *Cladochytriomycetes*, *Chytridiomycota*, twelve species, type: *D. intestina* (Schenk) J. Schröt., saprobes,

cosmopolitan, see Mozley-Standridge et al. (2009; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are available for unidentified species.

***Endochytrium*** Sparrow 1933, *Endochytriaceae*, *Cladochytriales*, *Cladochytriomycetes*, *Chytridiomycota*, seven species, type: *E. oophilum* Sparrow, parasitic on eggs, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available for unidentified species.

***Endodesmidium*** Canter 1949, *Synchytriaceae*, *Synchytriales*, *Synchytriomycetes*, *Chytridiomycota*, one species, type: *E. formosum* Canter, parasitic on desmids, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available for unidentified species.

***Entophyscystis*** A. Fisch. 1892, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, c. 30 species, type: *E. cienkowskiana* (Zopf) A. Fisch, parasites, in soil, cosmopolitan, see Kirk et al. (2013; genus accepted), Wang et al. (2017b; in soil), cultures and sequences are available.

***Fayochytromyces*** W.J. Davis, Letcher, Longcore & M.J. Powell 2015a, b, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *F. spinosus* (Fay) W.J. Davis, Letcher, Longcore & M.J. Powell, saprobes, see Davis et al. (2015; taxonomy), cultures and sequences are available.

***Fimicolochytrium*** D.R. Simmons & Longcore 2012, *Powellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *F. jonesii* D.R. Simmons & Longcore, on manure, USA, see Simmons and Longcore (2012; taxonomy), cultures and sequences are available.

***Gaertneriomycetes*** D.J.S. Barr 1980, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, two species, type: *G. semiglobifer* Uebelm. ex D.J.S. Barr, from soil, cosmopolitan, see Kirk et al. (2013; genus accepted), Powell et al. (2018; new species), cultures and sequences are available.

***Gallinipes*** Letcher & M.J. Powell 2018, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, three species, type: *G. danensis* Letcher and M.J. Powell, from soil, on pollen, terrestrial, USA, see Letcher and Powell (2018; taxonomy), cultures and sequences are available.

***Gammamyces*** Letcher 2012, *Alphamycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *G. ourimbahensis* Letcher, saprobes, Australia, see Letcher et al. (2012a, b; genus accepted), cultures and sequences are available.

***Gamolpidium*** Vlădescu 1892, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, two species, type: *G. nitidum* Vlădescu, on algae, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Geranomyces** D.R. Simmons 2011, *Powellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, four species, type: *G. variabilis* (Longcore, D.J.S. Barr & Désauln.) D.R. Simmons, from soil, on manure, USA, see Simmons (2011; taxonomy, phylogeny), Simmons and Longcore (2012; new species), cultures and sequences are available.

**Globomyces** Letcher 2008, *Globomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *G. pollinis-pini* (A. Braun) Letcher, saprobes, cosmopolitan, see Letcher et al. (2008c; taxonomy, phylogeny), Davis et al. (2013; in Alabama), cultures and sequences are available.

**Gorgonomycetes** Letcher 2008, *Gorgonomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *G. haynaldii* (Schaarschm.) Letcher, saprobes, cosmopolitan, see Letcher et al. (2008c; taxonomy, phylogeny), Davis et al. (2013; in Alabama), Powell et al. (2015; phylogeny), cultures and sequences are available.

**Gromochytrium** Karpov & Aleoshin 2014, *Gromochytraceae*, *Gromochytriales*, *Mesochytriomycetes*, *Chytridiomycota*, one species, type: *G. mamkaevae* Karpov & Aleoshin, parasites, Russia, see Karpov et al. (2014; taxonomy, phylogeny), cultures and sequences are available, ITS of the type species NR\_132054.1.

**Halomyces** Letcher & M.J. Powell 2015, *Halomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *H. littoreus* (Amon) Letcher & M.J. Powell, saprobes, marine, cosmopolitan, see Letcher et al. (2015a; taxonomy, phylogeny), cultures and sequences are available.

**Homolaphlyctis** Longcore, Letcher & T.Y. James 2011, *Rhizophydiales* genera *incertae sedis*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *H. polyrhiza* Longcore, Letcher & T.Y. James, saprobes, from acidic lake, USA, see Longcore et al. (2011; taxonomy), cultures and sequences are available.

**Ichthyochytrium** Plehn 1920, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *I. vulgare* Plehn, saprobes, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Irineochytrium** Letcher, Longcore & M.J. Powell 2014, *Chytridiaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *I. annulatum* (Dogma) Letcher, Longcore & M.J. Powell, saprobes, see Letcher (2014; nomenclature correction), cultures and sequences are available.

**Johnkarlingia** Pavgi & S.L. Singh 1979, *Synchytriaceae*, *Synchytriales*, *Synchytriomycetes*, *Chytridiomycota*, one species, type: *J. brassicae* S.L. Singh & Pavgi, saprobes, India, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Kappamyces** Letcher & M.J. Powell 2005, *Kappamycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *K. laurelensis* Letcher & M.J. Powell, saprobes, from aquaculture of moss-covered soil, Eurasia, see Monchy et al. (2011; phylogeny), Davis et al. (2013; in Alabama), cultures and sequences are available.

**Karlingiomyces** Sparrow 1960, *Polychytriaceae*, *Polychytriales*, *Polychytriomycetes*, *Chytridiomycota*, c. six species, type: *K. asterocystis* (Karling) Sparrow, saprobes, see Marano et al. (2011; diversity of zoosporic fungi in Las Cañas stream, Argentina), Longcore and Simmons (2012; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Kochiomyces** D.J.S. Barr 1980, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *K. dichotomus* (Umphlett) D.J.S. Barr, saprobes, USA, see Wakefield et al. (2010; phylogeny), Kirk et al. (2013; genus accepted), Letcher and Powell (2017; phylogeny), cultures and sequences are available.

**Lacustromyces** Longcore 1993, *Polychytriaceae*, *Polychytriales*, *Polychytriomycetes*, *Chytridiomycota*, one species, type: *L. hitemalis* Longcore, from soil, USA, see Karpov et al. (2010; relationship with *Mesochytrium*), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Loborhiza** A.M. Hanson 1944, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *L. metzneri* A.M. Hanson, saprobes, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Lobulomyces** D.R. Simmons 2009, *Lobulomycetaceae*, *Lobulomycetales*, *Lobulomycetes*, *Chytridiomycota*, two species, type: *L. angularis* (Longcore) D.R. Simmons, saprobes, see Simmons et al. (2009, 2012; taxonomy, phylogeny), cultures and sequences are available.

**Macrochytrium** Minden 1902, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *M. botrydoides* Minden, saprobes, see Kirk et al. (2013; genus accepted), Krings et al. (2016; fossil fungi), cultures and sequences are unavailable.

**Maunachytrium** D.R. Simmons 2009, *Lobulomycetaceae*, *Lobulomycetales*, *Lobulomycetes*, *Chytridiomycota*, one species, type: *M. keaense* D.R. Simmons, from soil, Hawaii, see Simmons et al. (2009, 2012; taxonomy, phylogeny), cultures and sequences are available.

**Megachytrium** Sparrow 1931, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *M. westonii* Sparrow, saprobes, North America, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Mesochytrium** B.V. Gromov, Mamkaeva & Pljusch 2000, *Mesochytriaceae*, *Mesochytriales*, *Mesochytriomycetes*, *Chytridiomycota*, one species, type: *M. penetrans* B.V. Gromov, Mamkaeva & Pljusch, from green algae, Asia, see

Karpov et al. (2010, 2014; phylogeny), cultures and sequences are available.

**Micromyces** P.A. Dang. 1889 (= *Micromycopsis* Scherff. 1926), *Synchytriales* genera *incertae sedis*, *Synchytriomycetes*, *Chytridiomycota*, c. 13 species, type: *M. zygomorpha* P.A. Dang., on algae, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Mitochytridium** P.A. Dang. 1911, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, two species, type: *M. ramosum* P.A. Dang., cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Mucophilus** Plehn 1920, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *M. cyprini* Plehn, in fishes, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Myiophagus** Thaxter ex Sparrow 1939, *Chytriales* genera *incertae sedis*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *M. ucrainicus* (Wize) Sparrow, in fishes, Europe, USA, Colombia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Neokarlingia** Longcore & D.R. Simmons 2012, *Polychytriaceae*, *Polychytriales*, *Polychytriomycetes*, *Chytridiomycota*, one species, type: *N. chitinophila* (Karling) Longcore & D.R. Simmons, USA, see Longcore and Simmons (2012; taxonomy), cultures and sequences are available

**Nephridiophaga** Ivanić 1937, *Nephridiophagaceae*, *Nephridiophagales*, *Chytridiomycetes*, *Chytridiomycota*, 13 species, type: *N. apis* Ivanić, insect parasites, worldwide, see Radek et al. (2011, 2017; new species), cultures of infected hosts and sequences are available

**Nephrochytrium** Karling 1938, *Cladochytriales* genera *incertae sedis*, *Cladochytriomycetes*, *Chytridiomycota*, three species, type: *N. appendiculatum* Karling, cosmopolitan, see Mozley-Standridge et al. (2009; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are available

**Nowakowskia** Borzí 1885, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *N. hormotheciae* Borzí, saprobes, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable

**Nowakowskia** J. Schröt. 1893, *Nowakowskialaceae*, *Cladochytriales*, *Cladochytriomycetes*, *Chytridiomycota*, c. 15 species, type: *N. elegans* (Nowak.) J. Schröt., saprobes, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are available

**Obelidium** Nowak. 1877, *Chytriomycetaceae*, *Chytriales*, *Chytridiomycetes*, *Chytridiomycota*, three species, type: *O. mucronatum* Nowak., on mosquito larva, Europe, see Blackwell et al. (2012; review), Kirk et al. (2013; genus accepted), cultures and sequences are available

**Odontochytrium** Vélez & Letcher 2013, *Chytriomycetaceae*, *Chytriales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *O. milleri* Vélez & Letcher, saprobes, South America, see Vélez et al. (2013; taxonomy), Letcher et al. (2014; phylogeny), cultures and sequences are available, ITS of the type: NG\_042745.

**Olpidiasster** Pascher 1917, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, three species, type: *O. brassicae* (Woronin) Doweld, parasitic, cosmopolitan, see Doweld et al. (2014; taxonomy), cultures and sequences are unavailable.

**Operculomyces** M.J. Powell, Letcher & Longcore 2011, *Operculomycetaceae*, *Rhizophydiales*, *Rhizophydomycetes*, *Chytridiomycota*, one species, type: *O. laminatus* M.J. Powell, Letcher & Longcore, from soil, USA, see Powell et al. (2011; taxonomy), cultures and sequences are available, ITS of the type: NR\_119590.

**Oryctospora** Purrini & Weiser 1990, *Nephridiophagaceae*, *Nephridiophagales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *O. alata* Purrini and Weiser, insect parasites, cultures and sequences are unavailable.

**Paludomyces** Letcher & M.J. Powell 2015, *Halomycetaceae*, *Rhizophydiales*, *Rhizophydomycetes*, *Chytridiomycota*, one species, type: *P. mangrovei* (Ulken) Letcher & M.J. Powell, marine, see Letcher et al. (2015a; taxonomy), cultures and sequences are available, ITS of the type: NR\_138404.

**Paranamycetes** Letcher & M.J. Powell 2015, *Halomycetaceae*, *Rhizophydiales*, *Rhizophydomycetes*, *Chytridiomycota*, one species, type: *P. uniporus* Letcher & M.J. Powell, marine, South America, see Letcher et al. (2015a; taxonomy), cultures and sequences are available, ITS of the type: KP723828.

**Pateramyces** Letcher 2008, *Pateramycetaceae*, *Rhizophydiales*, *Rhizophydomycetes*, *Chytridiomycota*, one species, type: *P. correntinensis* Letcher, South America, see Letcher et al. (2008c; taxonomy), Powell et al. (2015; phylogeny), cultures and sequences are available, ITS of the type: NR\_111261.

**Peltomyces** Léger 1909, *Nephridiophagaceae*, *Nephridiophagales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *P. hyalinus* Léger, insect parasites, cultures and sequences are unavailable.

**Pendulichytrium** K. Seto & Degawa 2018, *Chytriomycetaceae*, *Chytriales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *P. sphaericum* K. Seto & Degawa, saprobes, Japan, see Seto and Degawa (2018; taxonomy), cultures and sequences are available, ITS of the type: LC223124.

**Perolpidium** Doweld 2014, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *P. saccharatum* (Sorokin) Doweld, saprobes, see Doweld (2014m; taxonomy), cultures and sequences are unavailable.

**Phlyctochytrium** J. Schröt. 1892, *Phlyctochytriaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, c. 35 species, type: *P. hydrodictyi* (A. Braun) J. Schröt., saprobes, see Letcher et al. (2012a, b; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Phlyctorhiza** A.M. Hanson 1946, *Phlyctorhizaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *P. endogena* A.M. Hanson, saprobes, on insect remains, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Physocladia** Sparrow 1932, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *P. obscura* (Sparrow) Sparrow, saprobes, on insect remains, USA, see Picard et al. (2009; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Physorhizophidium** Scherff. 1926, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *P. pachydermum* Scherff., on diatoms, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Plasmophagus** De Wild. 1895, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *P. oedogoniorum* De Wild., in algae, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Podochytrium** Pfitzer 1870, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, seven species, type: *P. clavatum* Pfitzer, worldwide, see Kirk et al. (2013; genus accepted), Blooi et al. (2013; growing media), cultures and sequences are available.

**Polychytrium** Ajello 1942, *Polychytriaceae*, *Polychytriales*, *Polychytriomycetes*, *Chytridiomycota*, one species, type: *P. aggregatum* Ajello, saprobes, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are available, ITS from reference material NR\_119549 (*fide* James et al. 2006).

**Polyphagus** Nowak. 1877, *Polyphagaceae*, *Polyphagales*, *Chytridiomycetes*, *Chytridiomycota*, ten species, type: *P. euglenae* (Bail) Nowak., saprobes, worldwide, see Kirk et al. (2013; genus accepted), Doweld (2014n; new species), cultures and sequences are unavailable.

**Polyphyctis** Karling 1968, *Chytridiaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, two species, type: *P. unispina* (R.A. Paterson) Karling, saprobes, cosmopolitan, see Vélez et al. (2011; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Powellomyces** Longcore, D.J.S. Barr & Désauln. 1995, *Powellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *P. hirtus* Longcore, D.J.S. Barr & Désauln., saprobes, Canada, see Simmons (2011; DNA, phylogeny, proposed *Powellomycetaceae*),

Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Protrudomyces** Letcher 2008, *Protrudomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *P. lateralis* (A. Braun) Letcher, saprobes, South America, see Letcher et al. (2008c; taxonomy), cultures and sequences are available, ITS of the type NR\_119650.

**Pseudopileum** Canter 1963, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *P. unum* Canter, saprobes, British Isles, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Pseudorhizidium** M.J. Powell, Letcher & Longcore 2013, *Pseudorhizidiaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *P. endosporangiatum* (Karling) M.J. Powell, Letcher & Longcore, saprobes, USA, see Powell et al. (2013; genus accepted), cultures and sequences are available, ITS of the type NR\_111221.

**Rhizidiocystis** Sideris 1929, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *R. ananasii* Sideris, saprobes, Hawaii, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Rhizidium** A. Braun 1856, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, c. 20 species, type: *R. mycophilum* A. Braun, saprobes, cosmopolitan, see Picard et al. (2009; new species, DNA), Kirk et al. (2013; genus accepted), Doweld (2014h; sub-order *Rhizidiineae*), cultures and sequences are available.

**Rhizoclostromatium** H.E. Petersen 1903, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, species, type: *R. globosum* H.E. Petersen, saprobes, worldwide, see Kirk et al. (2013; genus accepted), Akinwole et al. (2014; fatty acids), cultures and sequences are available.

**Rhizophlyctis** A. Fisch. 1892, *Rhizophlyctidaceae*, *Rhizophlyctidales*, *Rhizophlyctidomycetes*, *Chytridiomycota*, c. ten species, type: *R. rosea* (de Bary & Woronin) A. Fisch., saprobes, worldwide, see Marano et al. (2011; diversity), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Rhizophydium** Schenk ex Rabenh. 1868, *Rhizophydaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, c. 110 species, type: *R. globosum* (A. Braun) Rabenh., saprobes, parasites, worldwide, see Lilje and Lilje (2008; colony physiology), Gerphagnon et al. (2013; occurrence), Kirk et al. (2013; genus accepted), Zhang et al. (2015; occurrence and molecular detection), Maier and Peterson (2016; specific qPCR detection and identification), Scholz et al. (2016; pathogen), Seto et al. (2017; phylogeny), Frenken et al. (2017; ecology), cultures and sequences are available.

**Rhizosiphon** Scherff. 1926, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, three species, type: *R. crassum* Scherff., parasitic, worldwide, see Kirk et al.

(2013; genus accepted), Doweld (2014o; new species), cultures and sequences are unavailable.

**Rhopalophlyctis** Karling 1945, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *R. sarcoptoides* Karling, parasitic, America, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Riethophlyctis** Doweld 2014, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *R. vaucheriae* Doweld, Europe, see Doweld (2014p; taxonomy), cultures and sequences are unavailable.

**Saccomyces** Serbinow 1907, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, two species, type: *S. dangeardii* Serbinow, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Saccopodium** Sorokīn 1877, *Saccopodiaceae*, *Saccopodiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *S. gracile* Sorokīn, Asia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Sagittospora** Lubinsky 1955, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *S. cameronii* Lubinsky, on *Eudiplodinium*, Asia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Scherffeliomyces** Sparrow 1934, *Scherffeliomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, one species, type: *S. parasitans* (Sparrow) Sparrow, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Scherffeliomycopsis** Geitler 1962, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *S. coleochaetae* Geitler, on algae, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Schizolpidium** Doweld 2014, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *S. majus* (Ivimey Cook & W.B. Collins) Doweld, on cucumber, see Doweld et al. (2014q; taxonomy), cultures and sequences are unavailable.

**Septochytrium** Berdan 1939, *Septochytriaceae*, *Cladochytriales*, *Cladochytriomycetes*, *Chytridiomycota*, five species, type: *S. variabile* Berdan, on grass, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Septolpidium** Sparrow 1933, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *S. lineare* Sparrow, in diatoms, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Septosperma** Whiffen ex R.L. Seym. 1971, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, four species, type: *S. anomalum* (Couch) Whiffen ex R.L. Seym., on chytrids, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Siphonaria** H.E. Petersen 1903, *Chytriomycetaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, three species, type: *S. variabilis* H.E. Petersen, on chytrids, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Solutoparies** Whiffen ex W.H. Blackw. & M.J. Powell 1998, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, four species, type: *S. pythii* Whiffen ex W.H. Blackw. & M.J. Powell, on chytrids, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Sonoraphlyctis** Letcher 2008, *Sonoraphlyctidaceae*, *Rhizophlyctidales*, *Rhizophlyctidomycetes*, *Chytridiomycota*, one species, type: *S. ranzonii* Letcher, saprobes, USA, see Letcher et al. (2008a; taxonomy), cultures and sequences are available, ITS of the type NG\_042454.

**Sorokinocystis** Doweld 2014, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *S. mirabilis* (Sorokīn) Doweld, saprobes, see Doweld et al. (2014r; taxonomy), cultures and sequences are unavailable.

**Sparrowia** Willoughby 1963, *Sparrowiaceae*, *Chytridiomycetes* families *incertae sedis*, *Chytridiomycota*, four species, type: *S. parasitica* Willoughby, on fungi, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Spizellomyces** D.J.S. Barr 1980, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, eight species, type: *S. punctatus* (W.J. Koch) D.J.S. Barr, saprobes, worldwide, see Freeman et al. (2009; occurrence), Kirk et al. (2013; genus accepted), Russ et al. (2016; genome sequence), Ahrendt et al. (2017; biotechnology), Hériaux et al. (2017; biotechnology), cultures and sequences are available, ITS of the type: NR\_111189.

**Sporophlyctidium** Sparrow 1933, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, two species, type: *S. africanum* Sparrow, on algae, Morocco, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Sporophlyctis** Serbinow 1900, *Chytridiomycetes* genera *incertae sedis*, *Chytridiomycota*, one species, type: *S. rostrata* Serbinow, on algae, Asia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Staurastromyces** S. Van den Wyngaert, K. Seto & K. Rojas-Jimenez 2017, *Staurastromycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *S. oculus* S. Van den Wyngaert, K. Seto & K. Rojas-Jimenez, Germany, see Van den Wyngaert et al. (2017; taxonomy, phylogeny), sequences available, ITS of the type culture KY350146.

**Synchytrium** de Bary & Woronin 1863 [1865], *Synchytriaceae*, *Synchytriales*, *Synchytriomycetes*, *Chytridiomycota*, c. 100 species, type: *S. taraxaci* de Bary & Woronin, saprobes, Europe, see Ballvora et al. (2011; pathogenicity),

Yun et al. (2011; new report from Korea), Kirk et al. (2013; genus accepted), Smith et al. (2014; taxonomy and molecular detection), Obidiegwu et al. (2015; pathogenicity), Longcore et al. (2016; new species), cultures and sequences are available.

**Terramycetes** Letcher 2006, *Terramycetaceae*, *Rhizophydiales*, *Chytridiomycetes*, *Rhizophydiomycetes*, one species, type: *T. subangulosus* (A. Braun) Letcher, on diatoms, Europe, see Letcher et al. (2008b; phylogeny), Gleason et al. (2011; physiology), cultures and sequences are available, ITS of the type: NR\_119592.

**Tetrachytrium** Sorokīn 1874, *Tetrachytriaceae*, *Chytridiomycetes* families incertae sedis, *Chytridiomycota*, one species, type: *T. triceps* Sorokīn, saprobes, Asia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Thalassochytrium** Nyvall, M. Pedersén & Longcore 1999, *Thalassochytriaceae*, *Chytridiomycetes* families incertae sedis, *Chytridiomycota*, one species, type: *T. gracilariopsis* Nyvall, M. Pedersén & Longcore, saprobes, China, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Thoreauomyces** D.R. Simmons & Longcore 2012, *Powellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *T. humboldtii* D.R. Simmons & Longcore, in soil, USA, see Simmons and Longcore (2012; taxonomy), cultures and sequences are available.

**Trematophlyctis** Pat. 1918, *Chytridiomycetes* genera incertae sedis, *Chytridiomycota*, one species, type: *T. leptodesmiae* Pat., saprobes, Madagascar, see Simmons and Longcore (2012; taxonomy), cultures and sequences are unavailable.

**Triparticalcar** D.J.S. Barr 1980, *Spizellomycetaceae*, *Spizellomycetales*, *Spizellomycetes*, *Chytridiomycota*, one species, type: *T. arcticum* (D.J.S. Barr) D.J.S. Barr, cultures and sequences are available.

**Truittella** Karling 1949, *Chytridiomycetes* genera incertae sedis, *Chytridiomycota*, one species, type: *T. setifera* Karling, saprobes, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Uebelmesseromyces** M.J. Powell & Letcher 2015, *Uebelmesseromycetaceae*, *Rhizophlyctidales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *U. harderi* M.J. Powell & Letcher, saprobes, USA, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Ulkenomyces** Letcher & M.J. Powell 2015, *Halomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *U. aestuarii* (Ulken) Letcher & M.J. Powell, saprobes, USA, see Letcher et al. (2015a; taxonomy), cultures and sequences are available.

**Urceomyces** Letcher 2008, *Globomycetaceae*, *Rhizophydiales*, *Rhizophydiomycetes*, *Chytridiomycota*, one species, type: *U. sphaerocarpus* (Zopf) Letcher, saprobes, America, see Letcher et al. (2008c; taxonomy), cultures and sequences are available.

**Volvorax** Doweld 2013, *Chytridiomycetes* genera incertae sedis, *Chytridiomycota*, one species, type: *V. ingoldii* Doweld, saprobes, UK, see Doweld et al. (2013e; taxonomy), cultures and sequences are unavailable.

**Zygochytrium** Sorokīn 1874, *Chytridiomycetes* genera incertae sedis, *Chytridiomycota*, one species, type: *Z. aurantiacum* Sorokīn, saprobes, Asia, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Zygophlyctis** Doweld 2014, *Chytridiomycetes* genera incertae sedis, *Chytridiomycota*, one species, type: *Z. planktonica* Doweld, saprobes, Europe, see Doweld (2014s; taxonomy), cultures and sequences are unavailable.

**Zygorhizidium** Löwenthal 1904, *Zygorhizidiaceae*, *Chytridiales*, *Chytridiomycetes*, *Chytridiomycota*, c. ten species, type: *Z. willei* Löwenthal, saprobes, cosmopolitan, see Gsell et al. (2013; pathogenicity), Kirk et al. (2013; genus accepted), Seto et al. (2017; DNA, phylogeny), cultures and sequences are available.

**Calcarisporiellomycota** Tedersoo, Koljalg, Bahram, Doring, Schigel, T. May, Sanchez-Ramirez, M. Ryberg & Abarenkov

Hirose et al. (2012) showed that *Calcarisporiella* de Hoog has phylogenetic affinity within Mucoromycotina but distinct to *Endogonales*, *Mortierellales* and *Mucorales*. Tedersoo et al. (2016) confirmed the findings in Hirose et al. (2012) and established a new phylum, *Calcarisporiellomycota* to accommodate *Calcarisporiella* and *Echinochlamydosporium*.

We accept one class, one order, one family and two genera in *Calcarisporiellomycota*.

#### Notes for genera

**Calcarisporiella** de Hoog 1974, *Calcarisporiellaceae*, *Calcarisporiellales*, *Calcarisporiellomycetes*, *Calcarisporiellomycota*, one species, type: *C. thermophilum* H.C. Evans, hyphomycetous, isolate obtained from coal spoil tip soil, Europe, see Seifert et al. (2011; morphology), Hirose et al. (2012; DNA), Morgenstern et al. (2012; phylogeny), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are available.

**Echinochlamydosporium** X.Z. Jiang, H.Y. Yu, M.C. Xiang, X.Y. Liu & Xing Z. Liu 2011, *Calcarisporiellaceae*, *Calcarisporiellales*, *Calcarisporiellomycetes*, *Calcarisporiellomycota*, one species, type: *E. variabile* X.Z. Jiang, H.Y. Yu, M.C. Xiang, X.Y. Liu & Xing Z. Liu, from nematodes, Liaoning (China), see Jiang et al. (2011;

taxonomy), Benny et al. (2016b; classification), cultures and sequences are unavailable.

## **Entomophthoromycota Humber**

### **Introduction**

Humber (2012) introduced the phylum *Entomophthoromycota* to accommodate subphylum Entomophthoromycotina Humber which was introduced by Hibbett et al. (2007). The phylum comprises obligate parasites of animals which are distributed worldwide. Spatafora et al. (2016) did not accept Humber (2012) and proposed to maintain the subphylum *Entomophthoromycotina* under *Zoopagomycota*.

However, Tedersoo et al. (2018) accepted *Entomophthoromycota* as a distinct phylum. We follow Tedersoo et al. (2018) and accept *Entomophthoromycota* as a distinct phylum which comprises two classes, two orders, five families and 21 genera.

### **Notes for genera**

**Ancylistes** Pfitzer 1872, *Ancylistaceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, five species, type: *A. closterii* Pfitzer, pathogens of desmid algae, cosmopolitan, see Humber (2012; classification), Kirk et al. (2013; genus accepted), Gryganskyi et al. (2013a; notes), cultures and sequences are unavailable.

**Apterivorax** S. Keller 2005, *Neozygitaceae*, *Neozygitales*, *Neozygitomycetes*, *Entomophthoromycota*, two species, type: *A. sminthuri* (S. Keller & Steenb.) S. Keller, pathogens, worldwide, see Humber (2012; classification), Gryganskyi et al. (2013a; notes), cultures and sequences are unavailable.

**Batkoia** Humber 1989, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, ten species, type: *B. apiculata* (Thaxt.) Humber, pathogens of insects, cosmopolitan, see Rocha et al. (2009; Brazil), Humber (2012; classification), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Gryganskyi et al. (2013a; notes), cultures and sequences are unavailable.

**Completoria** Lohde 1874, *Completoriaceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, one species, type: *C. complens* Lohde, on pteridophyta, worldwide, see Humber (2012, 2016; classification), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Gryganskyi et al. (2013a; notes), cultures and sequences are unavailable.

**Conidiobolus** Bref. 1884, *Ancylistaceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 40 species, type: *C. utriculosus* Bref., pathogens or saprobes, worldwide, see Shankar et al. (2010; recovering silver from X ray film), Vilela et al. (2010; infection on sheep), Wüppenhorst et al. (2010; human pathogen), Kimura et al. (2011), Subramanian and Sobel (2011; human conidiobolomycosis), Humber (2012; classification), Nie et al. (2012; new species), Hoffmann et al. (2013;

notes), Kirk et al. (2013; genus accepted), Gryganskyi et al. (2013a; notes), Mackey et al. (2015; dog pathogens), John et al. (2016; human pathogen), Yong et al. (2016; new species), cultures and sequences are available, *C. incongruus* CDC-B7586 (Chibucus et al. 2016) available at NCBI, *C. coronatus* NRRL 28638 [25977457] available at NCBI.

**Entomophaga** A. Batko 1964, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 17 species, type: *E. grylli* (Fresen.) A. Batko, on insects, saprobes, cosmopolitan, see Kereslidze et al. (2011; Georgia), Tabaković-Tosić et al. (2012; Serbia), Gryganskyi et al. (2013a; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Entomophthora** Fresen. 1856, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 30 species, type: *E. muscae* (Cohn) Fresen., on insects, saprobes, cosmopolitan, see Jensen et al. (2009; differential divergence), Lihme et al. (2009; epidemics), Gryganskyi et al. (2013a, b; phylogeny, species complex), Kirk et al. (2013; genus accepted), Mendoza et al. (2015; human pathogens), cultures and sequences are available, genome available: *Entomophthora muscae* [27717247] at NCBI.

**Erynia** (Nowak. ex A. Batko) Remaud. & Hennebert 1980, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 20 species, type: *E. ovispora* (Nowak.) Remaud. & Hennebert, on insects, cosmopolitan, see Gryganskyi et al. (2012, 2013a; phylogeny), Hoffman et al. (2013; notes), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Eryniopsis** Humber 1984, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, five species, type: *E. lampyridarum* (Thaxt.) Humber, on insects, cosmopolitan, see Gryganskyi et al. (2013a; phylogeny), Hoffman et al. (2013; notes), Kirk et al. (2013; genus accepted), Steinkraus et al. (2017; insect pathogens), cultures and sequences are available.

**Furia** (A. Batko) Humber 1989, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 18 species, type: *F. virescens* (Thaxt.) Humber, on insects, cosmopolitan, see Tkaczyk et al. (2011; Poland, Austria), Humber (2012; classification), Gryganskyi et al. (2013a; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Macrobiotophthora** Reukauf 1912, *Ancylistaceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, two species, type: *M. vimariensis* Reukauf, in soil, pathogens of nematodes, Europe, see Humber (2012; classification), Kirk et al. (2013; genus accepted), Gryganskyi et al. (2013a; notes phylogeny), Hussain et al. (2014; mycoinsecticide), a sequence is available.

**Massospora** Peck 1878, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 14 species, type: *M. cicadina* Peck, on insects, cosmopolitan, see Humber (2012; classification), Gryganskyi et al. (2013a, 2017; phylogeny, insect pathogens), Hoffman et al. (2013; notes), Kirk et al. (2013; genus accepted), Cooley et al. (2018; host sexual signal hijack), cultures and sequences are available.

**Meristacrum** Drechsler 1940, *Meristacraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 15 species, type: *M. asterospermum* Drechsler, on nematodes, cosmopolitan, see Humber (2012; classification), Gryganskyi et al. (2013a; classification), Hoffman et al. (2013; notes), Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Neozygites** Witlaczil 1885, *Neozygitaceae*, *Neozygitales*, *Neozygitomycetes*, *Entomophthoromycota*, 24 species, type: *N. fresenii* (Nowak.) Remaud. & S. Keller, insects, mites and springtails pathogens, worldwide, see Simelane et al. (2008; host control), Agboton et al. (2011, 2013; phylogeny, interaction with predatory mite *Typhlodromalus aripo*), Gryganskyi et al. (2013a; DNA), Kirk et al. (2013; genus accepted), Zhou et al. (2017; new species), cultures and sequences are available.

**Orthomyces** Steinkr., Humber & J.B. Oliv. 1998, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, one species, type: *O. aleurodis* Steinkr., Humber & J.B. Oliv., in insects, USA, see Humber (2012, 2016; classification), Gryganskyi et al. (2013a; phylogeny, insect pathogens), Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Strongwellsea** A. Batko & J. Weiser 1965, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, three species, type: *S. castrans* A. Batko & J. Weiser, in insects, USA, see Humber (2012; classification), Gryganskyi et al. (2013a; phylogeny, insect pathogens), Kirk et al. (2013; genus accepted), cultures and a sequence are available.

**Tabanomyces** Couch, R.V. Andrejeva, Laird & Nolan 1979, *Meristacraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 15 species, type: *T. milkoi* (Dudka & Koval) Couch, R.V. Andrejeva, Laird & Nolan, from larva of horse flies, Ukraine, see Humber (2012; classification), cultures and sequences are unavailable.

**Tarichium** Cohn 1875, *Entomophthoraceae* or *Neozygitaceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, c. 26 species, type: *T. megaspernum* Cohn, in insects, USA, see Keller et al. (2009; new species), Humber (2012; classification, attributable in part to *Entomophthoraceae* with some mite-pathogenic species probably better classified in *Neozygites*), Gryganskyi et al. (2013a; phylogeny, insect pathogens), Kirk et al. (2013;

genus accepted), Hajek et al. (2016; two species known only from resting spores but placed genomically in *Zoophthora*), some cultures and sequences are available.

**Thaxterosporium** Ben Ze'ev & R.G. Kenneth 1987, *Neozygitaceae*, *Neozygitales*, *Neozygitomycetes*, *Entomophthoromycota*, one species, type: *T. turbinatum* (R.G. Kenneth) R.G. Kenneth & Ben Ze'ev, insect pathogens, worldwide, see Humber et al. (2012; classification), Gryganskyi et al. (2013a; DNA), Kirk et al. (2013; genus accepted), cultures and sequences are unavailable, current name of the type: *Neozygites turbinata* (R.G. Kenneth) Remaud. & S. Keller *fide Species Fungorum* (2018).

**Zoophthora** A. Batko 1964, *Entomophthoraceae*, *Entomophthorales*, *Entomophthoromycetes*, *Entomophthoromycota*, 36 species, type: *Z. radicans* (Bref.) A. Batko, in insects, worldwide, see Guzmán-Franco et al. (2008; PCR primers), Xu et al. (2009; EST analysis), Batta et al. (2011; application), Humber (2012; classification), Mascarin et al. (2012; on *Thaumastocoris peregrinus*), Gryganskyi et al. (2013a; phylogeny, insect pathogens), Kirk et al. (2013; genus accepted), Hajek et al. (2016; new species), a sequence is available.

## Glomeromycota C. Walker & A. Schüßler

### Introduction

Schüßler et al. (2001) introduced the phylum *Glomeromycota* to accommodate arbuscular mycorrhizal fungi. Subsequent studies by Hibbett et al. (2007), Kirk et al. (2008), Oehl et al. (2011d, e, g) and Redecker et al. (2013) accepted this phylum. However, Spatafora et al. (2016) introduced subphylum *Glomeromycotina* Spatafora & Stajich (demoted the phylum to subphylum) and accepted under phylum *Mucoromycota* but this has been challenged in a more inclusive study by Tedersoo et al. (2018).

We accept *Glomeromycota* (as a distinct phylum) with three classes, four orders, twelve families and 33 genera.

### Notes for genera

**Acaulospora** Gerd. & Trappe 1974 (= *Kuklospora* p. p. Oehl & Sieverd. 2006), *Acaulosporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, c. 54 species, type: *A. laevis* Gerd. & Trappe, arbuscular mycorrhizal, terrestrial, worldwide, see Kaonongbua et al. (2010; new species), Krüger et al. (2011, 2012; new species, phylogeny), Vaingankar and Rodrigues (2011; new species), Oehl et al. (2011a, b, 2012b, c, 2014; new species, phylogeny), Furazola et al. (2013; new species), Goto et al. (2013; new species), Redecker et al. (2013; notes, phylogeny), Błaszkowski et al. (2015a; new species), Palenzuela et al. (2013a, 2014, 2015; new species), Pereira et al. (2016a, b; new species), de Souza et al. (2017; new species), de Pontes et al. (2017; new species), Crossay et al. (2018; new species), cultures and sequences are available.

**Ambispora** C. Walker, Vestberg & A. Schüßler 2007 (= *Appendicispora* Spain, Oehl & Sieverding 2006; = *Paracaulospora* S.P. Gautam & U.S. Patel 2007; = *Pseudoglomus* S.P. Gautam & U.S. Patel 2007), *Ambisporaceae*, *Archaeosporales*, *Archaeosporomycetes*, *Glomeromycota*, c. 3–10 species depending on taxonomic opinion, type: *A. fennica* C. Walker, Vestberg & A. Schüßler, arbuscular mycorrhizal, terrestrial, worldwide, see Goto et al. (2008; new species), Walker (2008; resurrected the family, new species), Palenzuela et al. (2011; new species), Krüger et al. (2012; phylogeny), Oehl et al. (2012a; new species), Redecker et al. (2013; notes, phylogeny), Bills and Morton (2015; accepted only three species viz.: *A. leptotricha*, *A. gerdemannii* and *A. granatensis*, phylogeny), cultures and sequences are available.

**Archaeospora** J.B. Morton & D. Redecker 2001 (= *Intraspora* p. p. Oehl & Sieverd. 2006), *Archaeosporaceae*, *Archaeosporales*, *Archaeosporomycetes*, *Glomeromycota*, c. three species, type: *A. trappei* (R.N. Ames & Linderman) J.B. Morton & D. Redecker, arbuscular mycorrhizal, terrestrial, worldwide, see Schüßler and Walker (2010; new combination), Oehl et al. (2011d; new combinations), cultures and sequences are available.

**Bulbospora** Oehl & G.A. Silva 2014, *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, one species, type: *B. minima* Oehl, Marinho, B.T. Goto & G.A. Silva, mycorrhizal status unknown, terrestrial, Brazil, see Marinho et al. (2014; taxonomy, described from field collected spores), cultures are unavailable and sequences from multi-species soil trap cultures available.

**Cetraspora** Oehl, F. A. Souza & Sieverd. 2009, *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, c. four species, type: *C. gilmorei* (Trappe & Gerd.) Oehl, F.A. Souza & Sieverd, arbuscular mycorrhizal, terrestrial, North and South America, Azores, Europe, see Schüßler and Walker (2010; taxonomy), Oehl et al. (2011f; new species), Redecker et al. (2013; accepted three species), Lima et al. (2014; new species), cultures and sequences are available.

**Claroideoglomus** C. Walker & A. Schüßler 2010 (= *Albahypha* p. p. Oehl, G.A. Silva, B.T. Goto & Sieverd. 2011), *Claroideoglomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, eight species, type: *C. claroides* (N.C. Schenck & G.S. Sm.) C. Walker & A. Schüßler, arbuscular mycorrhizal, terrestrial, worldwide, see Schüßler and Walker (2010; taxonomy), Krüger et al. (2012; phylogeny), Redecker et al. (2013; phylogeny), cultures and sequences are available.

**Corymbiglomus** Błaszk. & Chwat 2012, *Diversisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, four species, type: *C. corymbiforme* Błaszk. & Chwat, arbuscular mycorrhizal, terrestrial, Europe and North and South

America, see Błaszkowski (2012; taxonomy), Redecker et al. (2013; notes), Medina et al. (2014; new species), cultures and sequences are available.

**Dentiscutata** Sieverd., F.A. Souza & Oehl (2009) [2008], *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, c. five species, type: *D. nigra* (J.F. Redhead) Sieverd., F.A. Souza & Oehl, arbuscular mycorrhizal, terrestrial, worldwide, see Oehl et al. (2008; taxonomy), Redecker et al. (2013; epitype, rejection of *Fuscata* and *Quatunica* and their combination with *Dentiscutata*), cultures and sequences are available, but not for type species.

**Desertispora** Błaszk., Kozłowska, Ryszka, Al-Yahya'ei & Symanczik 2018, *Diversisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, one species, type: *D. omaniana* (Symanczik, Błaszk. & Al-Yahya'ei) Symanczik, Błaszk., Kozłowska & Al-Yahya'ei, arbuscular mycorrhizal, terrestrial, Oman, see Symanczik et al. (2018; taxonomy), cultures and sequences are available.

**Diversispora** C. Walker & A. Schüßler 2004, *Diversisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, 17 species, type: *D. spurca* (C.M. Pfeiff., C. Walker & Bloss) C. Walker & A. Schüßler, arbuscular mycorrhizal, terrestrial, worldwide, see Gamper et al. (2009; new species), Schüßler and Walker (2010; new combinations), Estrada et al. (2011; new species), Oehl et al. (2011c; new combinations), Schüßler et al. (2011b; relationships), Symanczik et al. (2014; new species), Błaszkowski et al. (2015e; new species), Balázs et al. (2015; new species), cultures and sequences are available.

**Dominikia** Błaszk., Chwat & Kovács 2015, *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, c. 13 species, type: *D. minuta* (Błaszk., Tadych & Madej) Błaszk., Chwat & Kovács, arbuscular mycorrhizal, terrestrial, worldwide, see Błaszkowski et al. (2015c, d, 2016; taxonomy, phylogeny), Oehl et al. (2015a; new species), cultures and sequences are available.

**Entrophospora** R.N. Ames & R.W. Schneid. 1979, *Glomeromycetes* genera *incertae sedis*, *Glomeromycota*, three species, type: *E. infrequens* (I.R. Hall) R.N. Ames & R.W. Schneid., arbuscular mycorrhizal, terrestrial, worldwide, see Oehl et al. (2011g; notes, phylogeny), Redecker et al. (2013; notes about unclear phylogenetic position), cultures and sequences are available, but sequence data and phylogenetic placement conflicting.

**Funneliformis** C. Walker & A. Schüßler 2010, *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, c. 12 species, type: *F. mosseae* (T.H. Nicolson & Gerd.) C. Walker & A. Schüßler, arbuscular mycorrhizal, terrestrial, worldwide, see Schüßler and Walker (2010; taxonomy), Oehl et al. (2011c; new combinations), Krüger et al. (2012; phylogeny), Redecker et al. (2013; phylogeny), cultures and sequences are available.

**Geosiphon** F. Wettst. 1915 (= *Geosiphonomyces* Cif. & Tomas. 1957), *Geosiphonaceae*, *Archaeosporales*, *Glomeromycetes*, *Glomeromycota*, one species, type: *G. pyriformis* (Kütz.) F. Wettst., symbiosis with *Nostoc*, terrestrial, central Europe, see Krüger et al. (2012; phylogeny), Ellerbeck et al. (2013; ammonium transporters), cultures and sequences are available.

**Gigaspora** Gerd. & Trappe 1974, *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, seven species, type: *G. gigantea* (T.H. Nicolson & Gerd.) Gerd. & Trappe, arbuscular mycorrhizal, terrestrial, worldwide, see Kirk et al. (2013; genus), cultures and sequences are available, but not for type species.

**Glomus** Tul. & C. Tul. 1844 (= *Endogone* p. p. Link 1809; = *Parapseudoglomus* p. p. S.P. Gautam & U.S. Patel, 2007; = *Paurocotylis* p. p. Berk. & Broome 1855; = *Sclerocystis* p. p. Berk. & Broome 1873; = *Simiglomus* p. p. Sieverd. 2011; = *Sphaerocreas* p. p. Sacc. & Ellis 1882), *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, c. 60 species (most are *Glomus* sensu lato and may belong in other genera), type: *G. macrocarpum* Tul. & C. Tul., arbuscular mycorrhizal, terrestrial, worldwide, see Khade (2009; new species), Błaszkowski (2010; new species), Błaszkowski et al. (2010; new species), Furrazola et al. (2011; new species), Goto et al. (2012a; new species), Cai et al. (2013; new species), Błaszkowski et al. (2015b; new species), cultures and sequences are available.

**Innospora** Błaszk., Kovács, Chwat & Kozłowska 2017, *Paraglomeraceae*, *Paraglomerales*, *Paraglomeromycetes*, *Glomeromycota*, one species, type: *I. majewskii* (Błaszk. & Kovács) Błaszk., Kovács, Chwat & Kozłowska, arbuscular mycorrhizal, terrestrial, worldwide, see Błaszkowski et al. (2017; taxonomy, transfer of *Paraglomus majewskii* to *Innospora*), cultures and sequences are available.

**Intraornatospora** B.T. Goto, Oehl & G.A. Silva 2012, *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, one species, type: *I. intraornata* (B.T. Goto & Oehl) B.T. Goto, Oehl & G.A. Silva, arbuscular mycorrhizal, terrestrial, Brazil, see Goto et al. (2012b; taxonomy), Redecker et al. (2013; phylogeny, discussed the genus as “orphan taxon”), multi-species cultures availability unknown and sequences from multi-species cultures are available.

**Kamienskia** Błaszk., Chwat & Kovács 2015, *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, three species, type: *K. bistrata* (Błaszk., D. Redecker, Koegel, Symanczik, Oehl & Kovács) Błaszk., Chwat & Kovács, arbuscular mycorrhizal, terrestrial, worldwide, see Błaszkowski et al. (2015c, 2016; taxonomy, phylogeny, new species), cultures and sequences are available.

**Oehlia** Błaszk., Kozłowska, Niezgoda, B.T. Goto & Dalpé 2018, *Glomeraceae*, *Glomerales*, *Glomeromycetes*,

*Glomeromycota*, one species, type species: *O. diaphana* (J.B. Morton & C. Walker) Błaszk., Kozłowska & Dalpé, arbuscular mycorrhizal, terrestrial, worldwide, see Błaszkowski et al. (2018; taxonomy, phylogeny), cultures and sequences are available.

**Otospora** Oehl, Palenz. & N. Ferrol 2008, *Diversisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, one species, type: *O. bareae* Palenz., N. Ferrol & Oehl, arbuscular mycorrhizal, terrestrial, known from Spain, see Palenzuela et al. (2008; taxonomy), Oehl et al. (2011g; notes), Redecker et al. (2013; phylogeny, mentioning genus as questionable), cultures are unavailable, sequences available are from multi-species soil trap cultures.

**Pacispora** Sieverd. & Oehl 2004, *Pacisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, seven species, type: *P. scintillans* (S.L. Rose & Trappe) Sieverd. & Oehl ex C. Walker, Vestberg & A. Schüßler, arbuscular mycorrhizal, terrestrial, known from Europe, North and South America, Asia, see Krüger et al. (2012; phylogeny), Redecker et al. (2013; notes, phylogeny), cultures are unavailable and sequences available.

**Palaeospora** Oehl, Palenz., Sánchez-Castro & G.A. Silva 2015, *Archaeosporaceae*, *Archaeosporales*, *Archaeosporomycetes*, *Glomeromycota*, one species, type: *P. spainiae* Oehl, Palenz., Sánchez-Castro & G.A. Silva, arbuscular mycorrhizal, terrestrial, known from Switzerland, see Oehl et al. (2015b; taxonomy, phylogeny), cultures and sequences are available.

**Paradentiscutata** B.T. Goto, Oehl & G.A. Silva 2012, *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, two species, type: *P. bahiana* Oehl, Magna, B.T. Goto & G.A. Silva, arbuscular mycorrhizal, terrestrial, known from Brazil, see Goto et al. (2012b; taxonomy), Redecker et al. (2013; phylogeny, suggested as designated from inadequate data and described as “orphan taxon”), multi-species cultures and sequences from multi-species cultures are available.

**Paraglomus** J.B. Morton & D. Redecker 2001, *Paraglomeraceae*, *Paraglomerales*, *Paraglomeromycetes*, *Glomeromycota*, c. eight species, type: *P. occultum* (C. Walker) J.B. Morton & D. Redecker, arbuscular mycorrhizal, terrestrial, worldwide, see Oehl et al. (2011c, 2016; new combinations, new species), Błaszkowski et al. (2012; new species), Krüger et al. (2012; phylogeny), de Mello et al. (2013; new species), Redecker et al. (2013; notes, phylogeny), cultures and sequences are available.

**Pervetustus** Błaszk., Chwat, Kozłowska, Symanczik & Al-Yahya’ei 2017, *Pervetustaceae*, *Paraglomerales*, *Paraglomeromycetes*, *Glomeromycota*, one species, type: *P. simplex* Błaszk., Chwat, Kozłowska, Crossay, Symanczik & Al-Yahya’ei, arbuscular mycorrhizal, terrestrial, known from Europe, Northern Africa, New Caledonia, Oman, see

Błaszkowski et al. (2017; taxonomy), cultures and sequences are available.

**Racocetra** Oehl, F.A. Souza & Sieverd. 2009 [2008], *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, c. 13 species, type: *R. coralloidea* (Trappe, Gerd. & I. Ho) Oehl, F.A. Souza & Sieverd., arbuscular mycorrhizal, terrestrial, known from Africa, North and South America, Asia, see Oehl et al. (2008; taxonomy), Morton and Msiska (2010; recognised the genus, Redecker et al. (2013; accepted three species viz. *R. tropicana*, *R. undulata* and *R. beninensis*, and, with reservation, accepted *Racocetra* as a genus), cultures and sequences are available.

**Redeckeria** C. Walker & A. Schüßler 2010, *Diversisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, three species, type: *R. megalocarpum* (D. Redecker) C. Walker & A. Schüßler, arbuscular mycorrhizal, terrestrial, worldwide, see Schüßler and Walker (2010; taxonomy), Krüger et al. (2012; phylogeny), Redecker et al. (2013; relationship to other genera), cultures are unavailable and sequences available.

**Rhizophagus** P.A. Dang. 1896 (= *Endogone* p. p. Link. 1809; = *Rhizoglomus* p. p. Sieverd., G.A. Silva & Oehl 2015; = *Stigeosporium* C. West 1916), *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, c. 19 species, type: *R. populinus* P.A. Dang., arbuscular mycorrhizal, terrestrial, worldwide, see Schüßler and Walker (2010; new combinations), Redecker et al. (2013; new combination), Symanczik et al. (2014; new species), Walker et al. (2015; nomenclature, designate neotype), Crossay et al. (2018; new species), cultures and sequences are available.

**Sacculospora** Oehl, Sieverd., G.A. Silva, B.T. Goto, I.C. Sánchez & Palenz. 2011, *Sacculosporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, two species, type: *S. baltica* (Błaszk., Madej & Tadych) Oehl, Palenz., I.C. Sánchez, B.T. Goto, G.A. Silva & Sieverd., arbuscular mycorrhizal, terrestrial, known from Europe, India, North and South America, see Redecker et al. (2013; retained genus, but phylogenetic position is unclear), Willis et al. (2016; new species), culture availability unknown, sequences are available.

**Sclerocystis** Berk. & Broome 1873 [1875] (= *Ackermannia* Pat. 1902; = *Xenomyces* Ces. 1879) *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, c. 5 species, type: *S. coremioides* Berk. & Broome, arbuscular mycorrhizal, terrestrial, worldwide, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Scutellospora** C. Walker & F.E. Sanders 1986 (= *Fuscotata* p. p. Oehl, F.A. Souza & Sieverd. 2009; = *Orbispora* p. p. Oehl, G.A. Silva & D.K. Silva 2011; = *Parascutellospora* Nom. inval. S.P. Gautam & U.S. Patel 2007; = *Quatunica* p. p. F.A. Souza, Sieverd. & Oehl

2009), *Gigasporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, c. 33 species, type: *S. calospora* (T.H. Nicolson & Gerd.) C. Walker & F.E. Sanders, arbuscular mycorrhizal, terrestrial, worldwide, see Krüger et al. (2012; phylogeny), de Pontes et al. (2013; new species), Redecker et al. (2013; notes, phylogeny), De Andrade et al. (2017; new species), Crossay et al. (2018; new species), cultures and sequences are available.

**Septogiomus** Sieverd., G.A. Silva & Oehl 2011 (= *Viscospora* p. p. (T.H. Nicolson) Sieverd., Oehl & G.A. Silva 2011), *Glomeraceae*, *Glomerales*, *Glomeromycetes*, *Glomeromycota*, c. ten species, type: *S. constrictum* (Trappe) Sieverd., G.A. Silva & Oehl, arbuscular mycorrhizal, terrestrial, worldwide, see Krüger et al. (2012; phylogeny), Błaszkowski and Chwat (2013; new species), Błaszkowski et al. (2013, 2014; new species, phylogeny), Palenzuela et al. (2013a, b; new species), Redecker et al. (2013; phylogeny, genus accepted), cultures and sequences are available.

**Tricispora** Oehl, Sieverd., G.A. Silva & Palenz. 2011, *Diversisporaceae*, *Diversisporales*, *Glomeromycetes*, *Glomeromycota*, one species, type: *T. nevadensis* (Palenz., N. Ferrol, Azcón-Aguilar & Oehl) Oehl, Palenz., G.A. Silva & Sieverd., arbuscular mycorrhizal, terrestrial, Europe, see Oehl et al. (2011e; taxonomy), Redecker et al. (2013; phylogeny, mentioning genus as questionable), culture availability unlikely, sequences available but might be dubious.

#### Kickxellomycota Tedersoo et al.

Subphylum *Kickxellomycotina* Benny was upgraded to *Kickxellomycota* by Tedersoo et al. (2016). Tedersoo et al. (2016) introduced new class *Kickxellomycetes* Tedersoo et al. to accommodate *Kickxella* Coem. (in *Kickxellaceae*, *Kickxellales*) along with another five classes (viz. *Asellariomycetes*, *Barbatosporomycetes*, *Dimargaritomycetes*, *Harpellomycetes*, and *Ramicandelaberomycetes*).

We accept *Kickxellomycota* with six classes, six orders, seven families and 65 genera

#### Notes for genera

**Asellaria** R.A. Poiss. 1932, *Asellariaceae*, *Asellariales*, *Asellariomycetes*, *Kickxellomycota*, c. seven species, type: *A. caulleryi* R.A. Poiss., associated with Isopoda, worldwide, see Guardia Valle and Cafaro (2008, new species, biology, zygospor production), Lichtwardt (2012; Trichomycete gut fungi from tropical regions), Kirk et al. (2013; genus accepted), Tretter et al. (2014; DNA, phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Astrosmittium** Lichtw. & M.C. Williams 1990, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, five species, type: *A. kiwiorum* M.C. Williams & Lichtw. (Name is invalid as in Index Fungorum 2018; Art.

40.5 (Melbourne), in insects, worldwide, see Siri and López Lastra (2010; new species), Kirk et al. (2013; genus accepted), Hoffmann et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Bactromyces** William & Strongman 2012, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *B. fluminalis* William & Strongman, in *Paracapnia angulata* nymphs, Canada, see William and Strongman (2014; taxonomy), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Baetimyces** L.G. Valle & Santam. 2002, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *B. ancorae* L.G. Valle & Santam., in hindgut of *Baetis* nymph, Spain, see Valle (2013a; Galicia), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Ballocephala** Drechsler 1951, *Kickxellomycotina* genera *incertae sedis*, *Kickxellomycota*, one species, type: *B. sphaerospora* Drechsler, on tardigrades, worldwide, see Humber (2012; classification), Gryganskyi et al. (2013a, b; notes), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Baltomyces** Cafaro 1999, *Asellariales* genera *incertae sedis*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *B. styrax* Cafaro, in Isopoda, USA, see Oman and White (2012; USA), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Barbatospora** M.M. White, Siri & Lichtw. 2006, *Barbatosporaceae*, *Barbatosporales*, *Barbatosporomycetes*, *Kickxellomycota*, one species, type: *B. ambicaudata* M.M. White, Siri & Lichtw., in hindgut of larval *Simuliidae*, USA, see Hussain et al. (2014; mycoinsecticide), Tretter et al. (2014; DNA, phylogeny), Corsaro et al. (2018; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Bojamycetes** Longcore 1989, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *B. repens* Longcore, cosmopolitan, see Hoffmann et al. (2013; classification), Kirk et al. (2013; genus accepted), Sato et al. (2013; Japan), Benny et al. (2016b; classification), cultures and sequences are available.

**Capniomyces** S.W. Peterson & Lichtw. 1983, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *C. stellatus* S.W. Peterson & Lichtw., in insects, cosmopolitan, see Bench and White (2012; new species), Hoffmann et al. (2013; notes), Kirk et al. (2013; genus accepted), Hussain et al. (2014; mycopesticide), Benny et al. (2016b; classification), Corsaro et al. (2018, phylogeny), Wang et al. (2016a, b; genome sequencing of *C. stellatus*), cultures and sequences are

available, genomes available: *C. stellatus* [PMID: 27491991] available at NCBI.

**Carouxella** Manier, Rioux & Whisler 1965, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, two species, type: *C. scalaris* Manier, Rioux & Whisler (Index Fungorum 2018 listed the type species as invalid), in insects, cosmopolitan, see Tretter et al. (2013; notes), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are available.

**Caudomyces** Lichtw., Kobayasi & Indoh 1988, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *C. japonicus* Lichtw., Kobayasi & Indoh, on insects, cosmopolitan, see Tretter et al. (2013; notes), Kirk et al. (2013; genus accepted), Strongman and Wang (2015; new species), Benny et al. (2016b; classification), cultures and sequences are available.

**Coemansia** Tiegh. & G. Le Monn. 1873, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, c. 20 species, type: *C. reversa* Tiegh. & G. Le Monn., saprobes, worldwide, see Kurihara et al. (2008; Indonesia, new species), Chuang and Ho (2011; Taiwan), Kirk et al. (2013; genus accepted), Tretter et al. (2013; phylogeny), Healy et al. (2014; mitosis), Benny et al. (2016b; classification), Chuang et al. (2018; phylogeny), cultures and sequences are available, *C. reversa* NRRL 1564 [25977457] at NCBI.

**Coleopteromyces** Ferrington, Lichtw. & López-Lastra 1999, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *C. amnicus* Ferrington, Lichtw. & López-Lastra, in insects, cosmopolitan, see Tretter et al. (2013; notes), Kirk et al. (2013; genus accepted), Wang et al. (2014b; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available

**Dacryodiomyces** Lichtw. 2011, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *D. oklahomensis* Lichtw., in insects, USA, see Lichtwardt et al. (2011a, b; taxonomy), Benny et al. (2016b; classification), cultures and sequences are available

**Dimargaris** Tiegh. 1875, *Dimargaritaceae*, *Dimargaritales*, *Dimargaritomycetes*, *Kickxellomycota*, seven species, type: *D. cristalligena* Tiegh., coprophilous, fungicolous, cosmopolitan, see de Santiago et al. (2009; first record in S. America), De Godoi and Rafael (2013; new species, key), Gryganskyi et al. (2013a, b; notes), Kirk et al. (2013; genus accepted), Tretter et al. (2013; DNA), Nováková and Vaughan (2016; cave), Benny et al. (2016b; classification), cultures and sequences are available.

**Dipsacomycetes** R.K. Benj. 1961, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *D. acuminosporus* R.K. Benj., saprobes, Honduras, see Kirk et al. (2013; genus accepted), Tretter et al. (2014;

phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Dispira** Tiegh. 1875, *Dimargaritaceae*, *Dimargaritales*, *Dimargaritomycetes*, *Kickxellomycota*, four species, type: *D. cornuta* Tiegh., mycoparasites, cosmopolitan, see Ho and Chuang (2010; Taiwan), Kirk et al. (2013; genus accepted), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Ejectosporus** S.W. Peterson, Lichtw. & M.C. Williams 1991, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *C. spica* (S.W. Peterson & Lichtw.) Strongman, in insects, North America, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Ephemerellomyces** M.M. White & Lichtw. 2004, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *E. aquilonius* M.M. White & Lichtw., from insects, cosmopolitan, see Kandel and White (2012; new species), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Furculomyces** Lichtw. & M.C. Williams 1992, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *F. boomerangus* (M.C. Williams & Lichtw.) M.C. Williams & Lichtw., in insects, Australia, Northern America, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Gauthieromyces** Lichtw. 1983, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *G. microsporus* Lichtw., in insects, cosmopolitan, see Misra and Tiwari (2008; new species, India), Valle et al. (2008; new species), Strongman et al. (2010; China), Lichtwardt (2011; tropics), Kirk et al. (2013; genus accepted), Valle et al. (2013; records from Italy), Strongman and Wang (2015; notes, China), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Genistelloides** S.W. Peterson, Lichtw. & B.W. Horn 1981, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, five species, type: *G. hibernus* S.W. Peterson, Lichtw. & B.W. Horn, in insects, cosmopolitan, see Kirk et al. (2013; genus accepted), Strongman and Wang (2015; new species, China), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Genistellospora** Lichtw. 1972, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, six species, type: *G. homothallica* Lichtw., in insects, cosmopolitan, see Lichtwardt (2011, 2012; tropics, new species), Hoffmann et al. (2013; classification, notes), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Glotzia** M. Gauthier ex Manier & Lichtw. 1970, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*,

*Kickxellomycota*, seven species, type: *G. centropiti* M. Gauthier ex Manier & Lichtw., in insects, cosmopolitan, see Strongman and White (2008; new species), Kirk et al. (2013; genus accepted), Valle et al. (2013; new species, Italy), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Graminella** L. Léger & M. Gauthier ex Manier 1962, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *G. bulbosa* L. Léger & M. Gauthier ex Manier, symbiote in insects, cosmopolitan, see Chen et al. (2012, 2015; plant virus vector, genome sequences), Kirk et al. (2013; genus accepted), Cassone et al. (2014; genetic studies), Benny et al. (2016b; classification), Heady and Nault (2017; acoustic signals), cultures and sequences are unavailable.

**Harpella** L. Léger & Duboscq 1929, *Harpellaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, seven species, type: *H. melusinae* L. Léger & Duboscq, in insects, cosmopolitan, see Misra and Tiwari (2008; India), Hapsari et al. (2009; new species), Nelder et al. (2009; ecology prediction), Percival and Harvey (2011; UK), Bench and White (2012; new species), Tretter et al. (2013; notes), Kirk et al. (2013; genus accepted), Wilson et al. (2014; effect of fungicides), Benny et al. (2016b; classification), cultures and sequences are available.

**Harpellomyces** Lichtw. & S.T. Moss 1984, *Harpellaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, four species, type: *H. eccentricus* Lichtw. & S.T. Moss, in insects, cosmopolitan, see Valle et al. (2013; new species, Italy), Kirk et al. (2013; genus accepted), Jamali (2015; Iran), Tretter et al. (2014; notes), Benny et al. (2016b; classification), cultures and sequences are available.

**Kickxella** Coem. 1862, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *K. alabastrina* Coem., saprobes, cosmopolitan, see Hoffman et al. (2013; notes), Kirk et al. (2013; genus accepted), Tretter et al. (2014; phylogeny), Wang et al. (2014b; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Klastostachys** Lichtw., M.C. Williams & M.M. White 2011, *Harpellaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *K. reflexa* (Lichtw. & M.C. Williams) Lichtw., M.C. Williams & M.M. White, saprobes, cosmopolitan, see Lichtwardt et al. (2011; taxonomy), Benny et al. (2016b; classification, accepted as in *Legeriomycetaceae*), cultures and sequences are unavailable.

**Laculus** William & Strongman 2012, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *L. insecticola* William & Strongman, in insects, Canada, see William and Strongman (2012; taxonomy), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Lancisporomyces** Santam. 1997, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, five species, type: *L. vernalis* Santam., in insects, cosmopolitan, see Bench and White (2012; new species), Lichtwardt (2012; tropics), Kirk et al. (2013; genus accepted), Wang et al. (2014a, b, c; DNA), Benny et al. (2016b; classification), cultures not available but sequences are available  
**Legeioides** M.M. White 1999, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *L. tumidus* M.M. White, in insects, North America, see Kirk et al. (2013; genus accepted), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Legeiomyces** Pouzar 1972, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, eleven species, type: *L. ramosus* (L. Léger & M. Gauthier) Pouzar, in insects, cosmopolitan, see Misra and Tiwari (2008; India), Strongman and White (2008; new species), Siri and López Lastra (2010; new species), Strongman (2010; Newfoundland), Strongman et al. (2010; new species), Lichtwardt (2012; tropics), Kirk et al. (2013; genus accepted), Valle (2013a; Portugal), Misra et al. (2014; new species), Tretter et al. (2014; DNA), Wang et al. (2014b; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Legeiosimilis** M.C. Williams, Lichtw., M.M. White & J.K. Misra 1999, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, eight species, type: *L. tricaudata* M.C. Williams, Lichtw., M.M. White & J.K. Misra, in insects, cosmopolitan, see Strongman et al. (2010; new species), Strongman and White (2008, 2011; new species), White and Strongman (2012a; new species), Kirk et al. (2013; genus accepted), Tretter et al. (2013; DNA), Valle (2013b; France), Hussain et al. (2014; mycoinsecticide), Wang et al. (2014b; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Linderina** Raper & Fennell 1952, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, two species, type: *L. pennispora* Raper & Fennell, saprobes, worldwide, see Kurihara et al. (2008; Indonesia), Chuang and Ho (2009; Taiwan), Zain et al. (2012; development of merosporangia), Kirk et al. (2013; genus accepted), Tretter et al. (2014; phylogeny), Benny et al. (2016b; classification), Chiranjeevi et al. (2017; anti-oxidant activity), cultures and sequences are available, genomes available: *L. pennispora* ATCC 12442 (unpublished) available at NCBI genomes.

**Martensella** Coem. 1863, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *M. pectinata* Coem., mycoparasites, worldwide, see Zain et al. (2012; development of merosporangia), Kirk et al. (2013; genus accepted), Tretter et al. (2014; phylogeny), Benny

et al. (2016b; classification), cultures and sequences are available.

**Martensiomyces** J.A. Mey. 1957, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *M. pterosporus* J.A. Mey., mycoparasites, worldwide, see Zain et al. (2012; comparison of merosporangia with *Linderina*), Kirk et al. (2013; genus accepted), Tretter et al. (2014; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Mycoemilia** Kurihara, Degawa & Tokum. 2004, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *M. scaparia* Kurihara, Degawa & Tokum., saprobes, Asia, see Tretter et al. (2014; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Myconymphaea** Kurihara, Degawa & Tokum. 2001, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *M. yatsukahoi* Kurihara, Degawa & Tokum., saprobes, Asia, see Hoffmann et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Orphella** L. Léger & M. Gauthier 1931, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, c. ten species, type: *O. coronata* L. Léger & M. Gauthier, in insects, cosmopolitan, see Kirk et al. (2013; genus accepted), Tretter et al. (2013; DNA), Valle et al. (2013, 2014; new species), Strongman and Wang (2015; new species), Benny et al. (2016b; classification), Corsaro et al (2018, phylogeny), cultures and sequences are available.

**Pennella** Manier 1968, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, eight species, type: *P. hovassei* Manier, in insects, cosmopolitan, see Strongman and White (2008; new species), Kirk et al. (2013; genus accepted), Tretter et al. (2013; DNA), Benny et al. (2016b; classification), cultures and sequences are available for unidentified species.

**Pinnaticoemansia** Kurihara & Degawa 2006, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *P. coronantispora* Kurihara & Degawa, from soil, Asia, see Hoffmann et al. (2013; notes), Benny et al. (2016b; classification), cultures and sequences are available.

**Plecopteronomyces** Lichtw., Ferrington & López-Lastra 1999, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *P. patagoniensis* Lichtw., Ferrington & López-Lastra, cosmopolitan, see Kirk et al. (2013; genus accepted), Hoffmann et al. (2013; DNA), Benny et al. (2016b; classification), cultures and sequences are available for unidentified species.

**Pseudoharrella** Ferrington, M.M. White & Lichtw. 2003, *Legeiomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *P. arcolamylica* Ferrington,

M.M. White & Lichtw., saprobes, USA, see Tretter et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Pteromaktron** Whisler 1963, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, two species, type: *P. protrudens* Whisler, saprobes, USA, see Williams and Strongman (2012; new species), Tretter et al. (2013; phylogeny), Wang et al. (2014b; DNA, phylogeny), Benny et al. (2016b; classification), cultures and sequences are available for unidentified species.

**Ramicandelaber** Y. Ogawa, S. Hayashi, Degawa & Yaguchi 2001, *Ramicandelaberaceae*, *Ramicandelaberales*, *Ramicandelaberomycetes*, *Kickxellomycota*, four species, type: *R. longisporus* Y. Ogawa, S. Hayashi, Degawa & Y. Yaguchi, from soil, from soybean cyst nematodes, Asia, see Hoffmann et al. (2013; notes), Chuang et al. (2009, 2013; new species, Taiwan), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Simuliomyces** Lichtw. 1972, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *S. microsporus* Lichtw., in insect larva, USA, see Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Sinotrichium** Juan Wang, S.Q. Xu & Strongman 2010, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *S. chironomidarum* Juan Wang, S.Q. Xu & Strongman, in insect larva, China, see Wang et al. (2010; taxonomy), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Smittium** R.A. Poiss. 1937, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, c. 80 species, type: *S. arvernense* R.A. Poiss., in insect larva, China, see Vojvodic and McCreadie (2008, 2009; species interaction, morphological difference), Wang et al. (2010, 2013b, 2014a, b, c; taxonomy, overview, phylogeny), Lichtwardt and White (2011; typification), Misra (2012; systemics), White and Strongman (2012b; new species), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), genomes available: *S. culicis* GSMNP and ID-206-W2, *S. mucronatum* strain ALG-7-W6 [27343289] are available at NCBI genomes.

**Spartiella** Tuzet & Manier ex Manier 1968, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *S. barbata* Tuzet & Manier ex Manier, in insect larva, Europe, Canada, see White and Strongman (2012a; new species), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are available.

**Spinalia** Vuill. 1904, *Dimargaritales* genera incertae sedis, *Dimargaritomycetes*, one species, type: *S. radians* Vuill., mycoparasites, Europe, see Kirk et al. (2013; genus

accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Spirodactylon** R.K. Benj. 1959, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, one species, type: *S. aureum* R.K. Benj., saprobes, USA, see Hoffmann et al. (2013; notes), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Spiromyces** R.K. Benj. 1963, *Kickxellaceae*, *Kickxellales*, *Kickxellomycetes*, *Kickxellomycota*, two species, type: *S. minutus* R.K. Benj., saprobes, USA, see Hoffmann et al. (2013; notes), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), Corsaro et al (2018, phylogeny), cultures and sequences are available.

**Stachylinia** L. Léger & M. Gauthier 1932, *Harpellaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, 40 species, type: *S. macrospora* L. Léger & M. Gauthier, saprobes, cosmopolitan, Strongman (2010; new species), Wang et al. (2010, 2014a, b, c; new species, phylogeny), Misra (2012; systemics), White and Strongman (2012b; new species), Kirk et al. (2013; genus accepted), William and Strongman (2013; new species), Valle (2013a; new species), cultures and sequences are unavailable.

**Stachylinoides** Lichtw. & López-Lastra 1999, *Harpellaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *S. arctata* Ferrington, Lichtw. & López-Lastra, in insects, South America, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Stipella** L. Léger & M. Gauthier 1932, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, two species, type: *S. vigilans* L. Léger & M. Gauthier, in insect larva, Europe, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are available, the genus is treated as a synonym of *Styphomyces* Doweld in Index Fungorum (2018).

**Styphomyces** Doweld 2014, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, two species, type: *S. vigilans* (L. Léger & M. Gauthier) Doweld, replaced synonym of *Stipella* L. Léger & M. Gauthier 1932 (see Index Fungorum 2018).

**Tectimyces** L.G. Valle & Santam. 2002, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, three species, type: *T. leptophlebiidarum* L.G. Valle & Santam., in insect larva, Europe, see Valle (2010, 2013a, b; zygosore description, new species), Benny et al. (2016b; classification), cultures and sequences are available.

**Tieghemiomyces** R.K. Benj. 1959, *Dimargaritaceae*, *Dimargaritales*, *Dimargaritomycetes*, *Kickxellomycota*, two species, type: *T. californicus* R.K. Benj., mycoparasites, cosmopolitan, see Kirk et al. (2013; genus accepted), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Trichozgospora** Lichtw. 1972, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *T. chironomidarum* Lichtw., in insects, cosmopolitan, see Kirk et al. (2013; genus accepted), Tretter et al. (2013; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Trifoliellum** Strongman & M.M. White 2011, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *T. bioblitzii* Strongman & M.M. White., in insects, cosmopolitan, see Strongman and White (2011; taxonomy), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Trissocladiomyces** Doweld 2013, *Harpellales* genera *incertae sedis*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *T. digitatus* (L. Léger & M. Gauthier) Doweld, ?in insects, cosmopolitan, see Doweld (2013a).

**Zancudomyces** Yan Wang, Tretter, Lichtw. & M.M. White 2013, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, one species, type: *Z. culisetae* (Lichtw.) Yan Wang, Tretter, Lichtw. & M.M. White, in insects, worldwide, see Tretter et al. (2013; DNA), Ellenberger et al. (2014; genetics), Benny et al. (2016b; classification), Wang et al. (2016a, b; genetics, gene transferring), *Z. culisetae* [27343289] is available at NCBI genomes.

**Zygnemomyces** K. Miura 1973, *Kickxellomycotina* genera *incertae sedis*, *Kickxellomycota*, two species, type: *Z. mexicana echinulatus* K. Miura., in nematode, ?human pathogens, south America, see Humber (2012; excluded from *Meristacraceae*), Gryganskyi et al. (2013a, b; accepted as in *Kickxellomycotina*), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Zygorpolaris** S.T. Moss, Lichtw. & Manier 1975, *Legeriomycetaceae*, *Harpellales*, *Harpellomycetes*, *Kickxellomycota*, two species, type: *Z. ephemericidarum* S.T. Moss, Lichtw. & Manier, in insects, cosmopolitan, see Hoffman et al. (2013; notes), Benny et al. (2016b; classification), cultures and sequences are available.

#### Monoblepharomycota Doweld

Doweld (2001) introduced *Monoblepharomycota* based on *Monoblepharis* Cornu. Tedersoo et al. (2016) accepted *Monoblepharomycota* and introduced *Sanchytriomycetes* Tedersoo et al.

We accept three classes, three orders, seven families and eight genera in *Monoblepharomycota*.

#### Notes for genera

**Amoeboradix** Karpov, Lopez-Garcia, Mamkaeva & Moreira 2018, *Sanchytriaceae*, *Sanchytriales*, *Sanchytriomycetes*, *Monoblepharomycota*, one species, type: *A. gromovi* Karpov, Lopez-Garcia, Mamkaeva & Moreira, parasite, aquatic, Russia, see Karpov et al. (2018; light

microscopy, electron microscopy, molecular phylogeny), sequences are available.

**Gonapodya** A. Fisch. 1892, *Gonapodyaceae*, *Monoblepharidales*, *Monoblepharidomycetes*, *Monoblepharomycota*, one species, type: *G. prolifera* (Cornu) Fisch., saprobes, cosmopolitan, see Kirk et al. (2013, genus accepted), cultures and sequences are available.

**Harpochytrium** Lagerh. 1890 (= *Fulminaria* Gobi et al. 1891; = *Rhabdium* P.A. Dang.), *Harpochytriaceae*, *Monoblepharidales*, *Monoblepharidomycetes*, *Monoblepharomycota*, c. ten species, type: *H. hyalothecae* Lagerh., on green algae, marine, South America, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Hyaloraphidium** Korshikov 1931, *Hyaloraphidiaceae*, *Hyaloraphidiales*, *Hyaloraphidiomycetes*, *Monoblepharomycota*, one species, type: *H. curvatum* Korshikov, saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Monoblepharella** Sparrow 1940, *Gonapodyaceae*, *Monoblepharidales*, *Monoblepharidomycetes*, *Monoblepharomycota*, five species, type: *M. taylorii* (Sparrow) Sparrow, saprobes, cosmopolitan, see Kirk et al. (2013, genus accepted), cultures and sequences are available.

**Monoblepharis** Cornu 1871 (= *Diblepharis* Lagerh. 1900 [1899]; = *Monoblephariopsis* Laib. 1927), *Monoblepharidaeae*, *Monoblepharidales*, *Monoblepharidomycetes*, *Monoblepharomycota*, five species, type: *M. sphaerica* Cornu, saprobes, cosmopolitan, see Kirk et al. (2013, genus accepted), cultures and sequences are available.

**Oedogoniomyces** Kobayasi & M. Ókubo 1954, *Oedogoniomycetaceae*, *Monoblepharidales*, *Monoblepharidomycetes*, *Monoblepharomycota*, one species, type: *O. lymnaeae* Kobayasi & M. Ókubo, on shells of *Lymnaea* spp., Asia, see Kirk et al. (2013; genus accepted), Zhang et al. (2015; population study), cultures and sequences are available.

**Sanchytrium** Karpov & Aleoshin 2017, *Sanchytriaceae*, *Sanchytriales*, *Sanchytriomycetes*, *Monoblepharomycota*, one species, type: *S. tribonematis* Karpov & Aleoshin, fresh water, Russia, see Karpov et al. (2017a; taxonomy), cultures and sequences are available.

**Telaspheerula** Longcore & T.Y. James 2017, *Telaspheerulaceae*, *Monoblepharidales*, *Monoblepharidomycetes*, *Monoblepharomycota*, one species, type: *T. gracilis* Longcore & T.Y. James, saprobes, fresh water, USA, see Karpov et al. (2017a; taxonomy), cultures and sequences are available.

#### Mortierellomycota Tedersoo et al.

Tedersoo et al. (2016) upgraded *Mortierellomycotina* Kerst. Hoffm. to a phylum. Currently the phylum comprises one class, one order, one family and six genera.

### Notes for genera

**Aquamortierella** Embree & Indoh 1967, *Mortierellaceae*, *Mortierellales*, *Mortierellomycetes*, *Mortierellomycota*, one species, type: *A. elegans* Embree & Indoh, on midge larva, aquatic, New Zealand, Japan, see Hoffmann et al. (2013; classification, notes), Kirk et al. (2013; genus accepted), Wagner et al. (2013; classification), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Dissophora** Thaxt. 1914, *Mortierellaceae*, *Mortierellales*, *Mortierellomycetes*, *Mortierellomycota*, three species, type: *D. decumbens* Thaxt., saprobes, worldwide, see Takó et al. (2012; production of lipase), Hoffmann et al. (2013; classification, notes), Kirk et al. (2013; genus accepted), Wagner et al. (2013; treated as a synonym of *Dissophora*), Benny et al. (2016b; classification), cultures and sequences are available.

**Gamsiella** (R.K. Benj.) Benny & M. Blackw. 2004, *Mortierellaceae*, *Mortierellales*, *Mortierellomycetes*, *Mortierellomycota*, one species, type: *G. multidivaricata* (R.K. Benj.) Benny & M. Blackw., saprobes, North America, see Petkovits et al. (2011; DNA), Hoffmann et al. (2013; classification, phylogeny), Wagner et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Mortierella** Coem. 1863, *Mortierellaceae*, *Mortierellales*, *Mortierellomycetes*, *Mortierellomycota*, c. 100 species, type: *M. polycephala* Coem., saprobes, in soil, worldwide, see acid, Sakuradani et al. (2009; hybrid for oil production), Sato et al. (2010; interactions with bacteria), Wang et al. (2011a, b, 2013a; metabolism, genomic studies), Petkovits et al. (2011; notes, classification), Ruan et al. (2012; application), Hoffmann et al. (2013; classification, notes), Kirk et al. (2013; genus accepted), Smith et al. (2013; DNA, phylogeny), Wagner et al. (2013; classification), Edgington et al. (2014; insecticides), Hao et al. (2014a, b, 2015; enzymes, metabolism), Ariyawansa et al. (2015; new species), Benny et al. (2016b; classification), Werner et al. (2016; biology), Hyde et al. (2017b; new species), Ge et al. (2018; biotechnology), Luo et al. (2017; biotechnology), Uehling et al. (2017; comparative genomics), Zhang et al. (2017; biotechnology), cultures and sequences are available, genome available: *M. alpina* CDC-B6842 (Etienne et al. 2014), CCTCC M207067 and ATCC 32222 [22174787], *M. elongata* AG-77 [28076891], *M. verticillata* NRRL 6337 available at NCBI genomes.

**Modicella** Kanouse 1936, *Mortierellaceae*, *Mortierellales*, *Mortierellomycetes*, *Mortierellomycota*, two species, type: *M. malleola* (Harkn.) Gerd. & Trappe, saprobes, in soil, water, worldwide, see Petkovits et al. (2011; classification), Hoffmann et al. (2013; classification, notes), Kirk et al. (2013; genus accepted), Smith et al. (2013; DNA,

phylogeny), Wagner et al. (2013; classification), Benny et al. (2016b; classification), cultures and sequences are available.

**Lobosporangium** M. Blackw. & Benny 2004, *Mortierellaceae*, *Mortierellales*, *Mortierellomycetes*, *Mortierellomycota*, one species, type: *L. transversale* (Malloch) M. Blackw. & Benny, saprobes, North America, see Petkovits et al. (2011; DNA), Hoffmann et al. (2013; classification), Wagner et al. (2013; DNA), Benny et al. (2016b; classification), cultures and sequences are available, genomes available: *L. transversale* strain NRRL 3116 (unpublished) available at NCBI genomes.

### Mucoromycota Doweld

Doweld (2001) introduced *Mucoromycota* but Kirk et al. (2008) accepted the subphylum *Mucoromycotina* to accommodate *Mucor* Fresen. However, Spatafora et al. (2016) accepted *Mucoromycota* as a distinct phylum with three subphyla viz. *Glomeromycotina* (in this study we do not accept this rank under *Mucoromycota*), *Mortierellomycotina* and *Mucoromycotina*. The members of *Mucoromycota* occur as saprobes and rarely as facultative parasites (Figs. 5 and 6) (Kirk et al. 2008).

We accept three class, three orders, 16 families and 66 genera in *Mucoromycota*.


### Notes for genera

**Absidia** Tiegh. 1878, *Cunninghamellaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, c. 20 species, type: *A. reflexa* Tiegh., saprobes, in soil, animal dung, worldwide, see Hoffmann and Voigt (2009; introduced *Lentamyces* for *A. parricida* and *A. zychae*), Richardson (2009; notes), Hoffmann (2010; generic revision), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Ariyawansa et al. (2015; new species, phylogeny), Li et al. (2016; new species), Wang et al. (2017e; fermentation), cultures and sequences are available, genomes available: *A. padenii* NRRL 2977 (unpublished) at JGI portal (Grigoriev et al. 2014), *A. repens* NRRL 1336 (Mondo et al. 2017) genomes at JGI portal (Grigoriev et al. 2014).

**Actinomucor** Schostak. 1898, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species and three varieties, type: *A. elegans* (Eidam) C.R. Benj. & Hesselt., opportunistic pathogens of human and animals, in soil, on human, worldwide, see Li et al. (2008; debittering effect), Tully et al. (2009; human pathogens), Gomes et al. (2011; mucormycosis, review), Mahmud et al. (2012; case of mucormycosis), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Kia et al. (2014; mutualism with *Abutilon theophrasti*), Mou et al. (2014; biotransformation of

**Fig. 5** Mucromycota:

- A** *Umbelopsis* sp.
- B** *Thamnostylum piriforme*.
- C** *Syncyphalastrum racemosum*.
- D** *Gongronella* sp.
- E** *Cunninghamella* sp.
- F** Zygospore of *Syzygites megalocarpus*.
- G** *Circinella umbellata*.
- H** *Lichtheimia* sp.
- I** *Pilobolus* sp.
- J** *Mortierella* sp.
- K** *Rhizomucor pusillus*.
- L** *Absidia* sp




resibufogenin), Wang et al. (2014a, c; enhanced glucosamine production and biotransformation of resibufo-  
genin), Zhou et al. (2014; biotechnology), Karimi et al. (2015, pathogen of chafer beetle), Dorin et al. (2017; diagnosis methods combining molecular tools, mucormycosis), Li et al. (2018; biotechnology), genomes available: *A. elegans* JCM\_22485 at NCBI genomes.

**Ambomucor** R.Y. Zheng & X.Y. Liu 2014, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, three species and three varieties, type: *A. seriato-inflatus* X.Y. Liu & R.Y. Zheng, in soil, China, see Zheng and Liu (2014;

taxonomy), Liu and Zheng (2015; new species), cultures and sequences are available.

**Amylomyces** Calmette 1892, *Rhizopodaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *A. rouxii* Calmette, use in food production, cosmopolitan, see Kito et al. (2009; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny, in *Rhizopus arrhizus* var. *arrhizus*), Benny et al. (2016b; classification), cultures and sequences are available.

**Apophysomyces** P.C. Misra 1979, *Saksenaeaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, five species, type: *A. elegans* P.C. Misra, K.J. Srivast. & Lata, in soil, human

**Fig. 6 A–G Mucoromycota:****A** *Cokeromyces recurvatus*.**B** *Chaetocladium* sp.**C** *Thamnidium elegans*.**D** *Mycotypha microspora*.**E** *Mucor* sp. **F** *Rhizopus* sp.**G** *Mucor* sp. **H–L** Zoopagomycota:**H** *Helicocephalum* sp.**I** *Coemansia* sp. **J** *Syncephalis* sp.**K** *Dimargaris* sp.**L** *Piptocephalis* sp.

and animal pathogens, cosmopolitan, see Álvarez et al. (2010b; new species, human pathogens, phylogeny), Guarro et al. (2011; human pathogens), Etienne et al. (2012; genome), Hoffmann et al. (2013; phylogeny, notes), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Bonifaz et al. (2014; new species, Mexico), Dave et al. (2014; novel cause of endogenous endophthalmitis), Al-Zaydani et al. (2015; pathogenic on a child), Benny et al. (2016b; classification), Bertumen et al. (2016; clinical diagnosis difficulties), Kennedy et al. (2016; mucormycosis in Australia), Prakash et al. (2016, 2017; environmental sources, genome sequencing), Wolkow et al. (2017; chronic

orbital and calvarial fungal infection), cultures and sequences are available, genomes available: *A. elegans* CDC-B7760 (Chibucus et al. 2016), and *A. trapeziformis* CDC-B9324 (Chibucus et al. 2016) and *A. variabilis* NCCPF 102052 [PMID: 28923009] available at NCBI genomes.

**Backusella** Hesselt. & J.J. Ellis 1969, *Backusellaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, 14 species, type: *B. circina* J.J. Ellis & Hesselt., in soil, in excrements of animals, worldwide, see Nyilasi et al. (2008; molecular identification), Santiago et al. (2011b; in excrement of non-ruminant), Li et al. (2012; biodiversity), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny),

Hoffmann et al. (2013; phylogeny), de Souza et al. (2014; new species), Benny et al. (2016b; classification), Lima et al. (2016; new species), cultures and sequences are available, genomes available: *Backusella circina* FSU 941 unpublished genome at JGI portal (Grigoriev et al. 2014). ***Benjaminiella*** Arx 1981, *Mycotyphaceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, three species, type: *B. poitrasii* (R.K. Benj.) Arx, in soil, cosmopolitan, see Hoffmann et al. (2013; phylogeny), Joshi et al. (2013; dimorphism mechanism), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), Mane et al. (2017; Chitosan production), Pathan et al. (2017; reference genes for quantitative real-time RT-PCR), cultures and sequences are available.

***Bifiguratus*** Torr.-Cruz & Porras-Alfaro 2017, *Mucromycotina* genera *incertae sedis*, one species, type: *B. adelaidae* Torr.-Cruz & Porras-Alfaro, from photosynthetic tissue of *Leucobryum* in Arizona, USA, see Torres-Cruz et al. (2017), cultures and sequences are available, genomes available: *B. adelaidae* strain AZ0501 [28876195] genome available at NCBI.

***Blakeslea*** Thaxt. 1914, *Choanephoraceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, two species, type: *B. trispora* Thaxt., worldwide, see Choudhari et al. (2008; β-carotene and lycopene), Mantzouridou et al. (2008; glycerol in media), Schachtschabel et al. (2008; trisporoid synthesis), Sun et al. (2012; metabolites), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Sahadevan et al. (2013; biotechnology), Benny et al. (2016b; classification), cultures and sequences are available, genome available: *B. trispora* NRRL 2456 unpublished genome at JGI portal (Grigoriev et al. 2014)

***Chaetocladium*** Fresen. 1863, *Mucoraceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, two species, type: *C. jonesiae* (Berk. & Broome) Fresen., fungicolous, cosmopolitan, see Ho et al. (2008; Taiwan), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

***Chlamydoabsidia*** Hesselt. & J.J. Ellis 1966, *Cunninghamellaceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, two species, type: *A. padenii* Hesselt. & J.J. Ellis, saprobes, cosmopolitan, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), cultures and sequences are available.

***Choanephora*** Curr. 1873, *Choanephoraceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, two species, type: *C. infundibulifera* (Curr.) D.D. Cunn., worldwide, however, disease development is more common in tropical and subtropical regions characterized by high temperatures and humidity, see Siddiqui et al. (2008, 2009; control by *Trichoderma*, *Tea*), Kagiwada et al. (2010; infection in *Mesembryanthemum crystallinum*, Japan), Saroj et al. (2012;

infection in *Withania somnifera*, India), Sun et al. (2012; metabolites), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), Min et al. (2017; genome analyses of *C. cucurbitarum*), cultures and sequences are available, genome available: *C. cucurbitarum* KUS-F28377 at NCBI genomes [28091548].

***Circinella*** Tiegh. & G. Le Monn. 1873, *Syncephalastraceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, eleven species, type: *C. umbellata* Tiegh. & G. Le Monn., saprobes, coprophilous, worldwide, see Alpat et al. (2008; biosensor), Gonzalez et al. (2010; Mexico), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), Lima et al. (2017; taxonomy), de Souza et al. (2017; notes), Zheng et al. (2017; new species), cultures and sequences are available, genome available, *C. umbellata* NRRL1351 unpublished genome at JGI portal (Grigoriev et al. 2014)

***Cokeromyces*** Shanor 1950, *Mycotyphaceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, one species, type: *C. recurvatus* Poitras, saprobes and human pathogen, worldwide, see Ryan et al. (2011; fatal pneumonia), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Gade et al. (2016; molecular diagnostics), Benny et al. (2016b; classification), Chibucus et al. (2016; mucormycosis causing fungi), Paquette et al. (2016; a case report of *C. recurvatus*), Sharma et al. (2018; *Cokeromyces recurvatus* in Papanicolaou test), cultures and sequences are available, *C. recurvatus* NRRL 2243 (CBS 158.50) unpublished genome at JGI portal (Grigoriev et al. 2014) and CDC-B5483 (Chibucus et al. 2016) available at NCBI.

***Cunninghamella*** Matr. 1903, *Cunninghamellaceae*, *Mucorales*, *Mucromycetes*, *Mucromycota*, c. 14 species, type: *C. echinulata* (Thaxt.) Thaxt. ex Blakeslee, saprobes, human pathogen, cosmopolitan, see Asha and Vidyavathi (2009; review), Fakas et al. (2009; substrates for oil production), Pastor et al. (2010; antifungal properties), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Berger et al. (2014; biotechnology), Ganjali Dashti et al. (2014; biosynthesis of lipase), Saad et al. (2014; Lipid and Gamma Linolenic Acid Production), Silva et al. (2014; metabolites), Zawadzka et al. (2015; Carbazole hydroxylation), Yu et al. (2015; barcoding of clinically important species), Dube and Kumar (2017; biotransformation), Siddiqui et al. (2017; biotransformation), cultures and sequences are available, available genomes: *C. echinulata* NRRL 1382 unpublished genome at JGI portal (Grigoriev et al. 2014), *C. elegans* CDC-B9769 and *C. bertholletiae* 175 and CDC-B7461 (Chibucus et al. 2016) available at NCBI genomes.

***Densospora*** McGee 1996, *Endogonaceae*, *Endogonales*, *Endogonomycetes*, *Mucromycota*, nine species, type: *D.*

*tubiformis* (P.A. Tandy) McGee, mycorrhizal, Australia, Northern Hemisphere, see Kirk et al. (2013; genus accepted), Desirò et al. (2017 ecology and phylogeny), Truong et al. (2017; phylogeny), Yamamoto et al. (2017a, b; reported from Northern Hemisphere), cultures unavailable, sequences available.

**Dichotomocladium** Benny & R.K. Benj. 1975, *Lichtheimiaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, five species, type: *D. elegans* Benny & R.K. Benj., saprobes, worldwide, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available, genome available *D. elegans* RSA 919 unpublished genome at JGI portal (Grigoriev et al. 2014)

**Dicranophora** J. Schröt. 1886, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *D. fulva* J. Schröt., saprobes, cosmopolitan, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Ellisomyces** Benny & R.K. Benj. 1975, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *E. anomalus* (Hesselt. & P. Anderson) Benny & R.K. Benj., saprobes, cosmopolitan, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Endogone** Link 1809 (= *Youngiomycetes* Y.J. Yao 1995 fide Desirò et al. 2017), *Endogonaceae*, *Endogonales*, *Endogonomycetes*, *Mucoromycota*, c. 21 species, type: *E. pisiformis* Link, in mycorrhiza, cosmopolitan, see Bidartondo et al. (2011; symbiosis with plants), Schüßler et al. (2011; arbuscular mycorrhizal fungi), Desirò et al. (2013, 2015, 2017; phylogeny, endobacteria, symbioses with hornworts), Kirk et al. (2013; genus accepted), Yamamoto et al. (2015, 2017a, b; morphology, phylogeny, oak forests, new species), Benny et al. (2016b; classification), Benitez et al. (2017; species in rhizosphere), cultures and sequences are available.

**Fennellomyces** Benny & R.K. Benj. 1975, *Syncephalas-traceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, four species, type: *F. linderi* (Hesselt. & Fennell) Benny & R.K. Benj., saprobes, coprophilous, worldwide, see Xess et al. (2012; phylogeny, De Azevedo Santiago et al. (2013; coprophilous, Brazil), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available, genome available: *Fennellomyces* sp. T-0311 unpublished genome at JGI portal (Grigoriev et al. 2014)

**Gilbertella** Hesselt. 1960, *Choanephoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, two species, type: *G.*

*persicaria* (E.D. Eddy) Hesselt., worldwide, plant pathogen, see Amiri et al. (2011; abiotic factors effect), Guo et al. (2012; rot in dragon fruit), Sun et al. (2012; metabolites), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Karthikeyan and Gopalakrishnan (2014; infection on shrimp), Uloth et al. (2015; associated with calcium oxalate crystals), Benny et al. (2016b; classification), Cruz-Lachica et al. (2016; papaya fruit rot), cultures and sequences are available, genome available: *G. persicaria* var. *persicaria* CBS 190.32-T unpublished genome at JGI portal (Grigoriev et al. 2014)

**Gongronella** Ribaldi 1952, *Cunninghamellaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, six species, type: *G. butleri* (Lendl.) Peyronel & Dal Vesco, saprobes, cosmopolitan, see Nwe et al. (2009; chitosan for tissue regeneration), Ghizelini et al. (2012; record from Brazil), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Zhang et al. (2013; enhancement of chitosanase production), Adamčík et al. (2015; new species), Ariyawansa et al. (2015; new species), Babu et al. (2015; *G. butleri* from Korea), Li et al. (2016; new species), Santos et al. (2016; application), Cavalheiro et al. (2017; enzymes produced by *G. butleri*), Tibpromma et al. (2017; new species), cultures and sequences are available, genome available, *G. butleri* CBS 227.36 unpublished genome at JGI portal (Grigoriev et al. 2014), *Gongronella* sp. W5 (unpublished) available at NCBI.

**Halteromyces** Shipton & Schipper 1975, *Cunninghamellaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *H. radiatus* Shipton & Schipper, saprobes, Australia, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), cultures and sequences are available.

**Helicostylum** Corda 1842, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, c. two species, type: *H. elegans* Corda., saprobes, cosmopolitan, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Hesseltinella** H.P. Upadhyay 1970, *Cunninghamellaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *H. vesiculosa* H.P. Upadhyay, saprobes, South America, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), Spatafora et al. (2016; phylogeny), cultures and sequences are available, *H. vesiculosa* NRRL3301 (Mondo et al. 2017)

**Hypomucor** Schipper & Lunn 1986, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *H. assamensis* (B.S. Mehrotra & B.R. Mehrotra) Schipper & Lunn., saprobes, cosmopolitan, see Hoffmann

et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Isomucor** J.I. Souza, Pires-Zottar. & Harakava 2012, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, two species, type: *I. trufemiae* J.I. Souza, Pires-Zottar. & Harakava, from soil, Brazil, see de Souza et al. (2012; taxonomy), Benny et al. (2016b; classification), cultures and sequences are available.

**Jingerdemannia** Trappe, Desirò, M.E. Sm., Bonito & Bidartondo 2017, *Endogonaceae*, *Endogonales*, *Endogomycetes*, *Mucoromycota*, two species, type: *J. flammicorona* (Trappe & Gerd.) Trappe, Desirò, M.E. Sm., Bonito & Bidartondo, Desirò et al. (2017; phylogeny), cultures unavailable, sequences available.

**Kirkiana** L.S. Loh, Kuthub. & Nawawi 2001, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *K. ramosa* L.S. Loh, Kuthub. & Nawawi, saprobes, cosmopolitan, see Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Kirkomyces** Benny 1996, *Mycotyphaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *K. cordensis* (B.S. Mehrotra & B.R. Mehrotra) Benny, saprobes, Asia, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), Satari and Karimi (2017; biologically active molecule production), cultures and sequences are unavailable.

**Lentamyces** Kerst. Hoffm. & K. Voigt 2008 [2009], *Lentamycetaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, four species, type: *L. parricidus* (Renner & Muskat ex Hesselt. & J.J. Ellis) Kerst. Hoffm. & K. Voigt, mycoparasites, cosmopolitan, see Hoffmann and Voigt (2009; taxonomy), Budziszewska et al. (2010a; Poland), Hoffmann et al. (2013; phylogeny), Walther et al. (2013; phylogeny), Gebremariam et al. (2014; notes), Tretter et al. (2014; DNA), Benny et al. (2016b; classification), cultures and sequences are available.

**Lichtheimia** Vuill. 1903, *Lichtheimiaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, c. eight species, type: *L. corymbifera* (Cohn) Vuill., worldwide, saprobes and pathogens, see Kirk et al. (2008; treated as a synonym of *Absidia*), Garcia-Hermoso et al. (2009; taxonomy of clinical species), Alastruey-Izquierdo et al. (2010a, b; taxonomy), Hoffmann et al. (2009a, b, 2013; introduction of family, phylogeny), Bellanger et al. (2010; farmer lung disease), Borrás et al. (2010; clinical), Gomes et al. (2011; human pathogens), Neves et al. (2011; enzyme production), Schrödl et al. (2011; MALDI ToF), Schwartze et al. (2012, 2014a, b; pathogenicity, genomics), Woo et al. (2012; mucormycosis), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), André et al. (2014; new

species), Leung et al. (2014; mitochondrial genome sequence of *L. ramosa*), Linde et al. (2014; whole genome sequence), Garcia et al. (2015; β-glucosidase production), Benny et al. (2016b; classification), cultures and sequences are available (Ex-neotype of type: CBS 429.75; sequence of type: NR\_111413), genome available: *L. corymbifera* JMRC:FSU:9682 (Schwartze et al. 2014a, b), *L. corymbifera* strains CDC-B2541 and 008-049 (Chibucus et al. 2015), *L. hyalospora* unpublished genome at JGI portal (Grigoriev et al. 2014), *L. ramosa* strains CDC-B5399 and CDC-B5792 (Chibucus et al. 2015) and JMRC FSU:6197 (Linde et al. 2014)

**Mucor** Fresen. 1850, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, c. 60 species, type: *M. mucedo* Fresen., worldwide, saprobes, in soil, human pathogens, see Jacobs and Botha (2008; new species), Álvarez et al. (2011; new species), Hermet et al. (2012; molecular systematic), Madden et al. (2012; new species), Hoffmann et al. (2013; classification, phylogeny), Karimi and Zamani (2013; *Mucor indicus*: biology and industrial application), Kirk et al. (2013; genus accepted), Lu et al. (2013; Taxonomy and epidemiology of *Mucor irregularis*), Walther et al. (2013; phylogeny), Kang et al. (2014; infection), Aziz et al. (2016; medicinal nanobiology), Benny et al. (2016b; classification), Behnam et al. (2016; xylanase production), Kroll et al. (2016; mutations), Pawłowska et al. (2016; evolution of carbon assimilation abilities), Racsa et al. (2016; blood infection), Tang et al. (2016; proteomics), Voglmayr and Cléménçon (2016; endoparasites of basidiomes of *Hysterangium* spp.), Calo et al. (2017; molecular pathway disruption), Garcia et al. (2017; recyclable genetic marker), Morin-Sardin et al. (2017; applications), Taj-Aldeen et al. (2017; molecular parasitology), cultures and sequences are available, genomes available, *M. ambiguus* NBRC 6742, *M. circinelloides* CBS277.49 (Corrochano et al. 2016) and WJ11 [26352831], 1006PhL (no publication), CDC-B8987 (Shelburne et al. 2015) and JCM 22480 are available at NCBI genomes, *M. irregularis* B50 (no publication) is available at NCBI genomes, *M. cordense* RSA 1222 unpublished genome at JGI portal (Grigoriev et al. 2014), *M. heterogamus* NRRL 1489 unpublished genome at JGI portal (Grigoriev et al. 2014), *M. indicus* CDC-B7402 (Shelburne et al. 2015), *M. racemosus* CDC-B9645 (Shelburne et al. 2015), *M. velutinous* CDC-B5328 (Shelburne et al. 2015)

**Mycocladus** Beauverie 1900, *Mycocladaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *M. verticillatus* Beauverie, worldwide, see Hoffmann et al. (2009a, b, 2013; accepted in *Mucoraceae*), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Mycotypha** Fenner 1932, *Mycotyphaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, three species, type: *M. microspora* Fenner, insect symbionts, saprobes, or human pathogen (rare), from soil, worldwide, see Jayachandra et al. (2011; Biomethanation), De Azevedo Santiago et al. (2013; in Brazil), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Woodbury and Gries (2013; ecology), Benny et al. (2016b; classification), cultures and sequences are available, *M. africana* NRRL 2978 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Nawawiella** L.S. Loh & Kuthub. 2001, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *N. apophysa* L.S. Loh & Kuthub., saprobes, in soil, South East Asia, see Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Nothadelphia** Degawa & W. Gams 2004, *Mucoromycota* genera *incertae sedis*, one species, type: *N. mortierellicola* Degawa & W. Gams, mycoparasite of *Mortierella*, on bat dung, Japan, see Benny et al. (2016b; classification), cultures and sequences are available.

**Palaeoendogone** Strullu-Derr., Kenrick, Pressel, Duckett, J.P. Rioult & Strullu 2014, *Mucoromycotina* genera *incertae sedis*, one species, type: *O. gwynne-vaughniae* Strullu-Derr., Kenrick, Pressel, Duckett, J.P. Rioult & Strullu, in plants (fossil fungi), UK, see Strullu-Derrien et al. (2014; taxonomy), cultures and sequences are unavailable.

**Parasitella** Bainier 1903, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *P. parasitica* (Bainier) Syd., mycoparasites, cosmopolitan, see Burmester et al. (2013; gene transferring), Hoffmann et al. (2013; phylogeny), Walther et al. (2013; phylogeny), Ellenberger et al. (2014; complete mitochondrion sequence), Benny et al. (2016b; classification), cultures and sequences are available, genome available: *P. parasitica* genome at NCBI genomes.

**Peridiospora** C.G. Wu & Suh J. Lin 1997, *Endogonaceae*, *Endogonales*, *Endogonomycetes*, *Mucoromycota*, two species, type: *P. tatachia* C.G. Wu & Suh J. Lin, in mycorrhiza, Taiwan, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), Benitez et al. (2017; species in rhizosphere), cultures and sequences are unavailable.

**Phascolomyces** Boedijn ex Benny & R.K. Benj. 1976, *Syncephalastraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *P. articulosus* Boedijn ex Benny & R.K. Benj., ?coprophilous, saprobes, worldwide, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available, genome available: *P. articulosus* unpublished genome at JGI portal (Grigoriev et al. 2014).

**Phycomyces** Kunze 1823, *Phycomycetaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, three species, type: *P. nitens* (C. Agardh) Kunze, saprobes, worldwide, see Sanz et al. (2009, 2011; interactions with the environment, functional analysis), Chaudhary et al. (2013; genetic linkage map), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Shakya and Idnurm (2014; uniparental mitochondrial inheritance), Žižić et al. (2014; vanadate influence on metabolism), Camino et al. (2015; diversity, ecology, and evolution), Benny et al. (2016b; classification), cultures and sequences are available, genome available: *P. blakesleeanus* NRRL1555 (Corrochano et al. 2016), *P. nitens* S607, S608 and S609 unpublished genome at JGI portal (Grigoriev et al. 2014)

**Pilaira** Tiegh. 1875, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, seven species and one subspecies, type: *P. anomala* (Ces.) J. Schröt., saprobes, coprophilous, cosmopolitan, see Zheng and Liu (2009; taxa in China), Hoffmann et al. (2013; phylogeny), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), Urquhart et al. (2017; new species), cultures and sequences are available, genome available: *P. anomala* RSA1997 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Pilobolus** Tode 1784, *Pilobolaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, ten species and one subspecies, type: *P. crystallinus* (F.H. Wigg.) Tode, saprobes, coprophilous, cosmopolitan, see Foos et al. (2011; phylogeny), Kubo (2011; gene expression), Kubo (2012; asexual reproduction), Pierce and Foos (2011; species associated with horses), Hoffmann et al. (2013; phylogeny), Walther et al. (2013; phylogeny), Greaves (2014; in Britain), Rajachan et al. (2014; depsidone), Aluoch et al. (2015, 2017; dung inhabiting species), Benny et al. (2016b; classification), cultures and sequences are available, genome available: *P. umbonatus* NRRL 6349 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Pirella** Bainier 1882, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, two species, type: *P. circinans* Bainier, saprobes, coprophilous, cosmopolitan, see Bridge et al. (2008; new host), Clum et al. (2009; genomics), Hoffmann et al. (2013; phylogeny), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Poitrasia** P.M. Kirk 1984, *Choanephoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *G. circinans* (H. Nagan. & N. Kawak.) P.M. Kirk, worldwide, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Qi et al. (2016; population study), Benny et al. (2016b; classification), cultures and sequences are available.

**Protomycocladus** Schipper & Samson 1994, *Syncephalastraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *P. faisalabadensis* (J.H. Mirza, S.M. Khan, S. Begum & Shagufta) Schipper & Samson, saprobes, Asia, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Radiomyces** Embree 1959, *Radiomycetaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, three species, type: *R. spectabilis* Embree, saprobes, USA, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), *R. spectabilis* NRRL 2753 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Rhizomucor** Lucet & Costantin 1900, *Lichtheimiaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, four species, type: *R. pusillus* (Lindt) Schipper, saprobes, human pathogens, cosmopolitan, see Lu et al. (2009; endemic zygomycosis), Zheng et al. (2009; new species), Budziszewska et al. (2010b; taxonomic revision), Rodrigues and Fernandez-Lafuente (2010; lipase as biocatalyst), Tajdini et al. (2010; Chitosan), Tawil et al. (2010;  $\alpha$ -amylase), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Martinez et al. (2013; biotransformation of fatty acid), Walther et al. (2013; phylogeny), Bard et al. (2014, pathogenicity) Benny et al. (2016b; classification), *R. variabilis* (Chibucus et al. 2016), Andrey et al. (2017; Cerebral infection), Sun et al. (2018, enzymes), *R. miehei* CAU432 [24746234] and *R. pusillus* (no publication) available at NCBI genomes.

**Rhizopodopsis** Boedijn 1959, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *R. javensis* Boedijn, saprobes, Indonesia, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Rhizopus** Ehrenb. 1821, *Rhizopodaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, c. ten species, type: *R. stolonifer* (Ehrenb.) Vuill., saprobes, worldwide, in soil, plant pathogen, human pathogen, see monograph with key (Zheng et al. 2017), Hernandez-Lauzardo et al. (2008; Chitosan effect), Qin et al. (2008; biodiesel production), Abedinifar et al. (2009; ethanol production), Ma et al. (2009; Genomics), Abe et al. (2010; molecular phylogeny), Gryganskyi et al. (2010; phylogeny), Xu et al. (2010; fumaric acid production), Das et al. (2012; gold nanoparticles), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Dolatabadi et al. (2014; nomenclature of *Rhizopus arrhizus*), Kaerger et al. (2015; virulence), Mendoza et al. (2015; human pathogens), Benny et al. (2016b; classification), Li et al. (2016; new species), Zhang et al. (2013,

xytanase production), Wu et al. (2018, fumaric acid production), Canet et al. (2017; biodiesel synthesis), Liu et al. (2016; food waste fermentation), Baggio et al. (2017; phytopathology), Gryganskyi et al (2018; phylogenomics), NRRL 21446, NRRL 21477, NRRL 21447, NRRL 21789 (Chibucus et al. 2016) available at NCBI genomes, *R. microsporus* CDC-B7455 and CDC-B9738 (Chibucus et al. 2016), available at NCBI genomes, *R. microsporus* ATCC 11559, ATCC 52813, ATCC 52814, B9738 and B7455 available at NCBI genomes, *R. microsporus* CCTCC M201021 (Wang et al. 2013a, b, c, d) available at NCBI genomes, *R. oryzae* 99-892, CDC-B7407, HUMC 02, NRRL 13440, NRRL 18148, NRRL 21396 (Chibucus et al. 2016), 99-133 and 97-1192 available at NCBI genomes, *R. stolonifer* CDC-B9770 (Chibucus et al. 2016) available at NCBI genomes, cultures and sequences are available.

**Saksenaea** S.B. Saksena 1953, *Saksenaeaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, five species, type: *S. vasiformis* S.B. Saksena, human pathogen, cosmopolitan, see García-Martínez et al. (2008; human pathogen), Lechevalier et al. (2008; molecular diagnosis), Baradkar and Kumar (2009; cutaneous zygomycosis), Alvarez et al. (2010a, b; new species), Hospenthal et al. (2011; fatal infection), Salas et al. (2012; disseminated infection by *Saksenaea vasiformis*), Kirk et al. (2013; genus accepted), Tretter et al. (2014; notes), Benny et al. (2016b; classification), Crous et al. (2016, 2017; new species), Chander et al. (2017; infecting human), Singh and Kushwaha RKS (2017; biology and significance of *S. vasiformis*), *S. oblongispora* B3353 and *S. vasiformis* B4078 (Chibucus et al. 2016) available at NCBI genomes.

**Sclerogone** Warcup 1990, *Endogonaceae*, *Endogonales*, *Endogonomycetes*, *Mucoromycota*, one species, type: *S. eucalypti* Warcup, in mycorrhiza, Australia, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), Desirò et al. (2017; notes, provisionally accepted as in *Endogonaceae*), cultures and sequences are unavailable.

**Sphaerocreas** Sacc. & Ellis 1882, *Endogonaceae*, *Endogonales*, *Endogonomycetes*, *Mucoromycota*, type: *S. pubescens* Sacc. & Ellis, four species, plant related, Hirose et al. (2014; classification), Desirò et al. (2017; phylogeny), cultures unavailable, sequences available.

**Spinellus** Tiegh. 1875, *Phycomycetaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, five species, type: *S. fusiger* (Link) Tiegh., mycoparasites, worldwide, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), *S. fusiger* NRRL 22323 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Sporodiniella** Boedijn 1959, *Rhizopodaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *S. umbellata* Boedijn, saprobes, mild (and minor) entomopathogen, worldwide, see Hoffmann et al. (2013;

phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), *S. umbellata* MES 1446 unpublished genome at JGI portal (Grigoriev et al. 2014).

***Syncephalastrum*** J. Schröt. 1886, *Syncephalastraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, two species, type: *S. racemosum* Cohn ex J. Schröt., saprobes, human pathogens, worldwide, see Baradkar et al. (2008; infection), Amatya et al. (2010; species producing mycetoma-like lesions), Mathur et al. (2010; emulsification), Batista et al. (2013; wastewater treatment), Fu et al. (2013; Bio-transformation of ursolic acid), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), cultures and sequences are available, genomes available: Mathuram et al. (2013; infection), Walther et al. (2013; phylogeny), Huang et al. (2014; nematicide), Mangaraj et al. (2014; subcutaneous mucormycosis due to *S. racemosum*), Baby et al. (2015; Onychomycosis by *S. racemosum*), Benny et al. (2016b; classification), Huang et al. (2016; *S. racemosum* as bio control agent), Rodríguez-Gutiérrez et al. (2015; human infection). *S. racemosum* NRRL 2496 (Mondo et al. 2017), *S. racemosum* B6101 and *S. monosporum* B8922 (Chibucus et al. 2016) available at NCBI genomes.

***Syzygites*** Ehrenb. 1818 (= *Sporodinia* Link), *Rhizopodaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *S. megalocarpus* Ehrenb., mycoparasites, saprobes, cosmopolitan, see Beyer et al. (2013; on button mushroom), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

***Thamnidium*** Link 1809, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *T. elegans* Link, saprobes, cosmopolitan, see Papanikolaou et al. (2010; lipid production), Akar et al. (2013; environmental clean-up), Hoffmann et al. (2013; notes), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), *T. elegans* unpublished genome at JGI portal (Grigoriev et al. 2014).

***Thamnostylum*** Arx & H.P. Upadhyay 1970, *Syncephalastraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, four species, type: *T. piriforme* (Bainier) Arx & H.P. Upadhyay, coprophilous, human pathogens, worldwide, see Xess et al. (2012; human pathogen), De Azevedo et al. (2013; coprophilous), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

***Thermomucor*** Subrahm., B.S. Mehrotra & Thirum. 1977, *Lichtheimiaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *T. indicae-seudatica* Subrahm., B.S. Mehrotra & Thirum., saprobes, India, see Martin et al.

(2010; Pectinase production by *T. indicae-seudatica*), Merheb-Dini et al. (2010; enzymes), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Taha et al. (2014; new species), Benny et al. (2016b; classification), *T. indicae-seudatica* HACC 243 available at NCBI genomes.

***Tortumyces*** L.S. Loh 2001, *Mucoraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, two species, type: *T. fimbicola* L.S. Loh, saprobes, Asia, see Benny et al. (2016b; classification), cultures and sequences are unavailable.

***Umbelopsis*** Amos & H.L. Barnett 1966, *Umbelopsidaceae*, *Umbelopsis*, *Umbelopsidomycetes*, *Mucoromycota*, 16 species, type: *T. versiformis* Amos & H.L. Barnett, saprobes, in soil, worldwide, see Meeuwse et al. (2011; lipid accumulation), Ogawa et al. (2011; polyphyly), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Wang et al. (2013c, 2015; new species, taxonomy), Takeda et al. (2014; genome sequence), Benny et al. (2016b; classification), Janicki et al. (2016; endocrine disruptors' degradation), Crous et al. (2017; new species), cultures and sequences are available, genome available: *U. isabellina* NBRC 7784 [24578268] and B7317 (Chibucus et al. 2016) available at NCBI genomes, *U. isabellina* AD026 unpublished genome at JGI portal (Grigoriev et al. 2014), *U. ramanniana* AG unpublished genome at JGI portal (Grigoriev et al. 2014), *Umbelopsis* sp. nov. AD052 unpublished genome at JGI portal (Grigoriev et al. 2014).

***Utharomyces*** Boedijn ex P.M. Kirk & Benny 1980, *Pilobolaceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species and one sub-species, type: *U. epallocaulus* Boedijn ex P.M. Kirk & Benny, saprobes, coprophilous, cosmopolitan, see Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

***Zychaea*** Benny & R.K. Benj. 1975, *Syncephalastraceae*, *Mucorales*, *Mucoromycetes*, *Mucoromycota*, one species, type: *Z. mexicana* Benny & R.K. Benj., coprophilous, ?human pathogens, South America, see Xess et al. (2012; phylogeny, represent *Thamnostylum* spp.), Hoffmann et al. (2013; phylogeny), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), *Z. mexicana* RSA 1403 unpublished genome at JGI portal (Grigoriev et al. 2014).

#### ***Neocallimastigomycota*** M.J. Powell

Hibbett et al. (2007) introduced *Neocallimastigomycota*, with *Neocallimastix* Vávra & Joyon ex I.B. Heath as the type genus. The phylum comprises anaerobic taxa (including gut fungi, coprophilous taxa) and the phylum was accepted in several subsequent studies since Hibbett et al.

(2007), (Griffith et al. 2010; Ligenstoffer et al. 2010; Gruninger et al. 2014).

We accept one class, one order, three families and ten genera in *Neocallimastigomycota*.

#### Notes for genera

**Anaeromyces** Breton, Bernalier, Dusser, Fonty, B. Gaillard & J. Guillot 1990, *Anaeromycetaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, four species, type: *A. mucronatus* Breton, Bernalier, Dusser, Fonty, B. Gaillard & J. Guillot, inside animal colon, in dung, cosmopolitan, see Kirk et al. (2013; new species, genus accepted), Doweld (2014a; introduced *Anaeromycetaceae*), Li et al. (2016; new species), cultures and sequences are available, ITS of the type culture NR\_111156.1.

**Buwchfawromyces** T.M. Callaghan & G.W. Griff. 2015, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, one species, type: *B. eastonii* T.M. Callaghan & G.W. Griff., from buffalo dung, anaerobic, terrestrial, Europe, see Callaghan et al. (2015; taxonomy), Wang et al. (2017a, b, c, d, e; phylogeny), cultures and sequences are available, ITS of the type culture NR\_132002.

**Caeecomyces** J.J. Gold 1988, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, five species, type: *C. f equi* J.J. Gold, in caecum animals, cosmopolitan, see Kirk (2012; new species), Kirk et al. (2013; genus accepted), Henske et al. (2018; new species), Li et al. (2016; new species), cultures and sequences are available.

**Cyllamyces** Ozkose, B.J. Thomas, D.R. Davies, G.W. Griff. & Theodorou 2001, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, one species, type: *C. aberensis* Ozkose, B.J. Thomas, D.R. Davies, G.W. Griff. & Theodorou, from cow faeces, UK, see Sridhar et al. (2014; new species), cultures and sequences are available.

**Neocallimastix** Vávra & Joyon ex I.B. Heath 1983, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, seven species, type: *N. frontalis* (R.A. Braune) Vávra & Joyon ex I.B. Heath, coprophilous, in rumen of cattle, sheep, worldwide, see Kirk et al. (2013; genus accepted), Ariyawansa et al. (2015; new species), Li et al. (2016; new species), cultures and sequences are available.

**Oontomyces** Dagar, Puniya & G.W. Griff. 2015, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, one species, type: *O. anksri* Dagar, Puniya & G.W. Griff., in rumen of camel, Asia, see Dagar et al. (2015; taxonomy), cultures and sequences are available, ITS of the type: NR\_132022.

**Orpinomyces** D.J.S. Barr, H. Kudo, Jakober & K.J. Cheng 1989, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, two species, type: *O. bovis* D.J.S. Barr, H. Kudo, Jakober & K.J. Cheng, in digestive tract of Holstein, Canada, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

**Pecoramycetes** Hanafy, N.H. Youssef, G.W. Griff. & Elshahed 2017, *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, one species, type: *P. ruminantium* Hanafy, N.H. Youssef, G.W. Griff. & Elshahed, USA, see Hanafy et al. (2017; taxonomy), cultures and sequences are available, ITS of the type: NR\_152323.

**Piromyces** J.J. Gold, I.B. Heath & Bauchop 1988 (= *Piromonas* E. Liebet. 1910), *Neocallimastigaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, six species, type: *P. communis* J.J. Gold, I.B. Heath & Bauchop, worldwide, see Kirk (2012; new species), Kirk et al. (2013; genus accepted), Ariyawansa et al. (2015; new species), Li et al. (2016; DNA), cultures and sequences are available.

**Sphaeromonas** E. Liebet. 1910, *Sphaeromonadaceae*, *Neocallimastigales*, *Neocallimastigomycetes*, *Neocallimastigomycota*, four species, type: *S. communis* E. Liebet., stomach of ruminant, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

#### Olpidiomycota Doweld

Doweld (2013c) introduced *Olpidiomycota* to accommodate *Olpidiales* which was accepted in *Chytridiomycetes* (Kirk et al. 2008). The members of *Olpidiomycota* showed broad range of life modes as saprobes and parasites (in algae, aquatic fungi, rotifers *fide* Kirk et al. 2008).

We accept one class, one order, one family and four genera in *Olpidiomycota*.

#### Notes for genera

**Chytridhaema** Moniez 1887, *Olpidiaceae*, *Olpidiales*, *Olpidiomycetes*, *Olpidiomycota*, one species, type: *C. clado-cerarum* Moniez, saprobes, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Cibdelia** Juel 1925, *Olpidiaceae*, *Olpidiales*, *Olpidiomycetes*, *Olpidiomycota*, one species, type: *C. infestans* Juel, Europe, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Leiopodium** Doweld 2014, *Olpidiaceae*, *Olpidiales*, *Olpidiomycetes*, *Olpidiomycota*, five species, type: *L. cucurbitacearum* (D.J.S. Barr & Dias) Doweld, intracellular parasites of roots, cosmopolitan, see Doweld (2014j; nomenclature), cultures and sequences are unavailable.

**Olpidium** (A. Braun) J. Schröt. 1886, *Olpidiaceae*, *Olpidiales*, *Olpidiomycetes*, *Olpidiomycota*, c. 50 species, type: *O. endogenum* (A. Br.) Schroet., parasitic,

cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are available.

### **Rozellomycota** Doweld

Doweld (2013d) introduced *Rozellomycota* which mostly comprises aquatic parasites. Tedersoo et al. (2016) accepted *Microsporidea* Corliss & Levine as a class in *Rozellomycota*. However, the classification of *Rozellomycota* is still poorly known thus, we follow Catalogue of Life (2018) (<http://www.catalogueoflife.org>).

### Notes for genera

**Abelspora** Azevedo 1987, *Abelsporidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *A. portucalensis* C. Azevedo, parasites of crabs, aquatic, South America, see Azevedo (1987a, b; generic description), Sprague et al. (1992; taxonomic review), sequences are unavailable.

**Acarispora** Radek and Alberti 2015, *Chytridiopsidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *I. acarivora* Larsson, M.Y. Steiner & Bjørnson, parasites of mites, Europe, see Radek et al. (2015; taxonomy), sequences are unavailable.

**Aedispora** Kilochitskii 1997, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota* one species, type: *A. dorsalis* Kilochitskii, parasites of mosquitoes, aquatic, Europe, see Kilochitskii (1997; taxonomy), Andreadis (2007; reported on mosquito larva), sequences are unavailable.

**Agglomerata** Larsson & Yan 1988, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, five species, type: *A. sidae* (Jírovec) Larsson & Yan, parasites of crustaceans, aquatic, worldwide, see Larsson and Yan (1988; taxonomy), Larsson et al. (1996a, b; new species), Larsson and Voronin (2000; new species), Bronnvall (2001; microscopic cytology), Ovcharenko and Wita (2001; new species), Sokolova et al. (2016; *Agglomerata cladocera* from Siberian microcrustaceans, phylogeny), sequences are available.

**Agmasoma** Hazard & Oldacre 1975, *Mrazekidae*, *Disso-ciodihaplophasida*, *Microsporidea*, *Rozellomycota*, three species, type: *A. penaei* (Sprague) Hazard & Oldacre, parasites of shrimps, aquatic, North America, see Laisutisan et al. (2009; ultrastructure), Sokolova et al. (2015; phylogeny), sequences are available.

**Alfvenia** Larsson 1983, *Microsporidea* genera incertae sedis, *Rozellomycota*, four species, type: *A. nuda* Larsson, parasites of crustaceans, aquatic, Eurasia, see Sokolova et al. (2016; new species), sequences are available.

**Alloglugea** Paperna & Lainson 1995, *Glugeidae*, *Glugeida*, *Haplophasea*, *Rozellomycota*, one species, type: *A. bufonis* Paperna & Lainson, parasites of fishes and amphibia, aquatic, worldwide, see Paperna and Lainson (1995a, b; taxonomy), Lom and Dyková (2005; on fishes), sequences are unavailable.

**Amazonspora** Azevedo & Matos 2003, *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *A. portucalensis* C. Azevedo, parasites of fishes, aquatic, South America, Azevedo (2003a, b; taxonomy), sequences are unavailable.

**Amblyospora** Hazard & Oldacre 1975, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, c. 90 species, type: *A. californica* (Kellen & Lipa) Hazard & Oldacre, parasites of mosquitoes, aquatic, worldwide, see Andreadis et al. (2012; taxonomy), Simakova (2014; phylogeny), sequences are available.

**Ameson** Sprague 1977, *Pereziidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, five species, type: *A. michaelis* (Sprague) Sprague, parasites of crustaceans, aquatic, worldwide, Wang et al. (2017d; new species), sequences are available.

**Amphiacantha** Caullery & Mesnil 1914, *Amphiacanthidae*, *Metchnikovellida*, *Rudimicrosporea*, *Rozellomycota*, two species, type: *A. longa* Caullery & Mesnil, parasites of gregarines, aquatic, Europe, see Larsson (2014a, b; notes), Paskerova et al. (2016; notes), sequences are available for unidentified species.

**Amphiamblys** Caullery & Mesnil 1914, *Amphiacanthidae*, *Metchnikovellida*, *Rudimicrosporea*, *Rozellomycota*, two species, type: *A. capitellides* (Caullery & Mesnil) Caullery & Mesnil, parasites of gregarines, aquatic, Europe, see Larsson (2014a, b; notes), Mikhailov et al. (2016; genomic study), sequences are available for unidentified species.

**Andreanna** Simakova, Vossbrinck & Andreadis 2008, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *A. caspii* Simakova, C.R. Vossbrinck & Andreadis, parasites of mosquitoes, aquatic, Asia, see Simakova et al. (2008; taxonomy), sequences are available.

**Anisofilariata** Tokarev, Voronin, Seliverstova, Dolgikh, Pavlova, Ignatieve & Issi 2010, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *A. chironomi* Tokarev, Voronin, Seliverstova, Dolgikh, Pavlova, Ignatieve & Issi, parasites of chironomids, aquatic, Europe, see Tokarev et al. (2010a, b, taxonomy), sequences are available.

**Anncalia** Issi, Krylova & V.M. Nikolaeva 1993, *Tubulinosematidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, six species, type: *A. meligethi* (Issi & Radishcheva) Issi, Krylova & V.M. Nikolaeva, parasites of insects and humans, worldwide, see Cali et al. (2010; human infection of *A. algerae*), Monaghan et al. (2011; in-vitro growth of *A. algerae*), Panek et al. (2014; *A. algerae* as a parasite), Watts et al. (2014; *A. algerae* microsporidial myositis), sequences are available.

**Anostacospora** Rode, Landes, Lievens, Flaven, Segard, Jabbour-Zahab, Michalakis, Agnew, Vivarés & Lenormand 2013, *Mrazekidae*, *Dissociodihaplophasida*,

**Microsporidea**, *Rozellomycota*, one species, type: *A. rigaudi* N Rode, Landes, Lievens, Flaven, Segard, Jabbour-Zahab, Michalakis, Agnew, Vivarés & Lenormand, parasites of shrimps, aquatic, Europe, see Rode et al. (2013; taxonomy), sequences are available.

**Antonospora** Fries, Paxton, Tengo, Slemenda, da Silva, & Pieniazek 1999, *Ovavesiculidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *A. scoticae* Fries, Paxton, Tengo, Slemenda, da Silva, & Pieniazek, parasites of insects, worldwide, see Sokolova et al. (2010a, b; new species), sequences are available.

**Areospora** Stentiford, Bateman, Feist, Oyarzún, Uribe, Palacios & Stone 2014, *Areosporiidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, one species, type: *A. rohanae* Stentiford, Bateman, Feist, Oyarzún, Uribe, Palacios & Stone, parasites of king crabs, aquatic, South America, see Stentiford et al. (2014; taxonomy), Simakova et al. (2011; identification), sequences are available.

**Auraspora** Weiser & K. Purrini 1980, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *A. canningae* Weiser & K. Purrini, parasites of springtails, Europe, see Weiser and Purrini (1980; taxonomy), sequences are unavailable.

**Bacillidium** Janda 1928, *Neopereziidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, five species, type: *B. criodrili* Janda, parasites of invertebrates, aquatic, worldwide, see Nielsen (1999) sequences are available.

**Baculea** Loubès & Akbarieh 1978, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *B. daphniae* Loubès & Akbarieh, parasites of cladocerans, aquatic, Europe, see Loubès and Akbarieh (1978; taxonomy), sequences are unavailable.

**Becnelia** Tonka & Weiser 2000, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *B. sigarae* Tonka & Weiser, parasites of bugs, aquatic, Europe, see Tonka and Weiser (2000; taxonomy), sequences are unavailable.

**Berwaldia** Larsson 1981, *Berwaldiiae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, four species, type: *B. singularis* Larsson, parasites of crustaceans, worldwide, see Larsson (1981; taxonomy), Vávra et al. (2017; new species, biology), Simakova et al. (2018a, b; new species, taxonomy), sequences are available.

**Binucleata** Refardt, Decaestecker, Johnson & Vávra 2008, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *B. daphniae* Decaestecker, Johnson & Vávra, parasites of daphniids, aquatic, Europe, see Refardt et al. (2008; taxonomy), sequences are available.

**Binucleospora** A.M. Bronnvall & Larsson 1995, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *B. elongata* A.M. Bronnvall & Larsson, parasites of ostracods, aquatic,

Europe, see Stentiford et al. (2013; emergent pathogens in aquatic systems), sequences are unavailable.

**Bohuslavia** Larsson 1985, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *B. asterias* (Weiser) Larsson, parasites of chironomids, aquatic, Europe, see Larsson (1985; taxonomy), sequences are unavailable.

**Bryonosema** Canning, Refardt, Vossbrinck, Okamura & Curry 2002, *Neopereziidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *B. plumatellae* Canning, Refardt, Vossbrinck, Okamura & Curry, parasites of bryozoans, aquatic, Europe, see Canning et al. (2002a, b, 2004; taxonomy, correction of the type species), sequences are available.

**Burenella** Jouvenaz & Hazard 1978, *Burenellidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *B. dimorpha* Jouvenaz & Hazard, parasites of ants, North America, see Jouvenaz and Hazard (1978; taxonomy), sequences are unavailable.

**Burkea** Sprague 1977, *Burkeidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, two species, type: *B. gatesi* (de Puytorac & Tourret) Sprague, parasites of oligochaetes, aquatic, worldwide, see Sprague (1977a, b; taxonomy), sequences are unavailable.

**Buxtehudea** Larsson 1980, *Buxtehudiidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *B. scaniae* Larsson, parasites of bristletails, Europe, see Larsson (1980, 2014a, b; taxonomy, notes), sequences are unavailable.

**Campanulospora** Issi, Radishcheva & Dolzhenko 1983, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *C. denticulata* Issi, Radishcheva & Dolzhenko, parasites of flies, Europe, see Issi et al. (1983; taxonomy), Sokolova et al. (2018; Microsporidia described in the Former Soviet Union and Russia in twentieth century), sequences are unavailable.

**Canningia** Weiser Wegensteiner & Žížka 1995, *Unikaryonidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, two species, type: *C. spinidentis* Weiser, Wegensteiner & Žížka, parasites of beetles, Europe, see Weiser et al. (1995; taxonomy), sequences are unavailable.

**Caudospora** Weiser 1946, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *C. simulii* Weiser, parasites of blackflies, see Vossbrinck and Debrunner-Vossbrinck (2005; phylogeny), sequences are available.

**Caulleryetta** Dogiel 1922, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *C. mesnili* Dogiel, parasites of gregarines, aquatic, Europe, sequences are unavailable.

**Chapmanium** Hazard & Oldacre 1975, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, four species, type: *C. cirritus* Hazard & Oldacre, parasites of

phantom midges, aquatic, North America, see Hazard and Oldacre (1975; taxonomy), sequences are unavailable.

***Chytridioides*** Tregouboff 1913, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *C. schizophylli* Tregouboff, parasites of millipedes, Europe, sequences are unavailable.

***Chytridiopsis*** Schneider 1884, *Chytridiopsidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, eleven species, type: *C. socia* Schneider, parasites of insects, Europe, see Burjanadze and Goginashvili (2009; infections on *Ips typographus*), Takov and Pilarska (2009; infections on *Ips typographus*), Tonka et al. (2010; development of *C. typographi*), Larsson (2014a, b; taxonomy, notes), sequences are unavailable.

***Ciliatosporidium*** Foissner & Foissner 1995, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *C. platyophryae* I. Foissner & W. Foissner, parasites of ciliates, aquatic, North America, see Foissner and Foissner (1995; taxonomy), sequences are unavailable.

***Coccospora*** Kudo 1925, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *C. micrococcus* (Léger & Hesse) Kudo, parasites of chironomids, aquatic, Europe, sequences are unavailable.

***Cougourdella*** Hesse 1935, *Cougourdellidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, seven species, type: *C. magna* Hesse, parasites of daphniids, aquatic, worldwide, see Heilveil et al. (2001; life cycle and transmission), Hyliš et al. (2007; phylogeny), sequences are available.

***Crepidulospora*** Simakova, Pankova & Issi 2004, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *C. beklemishevi* (Simakova, Pankova & Issi) Simakova, Pankova & Issi, parasites of mosquitoes, aquatic, Asia, see Simakova et al. (2004; taxonomy), sequences are unavailable.

***Crispospora*** Tokarev, Voronin, Seliverstova, Pavlova & Issi 2010, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *C. chironomi* Tokarev, Voronin, Seliverstova, Pavlova & Issi, parasites of chironomids, aquatic, Europe, see Tokarev et al. (2010a, b, taxonomy), sequences are available.

***Cryptosporina*** Hazard & Oldacre 1975, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *C. brachyfila* Hazard & Oldacre, parasites of spiders, North America, sequences are unavailable.

***Cristulospora*** Khodzhaeva & Issi 1989, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, three species, type: *C. sherbani* Khodzhaeva & Issi, parasites of blackflies, Asia, see Khodzhaeva & Issi (1989; taxonomy), sequences are unavailable.

***Cucumispora*** Ovcharenko, Bacela, Wilkinson, Ironside, Rigaud & Wattier 2010, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species,

type: *C. dikerogammari* (Ovcharenko & Kurandina) Ovcharenko, Bacela, Wilkinson, Ironside, Rigaud & Wattier, parasites of crustaceans, aquatic, Europe, see Ovcharenko et al. (2010; taxonomy), Bojko et al. (2015; new species), sequences are available.

***Culicospora*** Weiser 1977, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *C. magna* (Kudo) Weiser, parasites of mosquitoes, worldwide, see Simakova (2014; comparison with other mosquito parasitic *Microsporidea*), sequences are available.

***Culicosporella*** Weiser 1977, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *C. lunata* (Hazard & Savage) Hazard & Savage, parasites of insects, Europe, sequences are available.

***Cylindrospora*** Issi & Voronin 1986, *Cylindrosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *C. chironomi* Issi & Voronin, parasites of insects, aquatic, Europe, see Sokolova et al. (2018; Microsporidia from USSR in twentieth Century), sequences are unavailable.

***Cystosporogenes*** Canning, Barker, Nicholas & Page 1984, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, four species, type: *C. operophterae* (Canning) Canning, Barker, Nicholas & Page, parasites of insects, worldwide, sequences are unavailable.

***Dasyatispora*** Diamant, Goren, Yokeş, Galil, Klopman, Huchon, Szitenberg & Karhan, 2010, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *D. levantinae* Diamant, Goren, Yokes, Galil, Klopman, Huchon, Szitenberg & Karhan, parasites of stringrays, aquatic, Europe, see Diamant et al. (2010; taxonomy), sequences are available.

***Desmozoon*** Freeman & Sommerville 2009, *Enterocytozoonidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *D. lepeophtherit* Freeman & Sommerville, parasites of sea lice, Europe, see Freeman and Sommerville (2009, 2011; taxonomy), Matthews et al. (2013; pathology), Tokarev et al. (2016; synonymy with Paranucleospora), Gunnarsson et al. (2017; pathology), Weli et al. (2017; pathology), sequences are available.

***Desportesia*** Issi & Voronin 1986, *Metchnikovellidae*, *Metchnikovellida*, *Rudimicrosporea*, *Rozellomycota*, one species, type: *D. laubieri* (Desportes & Théodorides) Issi & Voronin, parasites of gregarines, aquatic, Europe, sequences are unavailable.

***Dictyocoela*** Terry, Smith, Sharpe, Rigaud, Littlewood, Ironside, Rollinson, Bouchon, MacNeil, Dick & Dunn 2004, *Unikaryonidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, eight species, type: need typification, parasites of gammarids, aquatic, worldwide, see Wilkinson et al. (2011; genetic diversity), Winters and Faisal (2014; new species), sequences are available.

**Dimeiospora** Simakova, Pankova & Issi 2003, *Amblyosporidae, Meiodihaplophasida, Microsporidea, Rozellomycota*, one species, type: *C. palustris* Simakova, Pankova & Issi, parasites of mosquitoes, aquatic, Asia, see Simakova et al. (2003; taxonomy), sequences are unavailable.

**Duboscqia** Pérez 1908, *Duboscqiidae, Meiodihaplophasida, Microsporidea, Rozellomycota*, eleven species, type: *D. legeri* Pérez, parasites of arthropods, Europe, sequences are unavailable.

**Edhazardia** Becnel, Sprague & Fukuda 1989, *Amblyosporidae, Meiodihaplophasida, Microsporidea, Rozellomycota*, one species, type: *E. aedis* (Kudo) Becnel, Sprague & Fukuda, parasites of mosquitoes, aquatic, worldwide, see Becnel et al. (1989; taxonomy), Williams et al. (2008; genome sequencing), sequences are available.

**Encephalitozoon** Levaditi, Nicolau & Schoen 1923, *Encephalitozoonidae, Glugeida, Microsporidea, Rozellomycota*, twelve species, type: *E. cuniculi* Levaditi, Nicolau & Schoen, parasites of insects and vertebrates, worldwide, see Levaditi et al. (1923; generic description), Wilson (1979; review), Sprague et al. (1992; taxonomic review), Vossbrinck et al. (1993; phylogeny), Didier et al. (1995; identification), Moss et al. (1999; flow cytometry), Vivarès and Méténier (2000; review on genome), Vivarès and Méténier (2001; review), Akerstedt (2002; ELISA-based detection), Wolk et al. (2002; Real-time PCR), Hoffman et al. (2003; populations of *E. intestinalis*), Menotti et al. (2003; real-time PCR assay), Valencáková et al. (2005; diagnosis), Furuya (2009; review), Corradi et al. (2010; whole genome), Valencáková et al. (2012; molecular identification), Němejc et al. (2013; diversity), Tsukada et al. (2013; parasitology), Myšková et al. (2014; in archaeological material), sequences are available.

**Endoreticulatus** Brooks, Becnel & Kennedy 1988, *Microsporidea genera incertae sedis, Rozellomycota*, five species, type: *E. fidelis* (Hostounský & Weiser) Brooks, Becnel & Kennedy, parasites of insects, worldwide, see Brooks et al. (1988; generic description), Sprague et al. (1992; taxonomic revision), Dong et al. (2010a, b; phylogeny), Xu et al. (2012; phylogeny), Pilarska et al. (2015; taxonomic review), sequences are available.

**Enterocytozoon** Desportes, Le Charpentier, Galian, Bernard, Cochand-Priollet, Lavergne, Ravisse & Modigliani 1985, *Enterocytozoonidae, Chytridiopsidae, Microsporidea, Rozellomycota*, two species, type: *E. bieneusi* Desportes, Le Charpentier, Galian, Bernard, Cochand-Priollet, Lavergne, Ravisse & Modigliani, parasites of shrimps, mammals and humans, worldwide, see Fayer et al. (2007; in mature dairy cattle), Thellier and Breton (2008; laboratory identification and molecular epidemiology), Lanternier et al. (2009; Microsporidiosis in solid organ transplant recipients), Tourtip et al. (2009; new species),

Santín and Fayer (2011; microsporidiosis in domesticated and wild animals), Biju et al. (2016; high prevalence in shrimps), Leśnianska and Perec-Matysiak (2017; environmental reservoir), Wang et al. (2018; prevalence and genotypes in China), sequences are available.

**Enterocytospora** Rode, Landes, Lievens, Flaven, Segard, Jabbour-Zahab, Michalakis, Agnew, Vivarés & Lenormand 2013, *Microsporidea genera incertae sedis, Rozellomycota*, one species, type: *E. artemiae* Rode, Landes, Lievens, Flaven, Segard, Jabbour-Zahab, Michalakis, Agnew, Vivarés & Lenormand, parasites of shrimps, aquatic, Europe, see Rode et al. (2013; taxonomy), sequences are available.

**Enterospora** Stentiford, Bateman, Longshaw & Feist 2007, *Enterocytozoonidae, Chytridiopsida, Microsporidea, Rozellomycota*, two species, type: *E. canceri* Stentiford, Bateman, Longshaw & Feist, parasites of crabs, aquatic, Europe, see Stentiford et al. (2017; taxonomy), Palenzuela et al. (2014; new species), sequences are available.

**Episeptum** Larsson 1986, *Gurleyidae, Glugeida, Microsporidea, Rozellomycota*, six species, type: *E. inversum* Larsson, parasites of caddisflies, aquatic, Europe, see Larsson (1986a, b; taxonomy), Hylič et al. (2007; phylogeny), sequences are available.

**Eupletespora** Fokin, Di Giuseppe, Erra & Dini 2008, *Mrazekiiidae, Dissociodihaplophasida, Microsporidea, Rozellomycota*, one species, type: *E. binucleata* Fokin, Di Giuseppe, Erra & Dini, parasites of ciliates, aquatic, Europe, see Fokin et al. (2008; taxonomy), sequences are available.

**Evlachovaia** Voronin 1986, *Microsporidea genera incertae sedis, Rozellomycota*, one species, type: *E. chironomi* Voronin & Issi, parasites of chironomids, aquatic, Europe, see Sokolova et al. (2018; Microsporidia described from USSR in twentieth century), sequences are unavailable.

**Facilispora** Jones, Prosperi-Porta & Kim 2012, *Facilisporidae, Microsporidea families incertae sedis, Rozellomycota*, one species, type: *F. margolisi* Prosperi-Porta & Kim, parasites of sea lice, worldwide, see Jones et al. (2012a, b; taxonomy), Poley et al. (2017; biology, reported as parasites of pacific salmon louse), sequences are available.

**Fibrillanosema** Slothouber Galbreath, Smith, Terry, Becnel, & Dunn 2004, *Berwaldiidae, Microsporidea families incertae sedis, Rozellomycota*, two species, type: *F. crangonycis* Slothouber Galbreath, Smith, Terry, Becnel, & Dunn, parasites of crustaceans, Europe, see Slothouber Galbreath et al. (2004; taxonomy), Simakova et al. (2018a; phylogeny), sequences are available.

**Flabelliforma** Canning, Killick-Kendrick & Killick-Kendrick 1991, *Caudosporidae, Dissociodihaplophasida, Microsporidea, Rozellomycota*, four species, type: *F. montana* Canning, Killick-Kendrick & Killick-Kendrick, parasites

of sand flies, aquatic, Europe, see Canning et al. (1991; taxonomy), sequences are available.

**Geusia** Rühl & Korn 1979, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *G. gamocystis* Rühl & Korn, parasites of mayflies, aquatic, Europe, sequences are unavailable.

**Globulispora** Vávra, Hylis, Viala, Nebesarova 2016, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *G. mitoportans* Vávra, Hylis, Viala, Nebesarova, parasites of daphniids, aquatic, Europe, see Vavra et al. (2016; taxonomy), sequences are available.

**Glugea** Thélohan 1891, *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, 40 species, type: *G. microspora* Thélohan, parasites of fishes, aquatic, worldwide, see Thélohan (1891; generic description), Voronin (1976; type description), Sprague et al. (1992; taxonomic revision), Lovy et al. (2009; new species, phylogeny), Su et al. (2014; new species, phylogeny), Abdel-Baki et al. (2015; new species, phylogeny), Azevedo et al. (2016; new species, phylogeny), sequences are available.

**Glugoides** (Chatton) Larsson, Ebert, Vávra & Voronin 1996, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *G. intestinalis* (Chatton) Larsson, Ebert, Vávra & Voronin, parasites of daphniids, Europe, see Larsson et al. (1996a, b; generic description), Refardt et al. (2002; phylogeny), Refardt and Ebert (2006; quantitative PCR), Refardt and Mouton (2007; phylogeny), sequences are available.

**Golbergia** Weiser 1977, *Golbergiidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *G. spinosa* (Golberg) Weiser, parasites of insects, aquatic, Europe, sequences are unavailable.

**Gurleya** Doflein 1898, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, c. 10 species, type: *G. tetraspora* Doflein, 1898, parasites of trematodes, water mites and insects, aquatic, worldwide, see Refardt et al. (2002; phylogeny), Sokolova et al. (2018; Microsporidia described in the Former Soviet Union and Russia in 20th century), sequences are available.

**Gurleyides** Voronin 1986, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *G. biformis* Voronin, parasites of crustaceans, aquatic, Europe, see Voronin (1986a, b; taxonomy), Sokolova et al. (2018; Microsporidia described from USSR in twentieth century), sequences are unavailable.

**Hamiltosporidium** Haag, Larsson, Refardt, and Ebert, 2011, *Microsporidea* genera incertae sedis, *Rozellomycota*, two species, type: *H. tvaerminnensis* Haag, Larsson, Refardt, and Ebert, 2011. Parasites of daphniids, see Haag et al. (2011; taxonomy), sequences are available.

**Hazardia** Weiser 1977, *Microsporidea* genera incertae sedis, *Rozellomycota*, two species, type: *H. milleri* (Hazard & Fukuda) Weiser, parasites of mosquitoes, aquatic,

worldwide, see Simakova (2014; comparison with other mosquito parasitic *Microsporidea*), sequences are available.

**Helmichia** Larsson 1982, *Mrazekiidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, five species, type: *H. aggregata* Larsson, parasites of dipterans, aquatic, worldwide, see Tokarev et al. (2012; phylogeny of *H. lacustris*), sequences are available.

**Hepatospora** Stentiford, Bateman, Dubuffet, Chambers & Stone 2011, *Enterocytozoonidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *H. eriocheir* (Wang & Chen) Stentiford, Bateman, Dubuffet, Chambers & Stone, parasites of crabs, aquatic, Asia, see Stentiford et al. (2011; taxonomy), Bateman et al. (2016; phylogeny), Ding et al. (2017, 2018; PCR assays for the detection, metabolic consequences), sequences are available.

**Hessea** Ormières & Sprague 1973, *Hesseidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *H. squamosa* Ormières & Sprague, parasites of gnats, France, sequences are unavailable.

**Heterosporis** Schubert 1969, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, four species, type: *H. finki* Schubert., parasites of fishes, aquatic, worldwide, see Al-Quraishi et al. (2012; new species), Phelps et al. (2015; new species), Saleh et al. (2016a, b; in-vitro studies on antimicrosporidial activity of gold nanoparticles against *H. saurida*, in-vitro gene slicing), sequences are available.

**Heterovesicula** Lange, Macvean, Henry & Streett 1995, *Heterovesiculidae*, *Microsporidea* families incertae sedis, *Rozellomycota*, one species, type: *H. cowani* Lange, Macvean, Henry & Streett, parasites of Mormon crickets, *Anabrus simplex*, North America, see Lange et al. (1995; taxonomy), Sokolova et al. (2008; phylogeny), sequences are available.

**Hirsutosporos** Batson 1983, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *H. austrosimilii* Batson, parasites of blackflies, Australasia, see Batson (1983; taxonomy), sequences are unavailable.

**Holobispora** Voronin 1986, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *H. thermocyclopis* Voronin, parasites of cyclops, aquatic, Europe, see Voronin (1986a, b; taxonomy), Sokolova et al. (2018; Microsporidia described from USSR in twentieth century), sequences are unavailable.

**Hrabyeia** Lom & Dyková 1990, *Mrazekiidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *H. xerkophora* Lom & Dyková, parasites of oligochaetes, aquatic, Europe, see Stentiford et al. (2013; pathogens in aquatic systems), sequences are available.

**Hyalinocysta** Hazard & Oldacre 1975, *Amblyosporidae*, *Meiodiaphlophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *C. chapmani* Hazard & Oldacre, parasites of

mosquitoes, aquatic, North America, see Hazard and Old-acre (1975; taxonomy), sequences are available.

**Hyperspora** Stentiford, Ramilo, Abollo, Kerr, Bateman, Feist, Bass & Villalba 2017, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *H. aquatica* Stentiford, Ramilo, Abollo, Kerr, Bateman, Feist, Bass & Villalba, parasites of paramyxids, aquatic, Europe, see Stentiford et al. (2017; taxonomy), sequences are available.

**Ichthyosporidium** Caullery & Mesnil 1905, *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, five species, type: *I. giganteum* (Thélohan) Swarczewsky, parasites of fishes, aquatic, worldwide, see Verma (2008; diagnosis, treatment), Sanders et al. (2012; new species), sequences are available.

**Inodosporus** Overstreet & Weidner 1974, *Spragueidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *C. spraguei* Overstreet & Weidner, parasites of crustaceans, aquatic, worldwide, see Overstreet and Weidner (1974; taxonomy), Stentiford et al. (2018; trophic transfer, synonymy with *Kabatana*), sequences are available.

**Intexta** Larsson, Steiner & Bjørnson 1997, *Chytridiopsidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *I. acarivora* Larsson, Steiner & Bjørnson, parasites of mites, Europe, see Larsson et al. (1997a, b; taxonomy), Larsson (2014a, b; taxonomy, notes), Radek et al. (2015; compare with *Acarispora*), sequences are unavailable.

**Intrapredatorus** Chen, Kuo & Wu 1998, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *I. barri* Chen, Kuo & Wu, parasites of mosquitoes, Asia, see Chen et al. (1998; taxonomy), sequences are available.

**Issia** Weiser 1977, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, three species, type: *I. trichopterae* (Weiser) Weiser, parasites of caddisflies, aquatic, Europe, see Weiser (1977; taxonomy), Sokolova et al. (2018; Microsporidia described in the Former Soviet Union and Russia in twentieth century), sequences are unavailable.

**Janacekia** Larsson 1983, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, six species, type: *J. debaisieuxi* (Jírovec) Larsson, parasites of insects, Europe, see Larsson (1983; taxonomy), sequences are available.

**Jirovecia** Weiser 1977, *Mrazekiidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, seven species, type: *J. caudata* (L. Léger & Hesse) Weiser, parasites of invertebrates, Europe, sequences are unavailable.

**Jiroveciana** Larsson 1981, *Buxtehudiidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *J. limnodrili* (Jírovec) Larsson, parasites of oligochaetes, Europe, sequences are unavailable.

**Johenrea** Lange, Becnel, Razafindrana, Przybyszewski & Razafindrara 1996, *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *J. locustae* Lange, Becnel, Razafindrana, Przybyszewski & Razafindrara, parasites of locusts, Africa, see Lange et al. (1996; generic description), sequences are unavailable.

**Kabatana** Lom, Dyková & Tonguthai 2000, *Spragueidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, four species, type: *K. arthuri* Lom, Dyková & Tonguthai, parasites of fishes, aquatic, worldwide, sequences are available.

**Kinorhynchospora** Adrianov & Rybakov 1991, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *K. japonica* Adrianov & Rybakov, parasites of fishes, aquatic, Asia, see Adrianov and Rybakov (1991; taxonomy), sequences are unavailable.

**Kneallhazia** Y.Y. Sokolova & Fuxa 2008 *Tubulinosematidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *K. solenopsae* (J.D. Knell, G.E. Allen & Hazard) Y.Y. Sokolova & Fuxa, parasites of ants, North America, see Sokolova and Fuxa (2008; taxonomy), Oi et al. (2009; decapitating flies as vectors), Ascunce et al. (2010; molecular diversity), Valles et al. (2011; new species), sequences are available.

**Krishtalia** Kilochitskii 1997, *Golbergiidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *K. pipiens* Kilochitskii, parasites of mosquitoes, aquatic, Europe, see Kilochitskii (1997; taxonomy), Andreadis (2007; as biological control agent of mosquitoes), sequences are unavailable.

**Lanatospora** Voronin 1986, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, four species, type: *L. macrocyclopis* (Voronin) Voronin, parasites of crustaceans, aquatic, Europe, see Voronin (1986a, b; taxonomy), Vávra et al. (2016; new species), sequences are available.

**Larssonia** Vidtmann & Sokolova 1994, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, two species, type: *L. obtusa* (Moniez) Vidtmann & Sokolova, parasites of daphniids, aquatic, Europe, see Vidtmann and Sokolova (1994; taxonomy), sequences are available.

**Larssonella** Weiser & David 1997, *Unikaryonidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, two species, type: *L. resinellae* Weiser & David, parasites of insects, Europe, see Weiser and David (1997; taxonomy), Lukášová and Holuša (2013; host specificity of *L. duplicati*), sequences are unavailable.

**Liebermannia** Sokolova, Lange & Fuxa 2006, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, three species, type: *L. patagonica* Sokolova, Lange & Fuxa, parasites of orthopterans, South America, see Sokolova et al. (2009; new species), sequences are available.

**Loma** Morrison & Sprague (1981), *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, twelve species, type: *L.*

*branchialis* (Nemeczek) Morrison & Sprague, parasites of fishes, aquatic, worldwide, see Morrison and Sprague (1981; generic description), Sprague et al. (1992; taxonomic revision), Casal et al. (2009; new species), Brown et al. (2010; new species, phylogeny, species boundaries), sequences are available.

***Mariona*** Stempell 1909, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *M. marionis* (Thélohan, 1895) Stempell, parasites of myxosporeans, aquatic, Europe, sequences are unavailable.

***Marsoniella*** Lemmermann 1900, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *M. elegans* Lemmermann, parasites of cyclops, aquatic, Europe, see Dong et al. (2010a, b; phylogeny), González-Tortuero et al. (2016; compare with *Daphnia*), sequences are available.

***Merocinta*** Pell & Canning 1993, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *M. davidii* Pell & Canning, parasites of mosquitoes, aquatic, Africa, see Pell and Canning (1993; taxonomy), sequences are unavailable.

***Metchnikovella*** Caullery & Mesnil 1897, *Metchnikovellidae*, *Metchnikovellida*, *Rudimicrosporea*, *Rozellomycota*, 21 species, type: *M. spionis* Caullery & Mesnil, parasites of gregarines, worldwide, see Sokolova et al. (2013, 2014; fine structure of *Metchnikovella incurvata*, new species), sequences are unavailable.

***Microfilum*** Faye, Toguebaye & Bouix 1991, *Microfilidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *M. lutjani* Faye, Toguebaye & Bouix, parasites of fishes, aquatic, Europe, see Faye et al. (1991; taxonomy), sequences are unavailable.

***Microgemma*** Ralphs & Matthews 1986, *Spragueidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, six species, type: *M. hepaticus* Ralphs & Matthews, parasites of fishes, aquatic, worldwide, see Ralphs and Matthews (1986; generic description), Sprague et al. (1992; taxonomic review), Amigó et al. (1996; reassignment of the genus), Pomport-Castillon et al. (1997; ribotyping), Leiro et al. (1999; new combination, phylogeny), Cheney et al. (2000; phylogeny), Canning et al. (2005; new species), Mansour et al. (2005; new species), Casal et al. (2012; new species, phylogeny), sequences are available.

***Microsporidiopsis*** Schereschewsky 1925, *Metchnikovellidae*, *Metchnikovellida*, *Rudimicrosporea*, *Rozellomycota*, one species, type: *M. nereidis* Schereschewsky, parasites of gregarines, aquatic, Europe, sequences are unavailable.

***Microsporidium*** Balbiani 1884, *Microsporidea* genera incertae sedis, *Rozellomycota*, 118 species epithets are listed in Index Fungorum (2018), type: need typification, parasites of animals, worldwide, sequences are available.

***Mitoplistophora*** Codreanu 1966, *Duboscqiidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species,

type: *M. angularis* Codreanu, parasites of mayflies, aquatic, worldwide, sequences are unavailable.

***Mitosporidium*** Haag, James, Pombert, Larsson, Schaer, Refardt & Ebert 2014, *Rozellomycota*, genera incertae sedis, one species, type: *M. daphniae* Haag, James, Pombert, Larsson, Schaer, Refardt & Ebert, parasites of daphniids, aquatic, Europe, see Haag et al. (2014; taxonomy), Corsaro et al. (2016; phylogeny), sequences are available. ***Mockfordia*** Sokolova, Sokolov & Carlton 2010, *Encephalitozoonidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *M. xanthocaeciliae* Sokolova, Sokolov & Carlton, parasites of bark lice, North America, see Sokolova et al. (2010a, b; generic description), sequences are available.

***Mrazekia*** Léger & Hesse 1916, *Mrazekiidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, 17 species, type: *M. argoisi* Léger and Hesse, parasites of crustaceans, aquatic, worldwide, see Issi et al. (2010; new species), sequences are available.

***Multilamina*** Becnel, Scheffrahn, Vossbrinck & Bahder, 2013, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *M. teevani* Becnel, Scheffrahn, Vossbrinck & Bahder, parasites of termites, South America, see Becnel et al. (2013; taxonomy), sequences are available.

***Myospora*** Stentiford, Bateman, Small, Moss, Shields, Reece & Tuck 2010, *Myosporidae*, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *M. metanephrops* Stentiford, Bateman, Small, Moss, Shields, Reece & Tuck, parasites of lobsters, aquatic, Australasia, see Stentiford et al. (2010; taxonomy), sequences are available.

***Myosporidium*** Baquero, Rubio, Moura, Pieniazek & Jordana 2005, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: Baquero, Rubio, Moura, Pieniazek & Jordana, parasite of fishes, aquatic, Africa, see Baquero et al. (2005; taxonomy), sequences are available.

***Myrmecomorba*** Plowes, Becnel, LeBrun, Oi, Valles, Jones, & Gilbert 2015, *Caudosporidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *M. nylanderiae* Plowes, Becnel, LeBrun, Oi, Valles, Jones, & Gilbert, parasites of ants, North America, see Plowes et al. (2015; taxonomy), sequences are available.

***Myxocystis*** Mrazek, 1897, *Microsporidea* genera incertae sedis, *Rozellomycota*, one species, type: *M. ciliata* Mrazek, 1897, parasites of oligochaetes, aquatic, Europe, sequences are unavailable.

***Nadelspora*** Olson, Tiekkotter & Reno 1994, *Perezidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *N. canceri* Olson, Tiekkotter & Reno, parasites of crabs, aquatic, North America, see Olson et al. (1994; taxonomy), sequences are available.

***Napamiculum*** Larsson 1990, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, three species,

type: *N. dispersum* (Larsson) Larsson, parasites of chironomids, aquatic, Europe, see Larsson (1990a; taxonomy), sequences are unavailable.

**Nelliemelba** Larsson 1983, *Tuzetiidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *L. boeckella* (Milner & J.A. Mayer) Larsson, parasites of copepods, aquatic, worldwide, see Larsson (1983; taxonomy), sequences are unavailable.

**Nematocenator** Sapir, Dillman, Connon, Grupe, Ingels, Mundo-Ocampo, Levin, Bladwin, Orphan & Sternberg 2014, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *N. marisprofundi* Sapir, Dillman, Connon, Grupe, Ingels, Mundo-Ocampo, Levin, Bladwin, Orphan & Sternberg, parasites of nematodes, aquatic, North America, see Sapir et al. (2014; taxonomy, ecology), sequences are available.

**Nematocida** Troemel, Félix, Whiteman, Barrière & Ausubel 2008, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *N. parisii* Troemel, Félix, Whiteman, Barrière & Ausubel, parasites of nematodes, Europe, see Haag et al. (2014; taxonomy), Corsaro et al. (2016; phylogeny), sequences are available.

**Neoflabelliforma** Morris & Freeman 2010, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, two species: type: *N. aurantiae* Morris & Freeman, parasites of myxosporeans and oligochaetes, aquatic, Europe, sequences are available.

**Neonosemoides** Faye & Toguebaye 1992, *Neonosemoididae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, four species, type: *N. tilapiaie* (Sakiti & Bouix) Faye & Toguebaye, parasites of fishes, worldwide, see Faye et al. (1996; taxonomy), Reda (2010; reported from Egypt), sequences are unavailable.

**Neoperezia** Issi & Voronin 1979, *Neopereziidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *N. chironomi* Issi & Voronin, parasites of chironomids, Europe, see Issi et al. (2012; taxonomy, synonymy with *Semenovaia*), sequences are available.

**Nolleria** Beard, Butler & Becnel 1990, *Chytridiopsidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *N. pulicis* C Beard, Butler & Becnel, parasites of fleas, North America, see Larsson (2014a, b; taxonomy, notes), Radek et al. (2015; compare with *Acarispora*), sequences are unavailable.

**Norlevinea** Vávra 1984, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *N. daphniae* (Weiser) Vávra, parasites of daphniids, aquatic, Europe, see Vávra (1984; taxonomy), Stentiford et al. (2013; pathogens in aquatic systems), sequences are unavailable.

**Nosema** Nägeli 1857, *Nosematidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, 20 species, type: *N. bombycis* Nägeli, parasites of insects, worldwide,

see Iwano and Ishihara (1991: dimorphic development), Baker et al. (1994: relationships with *Vairimorpha*), Ni et al. (1995: new species), Kyei-Poku et al. (2008, 2012: molecular data and phylogeny), Kyei-Poku and Sokolova (2017: spore dimorphism), Tokarev et al. (2015: species redefinition), Hopper and Mills (2016: pathogenicity), Hajek et al. (2018: new species from bugs), Grushevaya et al. (2018: spore dimorphism), sequences are available.

**Nosemoides** Vinckier 1975, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, five species, type: *N. vivieri* (Vinckier, Devauchelle & Prensier) Vinckier, parasites of gregarines, aquatic, Europe, see Vinckier (1975; taxonomy), sequences are unavailable.

**Novothelohania** Andreadis, Simakova, Vossbrinck, Shepard & Yurchenko, 2012. *Amblyosporidae*, *Meiodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *N. ovalae* Andreadis, Simakova, Vossbrinck, Shepard & Yurchenko, parasites of mosquitoes, aquatic, Asia, see Andreadis et al. (2012: taxonomy), sequences are available.

**Nucleophaga** Dangeard 1895, *Rozellomycota*, genera *incertae sedis*, two species, type: *N. amoebae*, parasites of amoebae, Europe, see Corsaro et al. (2014a: taxonomy; 2016: new species), Bass et al. (2018: taxonomy), sequences are available.

**Nucleospora** Hedrick, Groff & Baxa 1991, *Enterocytozoonidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, three species, type: *N. salmonis* Hedrick, Groff & Baxa, parasites of fishes, worldwide, see Foltz et al. (2009; detection in steelhead trout, *Oncorhynchus mykiss*), Sakai et al. (2009; in cutthroat trout (*Oncorhynchus clarki*) and rainbow trout (*Oncorhynchus mykiss*), Freeman and Kristmundsson (2013; infecting the Atlantic lumpfish (*Cyclopterus lumpus*), Freeman et al. (2013; new species), Alarcón et al. (2016; infection in farmed lumpfish, *Cyclopterus lumpus*), sequences are available.

**Nudispora** Larsson 1990, *Thelohaniidae*, *Meiodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *N. biformalis* Larsson, parasites of dragonflies, Europe, see Larsson (1990b; taxonomy), sequences are unavailable.

**Obruspora** Diamant, Rothman, Goren, Galil, Yokes, Szitenberg & Huchon 2014. *Enterocytozoonidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, one species, type: *O. papernae* Diamant, Rothman, Goren, Galil, Yokes, Szitenberg & Huchon, parasites of fishes, aquatic, Europe, see Diamant et al. (2010: taxonomy), sequences are available.

**Octosporea** Flu 1911, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, 18 species, type: *O. muscae domesticae* Flu, parasites of daphniids, aquatic, worldwide, see Roth et al. (2008; parasites of *Daphnia magna*), Corradi et al. (2009; genome study of *O. bayeri*), Vossbrinck et al. (2010; phylogeny), sequences are available.

**Octotetraspora** Issi, Kadyrova, Pushkar, Khodzhaeva & Krylova 1990, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *O. paradoxa* Issi, Kadyrova, Pushkar, Khodzhaeva & Krylova, parasites of blackflies, Asia, sequences are unavailable.

**Oligosporidium** Codreanu-Bălcescu, Codreanu & Traciuc 1981, *Nosematidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *O. arachnicolum* (Codreanu-Bălcescu, Codreanu, & Traciuc) Codreanu-Bălcescu, Codreanu, and Traciuc, parasites of spiders and mites, worldwide, see Codreanu-Bălcescu et al. (1981; taxonomy), Becnel et al. (2002; parasites of mites), sequences are available.

**Ordospora** Larsson, Ebert & Vávra 1997, *Ordosporidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *O. colligata* Larsson, Ebert & Vávra, parasites of crustaceans, aquatic, worldwide, see Larsson et al. (1997a, b; taxonomy), Pombert et al. (2015; genome study), sequences are available.

**Ormieresia** Vivarès, Bouix & Manier 1977, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *O. carcinii* Vivarès, Bouix & Manier, parasites of crabs, aquatic, Europe, see Vivarès et al. (1977; taxonomy), sequences are unavailable.

**Orthosomella** Canning, Wigley & Barker 1991, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, three species, type: *O. operophterae* (Canning) Canning, Wigley & Barker, parasites of insects, Europe, see Ovcharenko et al. (2013; new species), sequences are available.

**Orthothelohania** Codreanu & Codreanu-Bălcescu 1974, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *O. octospora* (Henneguy) Codreanu & Codreanu-Bălcescu, parasites of prawns, aquatic, Europe, see Codreanu et al. (1974), sequences are unavailable.

**Ovavesicula** Andreadis & Hanula 1987, *Ovavesiculidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *O. popilliae* Andreadis & Hanula, parasites of grubs, North America, see Andreadis and Hanula (1987; taxonomy), Sprague et al. (1992; taxonomic review), Vossbrinck and Andreadis (2007; phylogeny), sequences are available.

**Ovipleistophora** Pekkarinen, Lom & Nilsen 2002, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, two species, type: *O. mirandellae* (Vaney & Conte) Pekkarinen, Lom & Nilsen, parasites of fishes, Europe, see Pekkarinen et al. (2002; taxonomy), Phelps and Goodwin (2008; vertical transmission), sequences are available.

**Pankovaia** Simakova, Tokarev & Issi 2009, *Tuzetiidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. semitubulata* Simakova, Tokarev & Issi, parasites of mayflies, aquatic, Asia, see Simakova et al. (2009a, b; taxonomy), sequences are unavailable.

**Paradoxium** Stentiford, Ross, Kerr, Bass & Bateman 2015, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. irvingi* Stentiford, Ross, Kerr, Bass & Bateman, parasites of shrimps, aquatic, Europe, see Stentiford et al. (2015; taxonomy), sequences are available.

**Paraepiseptum** Hyliš, Oborník, Nebesářová & Vávra 2007, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, four species, type: *P. plectrocnemiae* Hyliš, Oborník, Nebesářová & Vávra, parasites of insects, aquatic, Europe, see Hyliš et al. (2007, 2013; taxonomy, host taxa), sequences are available.

**Paramicrosporidium** Corsaro, Walochnik, Venditti, Steinmann, Müller & Michel 2014, *Rozellomycota*, genera *incertae sedis*, two species, type: *P. saccamoebiae* Corsaro, Walochnik, Venditti, Steinmann, Müller & Michel, parasites of amoebae, aquatic, Europe, see Corsaro et al. (2014b; taxonomy), Quandt et al. (2017; genome study), sequences are available.

**Paranosema** Sokolova, Dolgikh, Morzhina, Nassonova, Issi, Terry, Ironside, Smith & Vossbrinck 2003, *Ovavesiculidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, four species, type: *P. grylli* (Sokolova, Selezniov, Dolgikh & Issi) Sokolova, Dolgikh, Morzhina, Nassonova, Issi, Terry, Ironside, Smith & Vossbrinck, parasites of insects, worldwide, see Lange and Azzaro (2008; persistence), Shi et al. (2009; parasites of grasshoppers), Senderskiy et al. (2014; protein secretion in to host cells), Chen et al. (2017; novel wall protein), Pyle et al. (2017; Amalga-like virus), sequences are available.

**Paranucleospora** Nylund, Watanabe, Nylund, Sævareid, Erik Arnesen & Karlsbakk 2009, *Enterocytozoonidae*, *Chytridiopsida*, *Microsporidea*, *Rozellomycota*, three species, type: *N. theridion* Nylund, Watanabe, Nylund, Sævareid, Erik Arnesen & Karlsbakk, parasites of sea lice and fishes, aquatic, worldwide, see Nylund et al. (2010, 2011; taxonomy), Sveen et al. (2012; infection dynamics), sequences are available.

**Parapleistophora** Issi, Kadyrova, Pushkar, Khodzhaeva & Krylova 1990, *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. ectospora* Issi, Kadyrova, Pushkar, Khodzhaeva & Krylova, parasites of blackflies, Asia, see Issi et al. (1990; generic description), Sokolova et al. (2018; taxonomic revision), sequences are unavailable.

**Parastempellia** Khodzhaeva 1988, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *P. odagmiae* Khodzhaeva, parasites of blackflies, Asia, see Sokolova et al. (2018; taxonomy), sequences are unavailable.

**Parathelohania** Codreanu 1966, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, 25 species, type: *P. legeri* (Hesse) Codreanu, parasites of

mosquitoes, worldwide, see Codreanu (1966; taxonomy), Simakova et al. (2014, phylogeny), sequences are available.

**Paratuzetia** Poddubnaya, Tokarev & Issi 2006, *Tuzetiidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. kupermani* Poddubnaya, Tokarev & Issi, parasites of cestodes, aquatic, Europe, see Poddubnaya et al. (2006; taxonomy), sequences are unavailable.

**Pegmatheca** Hazard & Oldacre 1975, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *P. simulii* Hazard & Oldacre, parasites of blackflies, aquatic, North America, see Hazard and Oldacre (1975; taxonomy), sequences are unavailable.

**Perezia** Léger & Duboscq 1909, *Pereziidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, twelve species, type: *P. lankesteriae* L. Léger & Duboscq, parasites of gregarines and crustaceans, aquatic, worldwide, see Canning et al. (2002a, b; ultrastructure), Stentiford et al. (2010; taxonomy), sequences are available.

**Pernicivesicula** Bylén & Larsson 1994, *Pereziidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. gracilis* E.K.C. Bylén & Larsson, parasites of chironomids, aquatic, Europe, see Bylén and Larsson (1994; taxonomy), sequences are unavailable.

**Pilosporaella** Hazard & Oldacre 1975, *Burenellidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *P. fishi* Hazard & Oldacre, parasites of insects, North America, see Hazard and Oldacre (1975; taxonomy), sequences are unavailable.

**Pleistophora** Gurley 1893, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, c. 10 species, type: *P. typicalis* Gurley, parasites of fishes, aquatic, worldwide, see Canning and Hazard (1982; genus redefinition), Sanders et al. (2010; infecting zebrafish), sequences are available.

**Pleistosporidium** Codreanu-Balcescu and Codreanu 1982, *Pleistosporidiidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, one species, type: *P. hyperparasiticum* (Codreanu-Balcescu and Codreanu) Codreanu-Balcescu and Codreanu, parasites of gregarines, aquatic, Europe, sequences are unavailable.

**Polydispyrenia** Canning & Hazard 1982, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *P. simulii* (Lutz & Splendore) Canning & Hazard, parasites of blackflies, aquatic, worldwide, see Canning and Hazard (1982; taxonomy), Vossbrinck et al. (2004; phylogeny), sequences are available.

**Potaspora** Casal, Matos, Teles-Grilo & Azevedo 2008, *Spragueidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *P. moraphis* Casal, Matos, Teles-Grilo & Azevedo, parasites of fishes, aquatic, South America, see Casal et al. (2008; taxonomy), Videira et al. (2015; new species), sequences are available.

**Pseudoloma** Matthews, Brown, Larison, Bishop-Stewart, Rogers & Kent 2001, *Glugeidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. neurophilia* Matthews, Brown, Larison, Bishop-Stewart, Rogers & Kent, parasites of fishes, aquatic, worldwide, see Matthews et al. (2001; generic description), Whipps and Kent (2006; PCR detection), Sander and Kent (2011; sensitive assay), Cali et al. (2012; taxonomic revision), Sanders et al. (2016; host range), Ndikumana et al. (2017; genome analysis), sequences are available.

**Pseudonosema** Canning, Refardt, Vossbrinck, Okamura & Curry 2002, *Neopereziidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, one species, type: *P. cristatellae* (Canning, Okamura & Curry) Canning, Refardt, Vossbrinck, Okamura & Curry, parasites of bryozoans, Europe, see Canning et al. (2002a, b; taxonomy), sequences are available.

**Pseudopleistophora** Sprague 1977, *Pseudopleistophoridae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. szollozi* Sprague, parasites of polychaetes, aquatic, North America, see Sprague (1977a, b; taxonomy), Sprague et al. (1992; taxonomic review), sequences are unavailable.

**Pulicispora** Vedmed, Krylova & Issi 1991, *Duboscqiidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. xenopsyllae* Vedmed, Krylova & Issi, parasites of fleas, Eurasia, see Vedmed et al. (1991; taxonomy), sequences are unavailable.

**Pyrotheca** Hesse 1935, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, eight species, type: *P. cyclopis* (Leblanc) Poisson, parasites of cyclops, aquatic, Europe, see Hyliš et al. (2007; notes), sequences are unavailable.

**Rectispora** Larsson 1990, *Mrazekidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *R. reticulata* Larsson, parasites of oligochaetes, aquatic, Europe, see Larsson et al. (1990c; taxonomy), sequences are unavailable.

**Resiomeria** Larsson 1986, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *R. odonatae* Larsson, parasites of dragonflies, aquatic, Europe, see Larsson (1986a, b; taxonomy), sequences are unavailable.

**Ringueletium** Garcia 1990, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *R. pillosa* Garcia, parasites of blackflies, aquatic, Europe, see Garcia (1990; taxonomy), sequences are unavailable.

**Rozella** Cornu 1872, *Rozellomycota*, genera *incertae sedis*, c. 20 species, type: *R. septigena* Cornu, parasites of fungi and green algae, aquatic, worldwide, see James et al. (2013; phylogeny), Letcher et al. (2017b, 2018; new

species), Powell et al. (2017: host-parasite interface), Bass et al. (2018: taxonomy), sequences are available.

**Schroedera** Morris & Adams 2002, *Neoperezidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *S. plumatellae* Morris & Adams, parasites of bryozoans, aquatic, Europe, see Morris and Adams (2002; taxonomy), sequences are available.

**Scipionospora** Bylén & Larsson 1996, *Caudosporidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *R. pillosa* Garcia, parasites of chironomids, aquatic, Europe, see Bylén and Larsson (1996; taxonomy), sequences are unavailable.

**Senoma** Simakova, Pankova, Tokarev & Issi 2005, *Guryelidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *S. globulifera* (Issi & Pankova) Simakova, Pankova, Tokarev & Issi, parasites of mosquitoes, aquatic, Asia, see Simakova et al. (2005; taxonomy), sequences are available.

**Sheriffia** Larsson 2014, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *S. brachynema* (Richards and Sheffield) Larsson, parasites of molluscs, aquatic, Europe, see Larsson (2014a, b: taxonomy), sequences are unavailable.

**Simuliospora** Khodzhaeva, Krylova & Issi 1990, *Golbergiidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *S. uzbekistanica* Khodzhaeva, Krylova & Issi, parasites in insects, Asia, sequences are unavailable.

**Spherospora** Garcia 1991, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *S. andinae* Garcia, parasites of blackflies, aquatic, South America, see Garcia (1991; taxonomy), sequences are unavailable.

**Spiroglyphaea** Léger & Hesse 1924, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *S. octospora* (Léger & Hesse) Léger & Hesse, parasites of biting midges, aquatic, Europe, sequences are available.

**Sporanauta** Ardila-Garcia & Fast 2012, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *S. perivermis* Ardila-Garcia & Fast, parasites of nematodes, aquatic, North America, see Ardila-Garcia and Fast (2012; taxonomy), sequences are available.

**Spraguea** Weissenberg 1976, *Spragueidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *S. lophii* (Doflein) Weissenberg, parasites of fishes, aquatic, worldwide, see Weissenberg (1976; generic description), Sprague et al. (1992; taxonomic review), Pomport-Castillon et al. (2000; phylogenetic reconstruction), Freeman et al. (2004; phylogeny), Campbell et al. (2013; genome of *S. lophii*), Colmenero et al. (2015; *S. lophii* in Mediterranean lophiids), Xiang et al. (2015; comparative genomics), sequences are available.

**Steinhauzia** Sprague, Ormières & Manier 1972, *Pseudopleistophoridae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, four species, type: *S. mytilovum* (Field) Sprague, Ormières & Manier, parasites of molluscs, aquatic, worldwide, see Sprague et al. (1972; generic description), Kalavati and Narasimhamurti (1977; new species), Sprague et al. (1992; taxonomic review), Cunningham and Daszak (1998; Extinction of land snail), Sagristà et al. (1998; ultrastructural data of *S. mytilovum*), sequences are unavailable.

**Stempellia** Léger & Hesse 1910, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, 19 species epithets are listed in Index Fungorum (2018), type: *S. mutabilis* Léger & Hesse, parasites of mosquitoes, aquatic, worldwide, sequences are unavailable.

**Striatospora** Issi & Voronin 1986, *Striatosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *S. chironomi* Issi & Voronin, parasites of chironomids, aquatic, Europe, see Sokolova et al. (2018; Microsporidia from USSR in twentieth century, description), sequences are unavailable.

**Systemostrema** Hazard & Oldacre 1975, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, five species, type: *S. tabani* Hazard & Oldacre, parasites of insects, aquatic, worldwide, see Hazard and Oldacre (1975; taxonomy), Sokolova et al. (2006: phylogeny), sequences are available.

**Tabanispora** Bykova, Sokolova & Issi 1987, *Burenellidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, two species, type: *T. bacillifera* Bykova, Sokolova & Issi, parasites of insects, Europe, see Sokolova et al. (2018; Microsporidia from USSR in twentieth Century), sequences are unavailable.

**Takaokaspora** Andreadis, Takaoka, Otsuka & Vossbrinck 2013, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *T. nipponicus* T.G. Andreadis, Takaoka, Otsuka & Vossbrinck, parasites of mosquitoes, aquatic, Asia, see Andreadis et al. (2013; taxonomy), sequences are available.

**Tardivesicula** Larsson & Bylén 1992, *Duboscqiidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *T. duplicata* Larsson & Bylén, parasites of caddisflies, aquatic, Europe, see Larsson and Bylén (1992; taxonomy), sequences are unavailable.

**Telomyxa** Léger & Hesse 1910, *Telomyxidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, four species, type: *T. glugeiformis* Léger & Hesse, parasites of mayflies, aquatic, Europe, sequences are unavailable.

**Tetramicra** Matthews & Matthews 1980, *Spragueidae*, *Dissociodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *T. brevifilum* Matthews & Matthews, parasites of fishes, aquatic, Europe, see Matthews and Matthews (1980; generic description), Sprague et al. (1992; taxonomic review), Leiro et al. (2002; PCR detection),

Alonso et al. (2013; Real-time PCR assay), Scholz et al. (2017; phylogeny), sequences are available.

***Thelohania*** Henneguy 1892, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, c. 50 species, type: *T. giardi* Henneguy, parasites of arthropods, worldwide, see Vossbrinck and Debrunner-Vossbrinck (2005; phylogeny), sequences are available.

***Toxoglugea*** Léger & Hesse 1924, *Thelohaniidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, c. 15 species, type: need typification, parasites of insects, aquatic, Europe, sequences are unavailable.

***Toxospora*** Voronin 1993, *Toxoglugeidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *T. volgae* Voronin, parasites of chironomids, aquatic, Europe, see Voronin (1993; taxonomy), sequences are unavailable.

***Trachipleistophora*** Hollister, Canning, Weidner, Field, Kench & Marriott 1996, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, three species, type: *T. hominis* Hollister, Canning, Weidner, Field, Kench & Marriott, parasites of humans, worldwide, see Hollister et al. (1996; taxonomy), Weinder et al. (1999; mosquito vector competence), Heinz et al. (2012; genome dynamics and reductive evolution), sequences are available.

***Trichocosporea*** Larsson 1994, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *T. pygopellita* Larsson, parasites of mosquitoes and cyclops, aquatic, Eurasia, see Larsson (1994; taxonomy), Simakova et al. (2011; parasites of cyclops), Andreadis et al. (2012; phylogeny), sequences are available.

***Trichoduboscqia*** Léger 1926, *Duboscqiidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *P. epeori* Léger, parasites of mayflies, aquatic, Europe, see Weiser et al. (2015; compare with Agglomerata), sequences are unavailable.

***Trichonosema*** Canning, Refardt, Vossbrinck, Okamura & Curry 2002, *Neopereziidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, two species, type: *T. pectinatellae* Canning, Refardt, Vossbrinck, Okamura & Curry, parasites of bryozoans, aquatic, Europe, see Canning et al. (2002a, b; taxonomy), sequences are available.

***Trichotuzetia*** Vávra, Larsson & Baker 1997, *Microsporidea* genera *incertae sedis*, one species, type: *T. guttata* Vávra, Larsson & Baker, parasites of cyclops, aquatic, Europe, see Vávra et al. (1997; taxonomy), sequences are available.

***Tricornia*** Pell & Canning 1992, *Amblyosporidae*, *Meiodihaplophasida*, *Microsporidea*, *Rozellomycota*, one species, type: *T. muhezae* Pell & Canning, parasites of mosquitoes, aquatic, Africa, see Pell and Canning (1992; taxonomy), sequences are unavailable.

***Triwangia*** Wang, Nai, Chih Wang, Solter, Hsu, Wang & Lo 2013, *Microsporidea* genera *incertae sedis*,

*Rozellomycota*, one species, type: *T. caridinae* Wang, Nai, Chih Wang, Solter, Hsu, Wang & Lo, parasites of shrimps, aquatic, Asia, see Wang et al. (2013a, b, c, d; taxonomy), sequences are available.

***Tubulinosema*** Franzen, Fischer, Schröder, Schölmerich & Schneuwly 2005, *Tubulinosematidae*, *Microsporidea* families *incertae sedis*, *Rozellomycota*, five species, type: *T. ratisbonensis* Franzen, Fischer, Schröder, Schölmerich & Schneuwly, parasites of insects, worldwide, see Franzen et al. (2005; taxonomy), Vijendravarma et al. (2008; infection of *Drosophila melanogaster*), Bjørnson et al. (2011; new species), Choudhary et al. (2011; human infection), Meissner et al. (2012; human infection), Malysh et al. (2013; new species), sequences are available.

***Tuzetia*** Maurand, Fize, Vernick & Michel 1971, *Tuzetiidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, seven species, type: *Tuzetia infirma* (Kudo 1921) Maurand, Fize, Fenwick, and Michel, 1971 parasites of aquatic arthropods, worldwide, see Larsson (1983; taxonomy), Canning et al. (2002a, b; ultrastructure), Simakova et al. (2009b; new species), sequences are unavailable.

***Unikaryon*** Canning, Lai & Lie 1974, *Unikaryonidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, c. 18 species, type: *U. piriformis* Canning, Lai & Lie, parasites of invertebrates, worldwide, see Yaman et al. (2010; new species), sequences are available.

***Vairimorpha*** Pilley 1976, *Nosematidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, 15 species, type: *V. necatrix* (Kramer) Pilley, parasites of insects, worldwide, see Fowler and Reeves (1974; spore dimorphism), Fuxa and Brooks (1979; application in pest control), Mitchell and Cali (1993; ultrastructure), Baker et al. (1994; relationships with *Nosema*), Down et al. (2008; host pathology), Wang et al. (2009; new species), Ironside et al. (2013; genetic diversity), Luo et al. (2014; morphological and molecular study), Baki and Bekircan (2018; new species), sequences are available.

***Vavraia*** Weiser 1977, *Pleistophoridae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, c. 10 species, type: *V. culicis* (Weiser) Weiser, parasites of insects, worldwide, see Weiser (1977; taxonomy), Bargielowski and Koella (2009; application), Lorenz and Koella (2011; mosquitoes biocontrol), sequences are available.

***Vittaforma*** Silveira & Canning 1995, *Microsporidea* genera *incertae sedis*, *Rozellomycota*, one species, type: *V. corneae* (Shadduck, Meccoli, Davis & Font) Silveira & Canning, parasites of human, worldwide, Silveira and Canning (1995; taxonomy), Vossbrinck and Debrunner-Vossbrinck (2005; phylogeny), sequences are available.

***Weiseria*** Doby & Saguez 1964, *Caudosporidae*, *Dissociodiaphlophasida*, *Microsporidea*, *Rozellomycota*, three species, type: *W. laurentii* Doby & Saguez, parasite of blackflies, worldwide, see Doby and Saguez (1964;

taxonomy), Vossbrinck and Debrunner-Vossbrinck (2005; phylogeny), sequences are available.

**Wittmannia** Czaker 1997, *Microsporidea* families *incertae sedis*, *Rozellomycota*, *Rozellomycota*, one species, type: *W. antarctica* Czaker, parasites of mesozoans, Antarctica, see Czaker (1997; taxonomy), sequences are unavailable.

**Zelenkaia** Hyliš, Oborník, Nebesářová & Vávra 2013, *Gurleyidae*, *Glugeida*, *Microsporidea*, *Rozellomycota*, one species, type: *Z. trichopterae* Hyliš, Oborník, Nebesářová & Vávra, parasites of caddisflies, aquatic, Europe, Hyliš et al. (2013; taxonomy), sequences are available.

### **Zoopagomycota Gryganskyi et al.**

Spatafora et al. (2016) introduced the phylum *Zoopagomycota* with *Zoopage* Drechsler (1935) as type genus to accommodate three subphyla: *Entomophthoromycotina* Humber (Hibbett et al. 2007), *Kickxellomycotina* Benny (Hibbett et al. 2007), and *Zoopagomycotina* Benny (Hibbett et al. 2007). The phylum comprises early diverging terrestrial fungi mainly associating with animals. However, numerous mycoparasites are also included in this group (Spatafora et al. 2016).

We accept *Zoopagomycota* as a distinct phylum which comprises only two subphyla (we accept *Entomophthoromycotina* as a distinct phylum agreeing with Tedersoo et al. 2016), one class, five orders, ten families and 90 genera.

### **Notes for genera**

**Acaulopage** Drechsler 1935, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, 27 species, type: *A. raphidospora* Drechsler, parasitic, aquatic, see Kirk et al. (2008; genus accepted) but Kirk et al. (2013; not listed), Hirotani-Akabane and Saikawa (2010; zygosporule germination), Saikawa (2011; ultrastructural information), Seifert et al. (2011; mentioned that the genus resembles hyphomycetes), Michel et al. (2014, 2015; sequences, isolation, prey pattern), Corsaro et al. (2018; DNA, phylogeny), cultures and sequences are available.

**Amoebophilus** P.A. Dang. 1910, *Cochlonemataceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, four species, type: *A. penardii* P.A. Dang., parasitic on amoeboids, Europe, North America, see Mrva (2011; infect *Mayorella vespertilio*), Saikawa (2011; accepted as in *Cochlonemataceae*), Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Aplectosoma** Drechsler 1951, *Cochlonemataceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *A. microsporum* Drechsler, amoebae endoparasites, USA, see Saikawa (2011; accepted as in *Cochlonemataceae*), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Basidiolum** Cienk. 1861, *Zoopagomycotina* genera *incertae sedis*, *Kickxellomycetes*, *Zoopagomycota*, one species,

type: *B. fimbriatum* Cienk., saprobes?, distribution unknown, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Bdellospora** Drechsler 1935, *Cochlonemataceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *B. helicoides* Drechsler, endoparasites, North America, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Brachymyces** G.L. Barron 1980, *Helicocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *B. megasporus* G.L. Barron, from soil, Canada, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Cochlonema** Drechsler 1935, *Cochlonemataceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, eleven species, type: *C. verrucosum* Drechsler, saprobes, in amoeba, worldwide, see Hirotani-Akabane and Saikawa (2010; morphology and germination of zygosporules), Saikawa (2012; morphology), Kirk et al. (2013; genus accepted), Walther et al. (2013; phylogeny), Benny et al. (2016b; classification), cultures and sequences are available.

**Cystopage** Drechsler 1941, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, nine species, type: *C. lateralis* Drechsler, nematode trapping, worldwide, see Kelly et al. (2009; Ireland), Kirk et al. (2013; genus accepted), Ho et al. (2015; new species), cultures and sequences are unavailable.

**Endocochlus** Drechsler 1935, *Cochlonemataceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, four species, type: *E. microsporum* Drechsler, endoparasites, cosmopolitan, see Saikawa (2011; accepted as in *Cochlonemataceae*), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Euryancale** Drechsler 1939, *Cochlonemataceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, four species, type: *E. sacciospora* Drechsler, endoparasites, cosmopolitan, see Saikawa (2011; accepted as in *Cochlonemataceae*), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Helicocephalum** Thaxt. 1891, *Helicocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, six species, type: *H. sarcophilum* Thaxt., parasites, cosmopolitan, see Kirk et al. (2013; genus accepted), Tretter et al. (2014; notes), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Kuzuhaea** R.K. Benj. 1985, *Piptocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *K. moniliformis* R.K. Benj., from soil, cosmopolitan, see Hoffmann et al. (2013; notes), Kirk et al. (2013; genus accepted), Penton et al. (2013; diversity), Benny et al.

(2016b; classification), Corsaro et al (2018, phylogeny), cultures unavailable, sequences available.

**Lecophagus** M.W. Dick 1990, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, three species, type: *L. fasciculatus* M.W. Dick, hyphomycetous, predator, cosmopolitan, see Seifert et al. (2011; morphology), Kirk et al. (2013; genus accepted), Arenz et al. (2014; Antarctica), Magyar et al. (2016; new species), Fiałkowska et al. (2018; interactions with prey), cultures and sequences are available.

**Massartia** De Wild. 1897, *Zoopagales* genera *incertae sedis*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *M. javanica* De Wild., cosmopolitan, see Kirk et al. (2013; genus accepted), cultures and sequences are unavailable.

**Piptocephalis** de Bary 1865, *Piptocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, c. 25 species, type: *P. freseniana* de Bary, mycoparasites, worldwide, see Ho and Kirk (2009; new species), Hou and Ho (2010; new species), Hoffmann et al. (2013; notes), Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), Corsaro et al. (2018, phylogeny), cultures and sequences are available, genome available: *P. cylindrospora* RSA 2659 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Reticulocephalis** Benny, R.K. Benj. & P.M. Kirk 1992, *Sigmoideomycetaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, two species, type: *R. gyrosus* Benny, R.K. Benj. & P.M. Kirk, from soil, cosmopolitan, see Hoffmann et al. (2013; notes), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Rhopalomyces** Corda 1839, *Helicocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, eleven species, type: *R. elegans* Corda, parasites, cosmopolitan, see Kirk et al. (2013; genus accepted), Tretter et al. (2014; notes), Benny et al. (2016b; classification), Corsaro et al. (2018, phylogeny), cultures unavailable, sequences are available.

**Sigmoideomyces** Thaxt. 1891, *Sigmoideomycetaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *S. dispiroides* Thaxt., saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Sphondylocephalum** Stalpers 1974, *Sigmoideomycetaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *S. verticillatum* (Thaxt.) Stalpers, hyphomycetous, coprophilous, North America, see Seifert et al. (2011; morphology), Kirk et al. (2013; genus accepted), Suyama and Degawa (2013; accepted as in *Sigmoideomycetaceae*), Benny et al. (2016b; notes), cultures and sequences are unavailable.

**Stylopage** Drechsler 1935, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, 17 species, type: *S. lepte* Drechsler, predator, cosmopolitan, see Kirk et al. (2013; genus accepted), Michel et al. (2014; isolation,

characterization), Corsaro et al. (2018; DNA, phylogeny), cultures and sequences are available.

**Synccephalis** Tiegh. & G. Le Monn. 1873, *Piptocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, c. 55 species, type: *S. cordata* Tiegh. & G. Le Monn., mycoparasites, worldwide, see Ho and Benny (2008; new species), Santiago et al. (2011a, b; new species), Hoffmann et al. (2013; notes), Kirk et al. (2013; genus accepted), Benny et al. (2016a; classification, ecology), Melo et al. (2016; neotropics), Lazarus et al. (2017, systematics) *S. fuscata* S228 unpublished genome at JGI portal (Grigoriev et al. 2014), *S. plumigaleata* NRRL S24 unpublished genome at JGI portal (Grigoriev et al. 2014), *S. pseudopolumigaleata* Benny S71-1 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Tentaculophagus** Doweld 2014, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *T. karlingii* see Index Fungorum (2018), cultures and sequences are unavailable.

**Thamnocephalis** Blakeslee 1905, *Sigmoideomycetaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, three species, type: *T. quadrupedata* Blakeslee, saprobes, cosmopolitan, see Kirk et al. (2013; genus accepted), Ho and Chiang (2014; Taiwan), Benny et al. (2016b; classification), Corsaro et al (2018, phylogeny), cultures unavailable, *T. sphaerospora* RSA 1356 unpublished genome at JGI portal (Grigoriev et al. 2014).

**Verrucocephalum** Degawa 2013, *Helicocephalidaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, one species, type: *H. latericorvinisporum* Degawa, from dung, nematophagous, Asia, see Degawa (2014; taxonomy), cultures and sequences are unavailable.

**Zoophage** Drechsler 1935, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, eleven species, type: *Z. phanera* Drechsler, in amoeba, cosmopolitan, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), cultures and sequences are unavailable.

**Zoophagus** Sommerst. 1911, *Zoopagaceae*, *Zoopagales*, *Zoopagomycetes*, *Zoopagomycota*, four species, type: *Z. insidians* Sommerst., on algae, cosmopolitan, see Kirk et al. (2013; genus accepted), Benny et al. (2016b; classification), Corsaro et al (2018, phylogeny), a sequence is available.

**Acknowledgements** Nalin N. Wijayawardene thanks Mushroom Research Foundation for financially supporting this project. K.D. Hyde thanks the Chinese Academy of Sciences, [Project Number 2013T2S003] for the award of Visiting Professorship for Senior International Scientists at Kunming Institute of Botany as well as Chiang Mai University for a Visiting Professorship. The study was partially supported by the National Science Centre, Poland, under Grants No. 2015/17/D/NZ8/00778 and 2017/25/B/NZ8/00473 to Julia Pawłowska and 2016/23/B/NZ8/00897 to Marta Wrzosek. Yuri S. Tokarev thanks Russian Science Foundation, Grant Number 16-14-

00005 (taxonomy of Microsporidea) and Prof. I.V. Issi (All-Russian Institute of Plant Protection) for consultation.

## References

- Abdel-Baki AA, Tamihi AF, Al-Qahtani HA, Al-Quraishy S, Mansour L (2015) *Glugea jazanensis* sp. nov. infecting *Lutjanus bohar* in the Red Sea: ultrastructure and phylogeny. *Dis Aquat Organ* 116:185–190
- Abe A, Asano K, Sone T (2010) A molecular phylogeny-based taxonomy of the genus *Rhizopus*. *Biosci Biochem Biotechnol* 74:1325–1331
- Abedinifar S, Karimi K, Khanahmadi M, Taherzadeh MJ (2009) Ethanol production by *Mucor indicus* and *Rhizopus oryzae* from rice straw by separate hydrolysis and fermentation. *Biomass Bioenergy* 33:828–833
- Adamčík S, Cai L, Chakraborty D, Chen XH et al (2015) Fungal biodiversity profiles 1–10. *Cryptogam Mycol* 36:121–166
- Adrianov AV, Rybakov AV (1991) *Kinorhynchospora japonica* gen. n. sp. n. (Microsporidia) from the intestine epithelium of *Kinorhynchus yushini* (Homalorhagida, Psychophyidae) from the Sea of Japan. *Zool Z* 70(10):5–11
- Agboton BV, Hanna R, Onzo A, Vidal S et al (2013) Interactions between the predatory mite *Typhlodromalus aripo* and the entomopathogenic fungus *Neozygites tanajoae* and consequences for the suppression of their shared prey/host Mononychellustanajoae. *Exp Appl Acarol* 60:205–217
- Agboton BV, Hanna R, von Tiedemann A (2011) Molecular detection of establishment and geographical distribution of Brazilian isolates of *Neozygites tanajoae*, a fungus pathogenic to cassava green mite, in Benin (West Africa). *Exp Appl Acarol* 53:235–244
- Ahrendt SR, Medina EM, Chia-en AC, Stajich JE (2017) Exploring the binding properties and structural stability of an opsin in the chytrid *Spizellomyces punctatus* using comparative and molecular modeling. *PeerJ* 5:e3206
- Akar T, Arslan S, Akar ST (2013) Utilization of *Thamnidium elegans* fungal culture in environmental cleanup: a reactive dye biosorption study. *Ecol Eng* 58:363–370
- Akerstedt J (2002) An indirect ELISA for detection of *Encephalitozoon cuniculi* infection in farmed blue foxes (*Alopex lagopus*). *Acta Vet Scand* 43:211–220
- Akinwole PO, Lefevre E, Powell MJ, Findlay RH (2014) Unique odd-chain polyenoic phospholipid fatty acids present in chytrid fungi. *Lipids* 49(9):933–942
- Alarcón M, Thoen E, Poppe TT, Bornø G et al (2016) Co-infection of *Nucleospora cyclopteri* (Microsporidia) and *Kudoa islandica* (Myxozoa) in farmed lumpfish, *Cyclopterus lumpus* L., in Norway: a case report. *J Fish Dis* 39(4):411–418
- Alastruey-Izquierdo A, Cuesta I, Walther G, Cuenca-Estrella M et al (2010a) Antifungal susceptibility profile of human-pathogenic species of *Lichtheimia*. *Antimicrob Agents Chemother* 54:3058–3060
- Alastruey-Izquierdo A, Hoffmann K, de Hoog GS, Rodriguez-Tudela JL et al (2010b) Species recognition and clinical relevance of the zygomycetous genus *Lichtheimia* (syn. *Absidia* pro parte, *Mycocladus*). *J Clin Microbiol* 48:2154–2170
- Al-Maani AS, Paul G, Jardani A, Nayar M et al (2014) Gastrointestinal basidiobolomycosis: first case report from Oman and literature review. *Sultan Qaboos Uni Med J* 14(2):e241–e244
- Almoosa Z, Alsuhaihani M, AlDandan S, Alshahrani D (2017) Pediatric gastrointestinal basidiobolomycosis mimicking malignancy. *Med Mycol Case Rep* 18:31–33
- Alonso M, Lago FC, Gomez-Reino M, Fernandez J, Martin I, Vieites JM, Espineira M (2013) Fast real-time PCR assay for detection of *Tetramicra brevifilum* in cultured turbot. *Parasitology* 140:338–342
- Alpat S, Alpat SK, Çadirci BH, Yaşa İ et al (2008) A novel microbial biosensor based on *Circinella* sp. modified carbon paste electrode and its voltammetric application. *Sens Actuators B* 134:175–181
- Al-Quraishy S, Abdel-Baki AS, Al-Qahtani H, Dkhil M et al (2012) A new microsporidian parasite, *Heterosporis saurida* n. sp. (Microsporidia) infecting the lizardfish, *Saurida undosquamis* from the Arabian Gulf, Saudi Arabia: ultrastructure and phylogeny. *Parasitology* 139(4):454–462
- Aluoch AM, Obonyo MA, Okun DO et al (2015) Morphological diversity of *Ascobolus* and *Pilobolus* fungi from wild herbivore dung in Nairobi National Park, Kenya. *J Microbiol Res* 5:134–141. <https://doi.org/10.5923/j.microbiology.20150504.03>
- Aluoch MA, Otiende MY, Obonyo MA et al (2017) First genetic identification of *Pilobolus* (Mucoromycotina, Mucorales) from Africa (Nairobi National Park, Kenya). *S Afr J Bot* 111:182–188. <https://doi.org/10.1016/j.sajb.2017.03.006>
- Álvarez E, Cano J, Stchigel AM, Sutton DA et al (2011) Two new species of *Mucor* from clinical samples. *Med Mycol* 49:62–72. <https://doi.org/10.3109/13693786.2010.499521>
- Álvarez E, García-Hermoso D, Sutton DA, Cano JF et al (2010a) Molecular phylogeny and proposal of two new species of the emerging pathogenic fungus *Saksenaea*. *J Clin Microbiol* 48:4410–4416
- Álvarez E, Stchigel AM, Cano J, Sutton DA et al (2010b) Molecular phylogenetic diversity of the emerging mucoralean fungus *Apophysomyces*: proposal of three new species. *Rev Iberoam Micol* 27:80–89
- Alvarez E, Sutton DA, Cano J, Fothergill AW et al (2009) Spectrum of zygomycete species identified in clinically significant specimens in the United States. *J Clin Microbiol* 47:1650–1656. <https://doi.org/10.1128/JCM.00036-09>
- Al-Zaydani IA, Al-Hakami AM, Joseph MR, Kassem WM et al (2015) Aggressive cutaneous zygomycosis caused by *Apophysomyces variabilis* in an immunocompetent child. *Med Mycol Case Rep* 10:11–13
- Amatya R, Khanal B, Rijal A (2010) *Syncephalastrum* species producing mycetoma-like lesions. *Indian J Dermatol Venereol Leprol* 76:284–286
- Amigó JM, Salvadó H, Gracia MP, Vivarés CP (1996) Ultrastructure and development of *Microsporidium ovoideum* (Thélohan, 1895) *Sprague*, 1977, a microsporidian parasite of the red band fish (*Cepola macrophthalmus* L.): redescription of the organism and reassignment to the genus *Microgemma*, Ralphs & Matthews 1986. *Eur J Protistol* 32:532–538
- Amiri A, Chai W, Schnabel G (2011) Effect of nutrient status, pH, temperature and water potential on germination and growth of *Rhizopus stolonifer* and *Gilbertella persicaria*. *J Plant Pathol* 93:603–612
- André LDA, Hoffmann K, Lima DX, de Oliveira RJ et al (2014) A new species of *Lichtheimia* (Mucoromycotina, Mucorales) isolated from Brazilian soil. *Mycol Prog* 13:343–352
- Andreadis TG (2007) Microsporidian parasites of mosquitoes. *J Am Mosq Control Assoc* 23(2):3–29
- Andreadis TG, Hanula JL (1987) Ultrastructural study and description of *Ovavesicula popilliae* N. G., N. Sp. (Microsporidia: Pleistophoridae) from the Japanese beetle, *Popillia japonica* (Coleoptera: Scarabaeidae). *J Protozool* 34:15–21
- Andreadis TG, Simakova AV, Vossbrinck CR, Shepard JJ et al (2012) Ultrastructural characterization and comparative phylogenetic analysis of new microsporidia from Siberian mosquitoes:

- evidence for coevolution and host switching. *J Invertebr Pathol* 109(1):59–75
- Andreadis TG, Takaoka H, Otsuka Y, Vossbrinck CR (2013) Morphological and molecular characterization of a microsporidian parasite, *Takaokasporea nipponicus* n. gen., n. sp. from the invasive rock pool mosquito, *Ochlerotatus japonicus japonicus*. *J Invert Pathol* 114(2):161–172
- Andrey DO, Kaiser L, Emonet S, Erard V et al (2017) Cerebral rhizomucor infection treated by posaconazole delayed-release tablets in an allogeneic stem cell transplant recipient. *Int J Infect Dis* 55:24–26
- Ardila-Garcia AM, Fast NM (2012) Microsporidian infection in a free-living marine nematode. *Eukaryot Cell* 11(12):1544–1551
- Arenz BE, Blanchette RA, Farrell RL (2014) Fungal diversity in Antarctic soils. In: Cowan D (ed) Antarctic terrestrial microbiology. Springer, Berlin, pp 35–53
- Ariyawansa HA, Hyde KD, Jayasiri SC, Buyck B et al (2015) Fungal diversity notes 111–252—taxonomic and phylogenetic contributions to fungal taxa. *Fungal Divers* 75:1–248
- Ascunc MS, Valles SM, Oi DH, Shoemaker D et al (2010) Molecular diversity of the microsporidium *Kneallhazia solenopae* reveals an expanded host range among fire ants in North America. *J Invert Pathol* 105(3):279–288
- Asha S, Vidyavathi M (2009) *Cunninghamella*—a microbial model for drug metabolism studies—a review. *Biotechnol Adv* 27:16–29
- Azevedo C (1987a) Fine structure of the microsporidian *Abelspora portucalensis* gen. n., sp. n. (Microsporidia) parasite of the hepatopancreas of *Carcinus maenas* (Crustacea, Decapoda). *J Invertebr Pathol* 49(1):83–92
- Azevedo C (1987b) Fine structure of the microsporidian *Abelspora portucalensis* gen. n., sp. n. (Microsporidia) parasite of the hepatopancreas of *Carcinus maenas* (Crustacea, Decapoda). *J Invertebr Pathol* 49:83–92
- Azevedo C, Abdel-Baki AA, Rocha S, Al-Quraishi S, Casal G (2016) Ultrastructure and phylogeny of *Glugea arabica* n. sp. (Microsporidia), infecting the marine fish *Epinephelus polyphekadion* from the Red Sea. *Eur J Protistol* 52:11–21
- Azevedo C, Matos E (2003a) *Amazonspora hassar* n. gen. and n. sp. (Phylum Microsporidia, fam. Glugeidae), a parasite of the Amazonian teleost *Hassar orestis* (fam. Doradidae). *J Parasitol* 89(2):336–341
- Azevedo C, Matos E (2003b) *Amazonspora hassar* n. gen. and n. sp. (Phylum Microsporidia, fam. Glugeidae), a parasite of the Amazonian teleost *Hassar orestis* (fam. Doradidae). *J Parasitol* 89:336–341
- Aziz N, Pandey R, Barman I, Prasad R (2016) Leveraging the attributes of *Mucor hiemalis*-derived silver nanoparticles for a synergistic broad-spectrum antimicrobial platform. *Front Microbiol* 7:1984. <https://doi.org/10.3389/fmicb.2016.01984>
- Babu AG, Kim SW, Adhikari M, Yadav DR et al (2015) A new record of *Gongronella butleri* isolated in Korea. *Mycobiology* 43:166–169. <https://doi.org/10.5941/MYCO.2015.43.2.166>
- Baby S, Ramya TG, Geetha RK (2015) Onychomycosis by *Syncephalastrum Racemosum*: case report from Kerala, India. *Dermatol Rep* 7:5527. <https://doi.org/10.4081/dr.2017.5527>
- Baggio JS, Hau B, Amorim L (2017) Spatiotemporal analyses of rhizopus rot progress in peach fruit inoculated with *Rhizopus stolonifer*. *Plant Pathol* 66:1452–1462
- Baker MD, Vossbrinck CR, Maddox JV, Undeen AH (1994) Phylogenetic relationships among *Vairimorpha* and *Nosema* species (Microspora) based on ribosomal RNA sequence data. *J Invertebr Pathol* 64:100–106
- Baki H, Bekircan C (2018) A new microsporidium, *Vairimorpha subcoccinellae* n. sp. (Microsporidia: Burenellidae), isolated from *Subcoccinella vigintiquatuorpunctata* L. (Coleoptera: Coccinellidae). *J Invertebr Pathol* 151:182–190
- Balázs TK, Błaszkowski J, Chwat G, Góralski A et al (2015) Spore-based study of arbuscular mycorrhizal fungi of semiarid sandy areas in Hungary, with *Diversispora jakucsiae* sp. nov. *Mycol Prog* 14:1021. <https://doi.org/10.1007/s11557-014-1021-z>
- Ballvora A, Flath K, Lübeck J, Strahwald J et al (2011) Multiple alleles for resistance and susceptibility modulate the defense response in the interaction of tetraploid potato (*Solanum tuberosum*) with *Synchytrium endobioticum* pathotypes 1, 2, 6 and 18. *Theor Appl Genet* 123:1281–1292
- Baquero E, Rubio M, Moura IN, Pieniazek NJ et al (2005) *Myosporidium merluccius* ng. n. sp. infecting muscle of commercial hake (*Merluccius* sp.) from fisheries near Namibia. *J Eukaryot Microbiol* 52(6):476–483
- Baradkar VP, Kumar S (2009) Cutaneous zygomycosis due to *Saksenaea vasiformis* in an immunocompetent host. *Indian J Dermatol* 54:382–384
- Baradkar VP, Mathur M, Panda M, Kumar S (2008) Sino-orbital infection by *Syncephalastrum racemosum* in chronic hepatorenal disease. *J Oral Maxillofac Pathol* 12:45–47
- Bard JD, Mangahis A, Hofstra TC, Bender JM (2014) First case report of bloodstream infection by *Rhizomucor pusillus* in a child with hemophagocytic lymphohistiocytosis. *Med Mycol Case Rep* 5:20–23
- Bargielowski I, Koella JC (2009) A possible mechanism for the suppression of *Plasmodium berghei* development in the mosquito *Anopheles gambiae* by the microsporidian *Vavraia culicis*. *PloS ONE* 4(3):e4676
- Bass D, Czech L, Williams BAP, Berney C et al (2018) Clarifying the relationships between Microsporidia and Cryptomycota. *J Eukaryot Microbiol*. <https://doi.org/10.1111/jeu.12519>
- Baszkowski J, Wubet T, Harikumar VS, Ryszka P et al (2010) *Glomus indicum*, a new arbuscular mycorrhizal fungus. *Botany* 88:132–143
- Bateman KS, Wiredu-Boakye D, Kerr R, Williams BA (2016) Single and multi-gene phylogeny of *Hepatospora* (Microsporidia)—a generalist pathogen of farmed and wild crustacean hosts. *Parasitology* 143(8):971–982
- Batista AC, Silva MCF, Batista JB, Nascimento AE et al (2013) Eco-friendly chitosan production by *Syncephalastrum racemosum* and application to the removal of acid orange 7 (AO7) from wastewaters. *Molecules* 18:7646–7660
- Batson BS (1983) A light and electron microscopical study of *Hirsutospores austrosimulii* gen. n., sp. n., (Microsporidia: Nosematidae), a parasite of *Austrosimulum* sp. (Diptera: Simuliidae) in New Zealand. *Protistologica* 19:263–280
- Batta YA, Rahman M, Powis K, Baker G et al (2011) Formulation and application of the entomopathogenic fungus: *Zoophthora radicans* (Brefeld) Batko (Zygomycetes: Entomophthorales). *J Appl Microbiol* 110:831–839
- Becnel JJ, Jeyaprakash A, Hoy MA, Shapiro A (2002) Morphological and molecular characterization of a new microsporidian species from the predatory mite *Metaseiulus occidentalis* (Nesbitt) (Acari, Phytoseiidae). *J Invertebr Pathol* 79(3):163–172
- Becnel JJ, Scheffrahn RH, Vossbrinck C, Bahder B (2013) *Multilamina teevani* gen. et sp. nov., a microsporidian pathogen of the neotropical termite *Uncitermes teevani*. *J Invertebr Pathol* 114:100–105
- Becnel JJ, Sprague V, Fukuda T, Hazard EI (1989) Development of *Edhazardia aedis* (Kudo, 1930) ng. n. comb. (Microsporidia: Amblyosporidae) in the mosquito *Aedes aegypti* (L.) (Diptera: Culicidae). *J Protozool Res* 36(2):119–130
- Behnam S, Karimi K, Khanahmadi M, Salimian Z (2016) Optimization of xylanase production by *Mucor indicus*, *Mucor hiemalis*, and *Rhizopus oryzae* through solid state fermentation. *Biol J Microorgan* 4:1–10

- Bellanger AP, Reboux G, Botterel F, Candido C et al (2010) New evidence of the involvement of *Lichtheimia corymbifera* in farmer's lung disease. *Med Mycol* 48:981–987.
- Bench ME, White MM (2012) New species and first records of trichomycetes from immature aquatic insects in Idaho. *Mycologia* 104:295–312
- Benitez M-S, Osborne SL, Lehman RM (2017) Previous crop and rotation history effects on maize seedling health and associated rhizosphere microbiome. *Sci Rep* 7:15709. <https://doi.org/10.1038/s41598-017-15955-9>
- Benny GL, Ho HM, Lazarus KL, Smith ME (2016a) Five new species of the obligate mycoparasite *Syncephalis* (Zoopagales, Zoopagomycotina) from soil. *Mycologia* 108:1114–1129
- Benny GL, Humber RA, Voigt K (2014) Zygomycetous fungi: phylum entomophthoromycota and subphyla kickxellomycotina, mortierellomycotina, mucoromycotina, and zoopagomycotina. In: McLaughlin DJ, Spatafora JW (eds) Systematics and evolution. Springer, Berlin, pp 209–250
- Benny GL, Smith ME, Kirk PM, Tretter ED et al (2016b) Challenges and future perspectives in the systematics of *Kickxellomycotina*, *Mortierellomycotina*, *Mucoromycotina*, and *Zoopagomycotina*. In: Li D-W (ed) Biology of microfungi. Springer, New York, pp 65–126
- Berger LRR, Stamford TCM, Stamford-Arnaud TM, de Alcântara SR et al (2014) Green conversion of agroindustrial wastes into chitin and chitosan by *Rhizopus arrhizus* and *Cunninghamella elegans* strains. *Int J Mol Sci* 15:9082–9102. <https://doi.org/10.3390/ijms15059082>
- Bertumen JB, Schell WA, Joyce M, Alley C et al (2016) Diagnostic difficulty identifying *Apophysomyces trapeziformis* septic arthritis in a patient with multiple myeloma. *JMM Case Rep* 3:1–4. <https://doi.org/10.1099/jmmcr.0.005075>
- Beyer DM, O'Donnell K, Paley K, Wach MP (2013) First report of *Syzygites megalocarpus* (Mucorales) web mold on the commercial portabella button mushroom *Agaricus bisporus* in North America. *Plant Dis* 97:142
- Bidartondo MI, Read DJ, Trappe JM, Merckx V et al (2011) The dawn of symbiosis between plants and fungi. *Biol Lett* 7:574–577. <https://doi.org/10.1098/rsbl.2010.1203>
- Biju N, Sathiyaraj G, Raj M, Shanmugam V et al (2016) High prevalence of *Enterocytozoon hepatopenaei* in shrimps *Penaeus monodon* and *Litopenaeus vannamei* sampled from slow growth ponds in India. *Dis Aquat Organ* 120(3):225–230. <https://doi.org/10.3354/dao03036>
- Bills RJ, Morton JB (2015) A combination of morphology and 28S rRNA gene sequences provide grouping and ranking criteria to merge eight into three *Ambispora* species (*Ambisporaceae*, *Glomeromycota*). *Mycorrhiza* 25:485–498
- Bjørnson S, Le J, Saito T, Wang H (2011) Ultrastructure and molecular characterization of a microsporidium, *Tubulinosema hippodamiae*, from the convergent lady beetle, *Hippodamia convergens* Guérin-Méneville. *J Invertebr Pathol* 106(2):280–288
- Blackwell WH, Letcher PM, Powell MJ (2012) Synopsis of *Obelia* (Chytridiomycota). *Phytologia* 94:103–117
- Blackwell WH, Letcher PM, Powell MJ (2017) The taxa of *Dictyomorpha* (Chytridiomycota, in praesens tempus). *Phytologia* 99:74–82
- Blackwell WH, Letcher PM, Powell MJ, Vélez CG (2011) The occurrence of *Blyttiomycetes spinulosus* in Alabama and Argentina, and comments on the genus *Blyttiomycetes* (Chytridiomycota). *Phytologia* 93:304–315
- Błaszkowski J (2010) *Glomus majewskii*, a new species of arbuscular mycorrhizal fungi (Glomeromycota). *Polish Bot J* 55:265–270
- Błaszkowski J (2012) *Glomeromycota*. W. Szafer Institute of Botany, Krakow
- Błaszkowski J, Chwat G (2013) *Septoglomus deserticola* emended and new combinations in the emended definition of the family Diversisporaceae. *Acta Mycol* 48:89–103
- Błaszkowski J, Chwat G, Góral ska A (2015a) *Acaulospora ignota* and *Claroideoglomus hanlinii*, two new species of arbuscular mycorrhizal fungi (Glomeromycota) from Brazil and Cuba. *Mycol Prog* 14:18. <https://doi.org/10.1007/s11557-015-1042-2>
- Błaszkowski J, Chwat G, Góral ska A (2016) *Dominikia lithuanica* and *Kamienskia divaricata*: new species in the Glomeromycota. *Botany* 94:1075–1085
- Błaszkowski J, Chwat G, Góral ska A, Bobrowska-Chwat A (2015b) *Glomus tetrastratosum*, a new species of arbuscular mycorrhizal fungi (Glomeromycota). *Mycoscience* 56:280–286
- Błaszkowski J, Chwat G, Góral ska A, Ryszka P et al (2015c) Two new genera, *Dominikia* and *Kamienskia*, and *D. disticha* sp. nov. in Glomeromycota. *Nova Hedwig* 100:225–238
- Błaszkowski J, Chwat G, Góral ska A, Ryszka P et al (2014) *Septoglomus jasnowskae* and *Septoglomus turnauae*, two new species of arbuscular mycorrhizal fungi (Glomeromycota). *Mycol Prog* 13:985. <https://doi.org/10.1007/s11557-014-0985-z>
- Błaszkowski J, Chwat G, Kovács GM, Gáspár BK et al (2013) *Septoglomus fuscum* and *S. furcatum*, two new species of arbuscular mycorrhizal fungi (Glomeromycota). *Mycologia* 105:670–680
- Błaszkowski J, Chwat G, Symanczik S, Góral ska A (2015d) *Dominikia duoreactiva* sp. nov. and *Dominikia difficilevidera* sp. nov., two new species in the Glomeromycota. *Botany* 93:389–396
- Błaszkowski J, Furazola E, Chwat G, Góral ska A et al (2015e) Three new arbuscular mycorrhizal *Diversispora* species in Glomeromycota. *Mycol Prog* 14:105. <https://doi.org/10.1007/s11557-015-1122-3>
- Błaszkowski J, Kovács GM, Gáspár BK, Balázs TK et al (2012) The arbuscular mycorrhizal *Paraglomus majewskii* sp. nov. represents a distinct basal lineage in Glomeromycota. *Mycologia* 104:148–156
- Błaszkowski J, Kozłowska A, Crossay T, Symanczik S et al (2017) A new family, *Pervetustaceae* with a new genus, *Pervetustus*, and *P. simplex* sp. nov. (Paraglomerales), and a new genus, *Innospora* with *I. majewskii* comb. nov. (Paraglomeraceae) in the Glomeromycotina. *Nova Hedwig* 105:397–410
- Błaszkowski J, Kozłowska A, Niezgoda P, Goto BT, Dalpé Y (2018) A new genus, *Oehlia* with *Oehlia diaphana* comb. nov. and an emended description of *Rhizoglomus vesiculiferum* comb. nov. in the Glomeromycotina. *Nova Hedwig* 103:193–210
- Bloo M, Pasmans F, Longcore JE, Spitzen-van der Sluijs A et al (2013) Duplex real-time PCR for rapid simultaneous detection of *Batrachochytrium dendrobatidis* and *Batrachochytrium salamandrivorans* in Amphibian samples. *J Clin Microbiol* 51:4173–4177. <https://doi.org/10.1128/JCM.02313-13>
- Bojko J, Dunn AM, Stebbing PD, Ross SH et al (2015) *Cucumispora ornata* n. sp. (Fungi: Microsporidia) infecting invasive demon shrimp (*Dikerogammarus haemobaphes*) in the United Kingdom. *J Invertebr Pathol* 128:22–30
- Bonifaz A, Stchigel AM, Guarro J, Guevara E et al (2014) Primary cutaneous mucormycosis produced by the new species *Apophysomyces mexicanus*. *J Clin Microbiol* 52:4428–4431
- Borrás R, Roselló P, Chilet M, Bravo D et al (2010) Positive result of the *Aspergillus galactomannan* antigen assay using bronchoalveolar lavage fluid from a patient with an invasive infection due to *Lichtheimia ramosa*. *J Clin Microbiol* 48:3035–3036
- Bridge PD, Hughes KA, Denton JO (2008) Association of the coprophilous fungus *Pirella circinans* with an indigenous beetle on the sub-Antarctic Bird Island. *Polar Biol* 31:657–661
- Bronnvall AM, Larsson JR (2001) Ultrastructure and light microscopic cytology of *Agglomerata lacrima* n. sp. (Microspora,

- Duboscqiidae), a microsporidian parasite of *Acanthocyclops vernalis* (Copepoda, Cyclopidae). Eur J Protistol 37(1):89–102
- Brooks WM, Becnel JJ, Kennedy GG (1988) Establishment of *Endoreticulatus* n.g. for *Pleistophora fidelis* (Hostounsky & Weiser 1975) (Microsporidia: Pleistophoridae) based on the ultrastructure of a microsporidium in the Colorado potato beetle, *Leptinotarsa decemlineata* (Say). J Protozool 35:481–488
- Brown AM, Kent ML, Adamson ML (2010) Description of five new *Loma* (Microsporidia) species in pacific fishes with redesignation of the type species *Loma morhua* Morrison & Sprague, 1981, based on morphological and molecular species-boundaries tests. J Eukaryot Microbiol 57:529–553
- Budziszewska J, Boulahdjel A, Wilk M, Wrzosek M (2010a) Soil zygomycetous fungi in Biebrza National Park (northeast Poland). Pol Bot J 55:391–407
- Budziszewska J, Wilk M, Wrzosek M (2010b) Taxonomic revision of the genus *Rhizomucor*. IMC9: the biology of fungi: 2010; Edinburgh, UK.
- Burjanadze M, Goginashvili N (2009) Occurrence of pathogens and nematodes in the spruce bark beetles, *Ips typographus* (Col, Scolytidae) in Borjomi Gorge. Bull Georg Natl Acad Sci 3(1):145–150
- Burmester A, Karimi S, Wetzel J, Wöstemeyer J (2013) Complementation of a stable Met2-1 mutant of the zygomycete *Absidia glauca* by the corresponding wild-type allele of the mycoparasite *Parasitella parasitica*, transferred during infection. Microbiology 159:1639–1648
- Bylén EK, Larsson JR (1994) Ultrastructural study and description of *Pernicivesicula gracilis* gen. et sp. nov. (Microspora, Pereziidae), a rod-shaped microsporidium of midge larvae, *Pentaneurella* sp. (Diptera, Chironomidae), in Sweden. Eur J Protistol 30(2):139–150
- Bylén EK, Larsson JR (1996) Ultrastructural study and description of *Mrazekia tetraspora* Léger & Hesse, 1922 and transfer to a new genus *Scipionospora* ng (Microspora, Caudosporidae). Eur J Protistol 32(1):104–115
- Cai B-P, Guo L-D, Chen J-Y, Zhang QX (2013) *Glomus mume* and *Kuklospora spinosa*: two new species of Glomeromycota from China. Mycotaxon 124:263–268
- Cali A, Becnel JJ, Takvorian PM (2017) Microsporidia. In: Archibald JM, Simpson AGB, Slamovits CH (eds) Handbook of the Protists. Springer, New York, pp 1569–1618
- Cali A, Kent M, Sanders J, Pau C, Takvorian PM (2012) Development, ultrastructural pathology, and taxonomic revision of the Microsporidial genus, *Pseudoloma* and its type species *Pseudoloma neurophilia*, in skeletal muscle and nervous tissue of experimentally infected zebrafish *Danio rerio*. J Eukaryot Microbiol 59:40–48
- Cali A, Neafie R, Weiss LM, Ghosh K et al (2010) Human vocal cord infection with the microsporidium *Anncalitia algereae*. J Eukaryot Microbiol 57(6):562–567
- Callaghan TM, Podmirseg SM, Hohlweck D, Edwards JE (2015) *Buwchfawromyces eastonii* gen. nov., sp. nov.: a new anaerobic fungus (Neocallimastigomycota) isolated from buffalo faeces. MycoKeys 9:11–28
- Calo S, Nicolás FE, Lee SC, Vila A et al (2017) A non-canonical RNA degradation pathway suppresses RNAi-dependent epimutations in the human fungal pathogen *Mucor circinelloides*. PLoS Genet 13:e1006668
- Camino LP, Idnurm A, Cerdá-Olmedo E (2015) Diversity, ecology, and evolution in *Phycomyces*. Fungal Biol 119:1007–1021
- Campbell SE, Williams TA, Yousuf A, Soanes DM, Paszkiewicz KH, Williams BA (2013) The genome of *Spraguea lophii* and the basis of host-microsporidian interactions. PLoS Genet 9(8):e1003676
- Canet A, Benaiges MD, Valero F, Adlercreutz P (2017) Exploring substrate specificities of a recombinant *Rhizopus oryzae* lipase in biodiesel synthesis. New Biotechnol 39:59–67
- Canning EU, Curry A, Overstreet RM (2002a) Ultrastructure of *Tuzetia weidneri* sp. n. (Microspora: Tuzetiidae) in skeletal muscle of *Litopenaeus setiferus* and *Farfantepenaeus aztecus* (Crustacea: Decapoda) and new data on *Perezia nelsoni* (Microsporidia: Perezidiidae) in *L. setiferus*. Acta Protozool 41:63–77
- Canning EU, Feist SW, Longshaw M, Okamura B, Anderson CL, Tse MT, Curry A (2005) *Microgemma vivaresi* n. sp. (Microsporidia, Tetramicridae), infecting liver and skeletal muscle of sea scorpions, *Taurulus bubalis* (Euphrasen 1786) (Osteichthyes, Cottidae), an inshore, littoral fish. J Eukaryot Microbiol 52:123–131
- Canning EU, Hazard EI (1982) Genus *Pleistophora* Gurley, 1893: an assemblage of at least three genera 1. J Protozool Res 29(1):39–49
- Canning EU, Killick-Kendrick R, Killick-Kendrick M (1991) A new microsporidian parasite, *Flabelliforma montana* ng, n. sp., infecting *Phlebotomus ariasi* (Diptera, Psychodidae) in France. J Invertebr Pathol 57(1):71–81
- Canning EU, Refardt D, Vossbrinck CR, Okamura B et al (2002b) New diplokaryotic microsporidia (Phylum Microsporidia) from freshwater bryozoans (Bryozoa, Phylactolaemata). Eur J Protistol 38(3):247
- Canning EU, Refardt D, Vossbrinck CR, Okamura B et al (2004) Correction for genus *Bryonosema* (Microsporidia, Pseudonosematidae). Eur J Protistol 40(1):69
- Casal G, Matos E, Garcia P, Al-Quarishy S, Azevedo C (2012) Ultrastructural and molecular studies of *Microgemma carolinus* n. sp. (Microsporidia), a parasite of the fish *Trachinotus carolinus* (Carangidae) in Southern Brazil. Parasitology 139:1720–1728
- Casal G, Matos E, Teles-Grilo ML, Azevedo C (2008) A new microsporidian parasite, *Potaspora moraphis* n. gen., n. sp. (Microsporidia) infecting the Teleostean fish, *Potamoraphis guianensis* from the River Amazon. Morphological, ultrastructural and molecular characterization. Parasitology 135(9):1053–1064
- Casal G, Matos E, Teles-Grilo ML, Azevedo C (2009) Morphological and genetical description of *Loma psittaca* sp. n. isolated from the Amazonian fish species *Colomesus psittacus*. Parasitol Res 105:1261–1271
- Cassone BJ, Carter FM, Michel AP, Stewart LR et al (2014) Genetic Insights into *Graminella nigrifrons* competence for maize fine streak virus infection and transmission. PLoS ONE 9:e113529. <https://doi.org/10.1371/journal.pone.0113529>
- Cavalheiro GF, Sanguine IS, Santos FR, Costa AC et al (2017) Catalytic properties of amyloytic enzymes produced by *Gongronella butleri* using agroindustrial residues on solid-state fermentation. BioMed Res Int. <https://doi.org/10.1155/2017/7507523>
- Chander J, Singla N, Kaur M, Punia RS et al (2017) *Saksenaea erythrospora*, an emerging mucoralean fungus causing severe necrotizing skin and soft tissue infections—a study from a tertiary care hospital in north India. Infect Dis 49:170–177. <https://doi.org/10.1080/23744235.2016.1239027>
- Chaudhary S, Polaino S, Shakya VPS, Idnurm A (2013) A new genetic linkage map of the zygomycete fungus *Phycomyces blakesleeanus*. PLoS ONE 8:e58931. <https://doi.org/10.1371/journal.pone.0058931>
- Chen L, Li R, You Y, Zhang K et al (2017) A novel spore wall protein from *Antonospora locustae* (Microsporidia: Nosematidae) contributes to sporulation. J Eukaryot Microbiol 64(6):779–791

- Chen WJ, Kuo TL, Wu ST (1998) Development of a new microsporidian parasite, *Intrapredatorus barri* ng, n. sp. (Microsporidia: Amblyosporidae) from the predacious mosquito *Culex fuscans* Wiedemann (Diptera: Culicidae). Parasitol Int 47(3):183–193
- Chen Y, Cassone BJ, Bai X, Redinbaugh MG et al (2012) Transcriptome of the plant virus vector *Graminella nigrifrons*, and the molecular interactions of maize fine streak rhabdovirus transmission. PLoS ONE 7(7):e40613. <https://doi.org/10.1371/journal.pone.0040613>
- Chen Y, Liu S, Bonning BC (2015) Genome sequence of a novel iflavirus from the leafhopper *Graminella nigrifrons*. Genome Announc 3:e00323-15. <https://doi.org/10.1128/genomeA.00323-15>
- Cheney SA, Lafranchi-Tristem NJ, Canning EU (2000) Phylogenetic relationships of pleistophora-like microsporidia based on small subunit ribosomal DNA sequences and implications for the source of trachipleistophora hominis infections. J Eukaryot Microbiol 47:280–287
- Chibucus MC, Etienne KA, Orvis J, Lee H et al (2015) The genome sequence of four isolates from the family Lichtheimiaceae. Pathog Dis 73:ftv024. <https://doi.org/10.1093/femspd/ftv024>
- Chibucus MC, Soliman S, Gebremariam T, Lee H et al (2016) An integrated genomic and transcriptomic survey of mucormycosis-causing fungi. Nat Commun. <https://doi.org/10.1038/ncomms12218>
- Chiranjeevi U, Kalusalingam A, Kamarajan K (2017) Anti-oxidant activity of *Linderina madayiparensis* extracts. Int J ChemTechnol Res 10:178–184
- Choudhari SM, Ananthanarayan L, Singhal RS (2008) Use of metabolic stimulators and inhibitors for enhanced production of β-carotene and lycopene by *Blakeslea trispora* NRRL 2895 and 2896. Bioresour Technol 99:3166–3173
- Choudhary MM, Metcalfe MG, Arrambide K, Bern C et al (2011) *Tubulinosema* sp. microsporidian myositis in immunosuppressed patient. Emerg Infect Dis 17(9):1727
- Chuang CC, Ho HM (2009) Notes on zygomycetes of Taiwan (VII): two Kickxellalean species, *Linderina macrospore* and *Ramicandulabrevisporus* new to Taiwan. Fungal Sci 24:23–28
- Chuang SC, Ho HM (2011) The merosporangiferous fungi from Taiwan (VIII): two new records of *Coemansia* (Kickxellales, Kickxellomycotina). Taiwania 56:295–300
- Chuang SC, Ho HM, Benny GL, Lee CF (2013) Two new *Ramicandulabrevisporus* species from Taiwan. Mycologia 105:320–334
- Chuang SC, Ho HM, Reynolds N, Smith ME et al (2018) Preliminary phylogeny of *Coemansia* (Kickxellales), with descriptions of four new species from Taiwan. Mycologia 109:815–831. <https://doi.org/10.1080/00275514.2017.1401892>
- Clum A, Tindall BJ, Sikorski J, Ivanova N et al (2009) Complete genome sequence of *Pirellula staleyi* type strain (ATCC 27377 T). Stand Genom Sci 1:308–316. <https://doi.org/10.4056/sigs.51657>
- Codreanu R (1966) On the occurrence of spore or sporont appendages in the Microsporidia and their taxonomic significance. Proc First Int Congress Parasitol 1:602–603
- Codreanu R, Balcescu-Codreanu D (1974) On the morphology and ultrastructure of the microsporidian *Thelohania octospora* Henneguy, 1892, parasitic in the prawn *Palaeomon serratus* (Pennant) 1777 from the Atlantic French coast; need for a revision of its taxonomic status. In: Proceedings of the 3rd International Congress of Parasitol, Miinch, Facta Publications, Vienna, vol 1, pp. 15–16
- Codreanu-Bălcescu D, Codreanu R, Traciuc E (1981) Ultrastructural data on a microsporidian infesting the ovaries of an araneid. J Invertebr Pathol 37(1):28–33
- Colmenero AI, Barría C, Feist SW, Tuset VM (2015) Observations on the occurrence of *Spraguea lophii* in Mediterranean lophiids. Parasitol Res 114:1977–1983
- Cooley JR, Marshall DC, Hill KB (2018) A specialized fungal parasite (*Massospora cicadina*) hijacks the sexual signals of periodical cicadas (Hemiptera: Cicadidae: Magicicada). Sci Rep. <https://doi.org/10.1038/s41598-018-19813-0>
- Corradi N, Haag KL, Pombert JF, Ebert D et al (2009) Draft genome sequence of the *Daphnia* pathogen *Octosporea bayeri*: insights into the gene content of a large microsporidian genome and a model for host-parasite interactions. Genome Biol 10(10):R106
- Corradi N, Pombert JF, Farinelli L, Didier ES, Keeling PJ (2010) The complete sequence of the smallest known nuclear genome from the microsporidian *Encephalitozoon intestinalis*. Nat Commun 1:7
- Corrochano LM, Kuo A, Marcet-Houben M, Polaino S et al (2016) Expansion of signal transduction pathways in fungi by extensive genome duplication. Curr Biol 26:1577–1584
- Corsaro D, Michel R, Walochnik J, Venditti D et al (2016) Molecular identification of *Nucleophaga terricola* sp. nov. (Rozellomycota), and new insights on the origin of the Microsporidia. Parasitol Res 115(8):3003–3011. <https://doi.org/10.1007/s00436-016-5055-9>
- Corsaro D, Walochnik J, Venditti D, Müller KD et al (2014a) Rediscovery of *Nucleophaga amoebae*, a novel member of the Rozellomycota. Parasitol Res 113(12):4491–4498. <https://doi.org/10.1007/s00436-014-4138-8>
- Corsaro D, Walochnik J, Venditti D, Steinmann J et al (2014b) Microsporidia-like parasites of amoebae belong to the early fungal lineage Rozellomycota. Parasitol Res 113(5):1909–1918. <https://doi.org/10.1007/s00436-014-3838-4>
- Corsaro D, Köhsler M, Wylezich C, Venditti D et al (2018) New insights from molecular phylogenetics of amoebophagous fungi (Zoopagomycota, Zoopagales). Parasitol Res 117:157–167
- Crossay T, Cilia A, Cavaloc Y, Amir H et al (2018) Four new species of arbuscular mycorrhizal fungi (Glomeromycota) associated with endemic plants from ultramafic soils of New Caledonia. Mycol Prog. <https://doi.org/10.1007/s11557-018-1386-5>
- Crous PW, Wingfield MJ, Burgess TI, Hardy GS et al (2016) Fungal Planet description sheets: 469–557. Persoonia 37:218–403
- Crous PW, Wingfield MJ, Burgess TI, Carnegie AJ et al (2017) Fungal Planet description sheets: 625–715. Persoonia 39:270–467
- Cruz-Lachica I, Marquez-Zequera I, Garcia-Estrada RS, Carrillo-Fasio JA et al (2016) First report of *Gilbertella persicaria* causing papaya fruit rot. Plant Dis 100:227. <https://doi.org/10.1094/PDIS-05-15-0607-PDN>
- Cunningham A, Daszak P (1998) Extinction of a species of land snail due to infection with a microsporidian parasite. Conserv Biol 12:1139–1141
- Czaker R (1997) *Wittmannia antarctica* ng, n. sp. (Nosematidae), a new hyperparasite in the Antarctic dicyemid mesozoan *kantharella Antarctica*. J Eukaryot Microbiol 44(5):438–446
- Dagar SS, Kumar S, Griffith GW, Edwards JE et al (2015) A new anaerobic fungus (*Oontomyces anksri* gen. nov., sp. nov.) from the digestive tract of the Indian camel (*Camelus dromedarius*). Fungal Biol 119:731–737
- Das SK, Dickinson C, Lafir F, Brougham DF et al (2012) Synthesis, characterization and catalytic activity of gold nanoparticles biosynthesized with *Rhizopus oryzae* protein extract. Green Chem 14:1322–1334
- Dave VP, Sharma S, Yogi R, Reddy S (2014) *Apophysomyces elegans*: a novel cause of endogenous endophthalmitis in an immunocompetent individual. Int Ophthalmol 34:1285–1289
- Davis WJ, Antonetti J, Letcher PM, Powell MJ (2016a) Phylogenetic diversity of chytridiomycetes in a temporary forest pond

- surveyed using culture-based methods. *Southeast Nat* 15:534–548
- Davis WJ, Letcher PM, Longcore JE, Powell MJ (2015) *Fayochytrionyces*, a new genus within Chytridiales. *Mycologia* 107:432–439
- Davis WJ, Letcher PM, Powell MJ (2013) Chytrid diversity of Tuscaloosa County, Alabama. *Southeast Nat* 12:666–683
- Davis WJ, Letcher PM, Powell MJ (2016b) *Borealophlyctis nickerstoniae*, a new species in Rhizophlyctidales. *Mycologia* 108:744–752
- De Andrade Z, Furrazola E, Cuenca G (2017) *Scutellospora tepuiensis* sp. nov. from the highland tepuis of Venezuela. *Mycotaxon* 132:9–18
- De Azevedo Santiago ALCM, dos Santos PJP, Maia LC (2013) Mucorales from the semiarid of Pernambuco, Brazil. *Braz J Microbiol* 44:299–305. <https://doi.org/10.1590/S1517-83822013005000027>
- De Godoi FSP, Rafael JA (2013) A new species of *Dicranophora Macquart* (Diptera, Stratiomyidae) from Bahia State, Brazil and a key to species of the genus. *Zootaxa* 3641:83–91
- de Mello CMA, da Silva GA, de Assis DM, de Pontes JS et al (2013) *Paraglomus pernambucanum* sp. nov. and *Paraglomus boliviannum* comb. nov., and biogeographic distribution of *Paraglomus* and *Pacispora*. *J Appl Bot Food Qual* 86:113–125
- de Pontes JS, Sánchez-Castro I, Palenzuela J, Maia LC et al (2013) *Scutellospora alterata*, a new gigasporalean species from the semi-arid Caatinga biome in Northeastern Brazil. *Mycotaxon* 125:169–181
- de Pontes JS, Santos VM, Pereira CD, da Silva AG et al (2017) *Acaulospora spinulifera*, a new arbuscular mycorrhizal fungal species from the Brazilian Cerrado and Atlantic rain forest. *Nova Hedwig* 105:1219–1229
- de Santiago ALCM, Cavalcanti MA, Trufem SFB (2009) The first record of *Dimargaris bacillispora* (Dimargaritales) in South America. *Mycotaxon* 108:201–204
- de Souza JI, Marano AV, Pires-Zottarelli CL, Chambergo FS et al (2014) A new species of *Backusella* (Mucorales) from a Cerrado reserve in Southeast Brazil. *Mycol Progress* 13(4):981. <https://doi.org/10.1007/s11557-014-0981-3>
- De Souza JI, Pires-Zottarelli CL, Dos Santos JF, Costa JP et al (2012) *Isomucor* (Mucoromycotina): a new genus from a Cerrado reserve in state of São Paulo, Brazil. *Mycologia* 104:232–241
- Degawa Y (2014) *Verrucocephalum*, a new nematophagous genus in the Helicocephalidaceae (Zoopagales). *Mycoscience* 55:144–148
- Desirò A, Duckett JG, Pressel S, Villarreal JC et al (2013) Fungal symbioses in hornworts: a chequered history. *Proc R Soc B* 280(1759):20130207. <https://doi.org/10.1098/rspb.2013.0207>
- Desirò A, Faccio A, Kaech A, Bidartondo MI et al (2015) Endogone, one of the oldest plant-associated fungi, host unique Mollicutes-related endobacteria. *New Phytol* 205:1464–1472
- Desirò A, Rimington WR, Jacob A, Pol NV, Smith ME, Trappe JM, Bidartondo MI, Bonito G (2017) Multigene phylogeny of Endogonales, an early diverging lineage of fungi associated with plants. *IMA Fungus* 8(2):245–264
- de Souza CAF, Lima DX, Gurgel LMS, de Azevedo Santiago ALCM (2017) Coprophilous mucorales (ex Zygomycota) from three areas in the semi-arid of Pernambuco, Brazil. *Braz J Microbiol* 48:79–86. <https://doi.org/10.1016/j.bjm.2016.09.008>
- Diamant A, Goren M, Yokeş MB, Galil BS, Klopman Y, Huchon D, Szitenberg A, Karhan SU (2010) *Dasyatispora levantineae* gen. et sp. nov., a new microsporidian parasite from the common stingray *Dasyatis pastinaca* in the eastern Mediterranean. *Dis Aquat Organ* 91(2):137–150
- Diamant A, Rothman SB, Goren M, Galil BS, Yokes MB, Szitenberg A, Huchon D (2014) Biology of a new xenoma-forming gonadotropic microsporidium in the invasive blotchfin dragonet *Callionymus filamentosus*. *Dis Aquat Organ* 109(1):35–54
- Didier ES, Vossbrinck CR, Baker MD, Rogers LB, Bertucci DC, Shadduck JA (1995) Identification and characterization of three *Encephalitozoon cuniculi* strains. *Parasitology* 111:411–421
- Dillon MJ, Bowkett AE, Bungard MJ, Beckman KM et al (2017) Tracking the amphibian pathogens *Batrachochytrium dendrobatidis* and *Batrachochytrium salamandrivorans* using a highly specific monoclonal antibody and lateral-flow technology. *Microbial Biotechnol* 10:381–394. <https://doi.org/10.1111/1751-7915.12464>
- Ding Z, Pan J, Huang H, Jiang G et al (2018) An integrated metabolic consequence of *Hepatospora eriocheir* infection in the Chinese mitten crab *Eriocheir sinensis*. *Fish Shellfish Immunol* 72:443–451
- Ding ZF, Chen JQ, Lin J, Zhu XS et al (2017) Development of in situ hybridization and real-time PCR assays for the detection of *Hepatospora eriocheir*, a microsporidian pathogen in the Chinese mitten crab *Eriocheir sinensis*. *J Fish Dis* 40(7):919–927
- Doby JM, Saguez F (1964) *Weiseria*, new genus of Microsporidia and *Weiseria laurenti* n. sp., parasite of larvae of *Prosimulium inflatum* Davies, 1957 (Diptera: Paranematocera). *Comp Rendus Hebd seances Acad Sci* 259:3614–3617
- Dolatabadi S, Hoog GS, Meis JF, Walther G (2014) Species boundaries and nomenclature of *Rhizopus arrhizus* (syn. *R. oryzae*). *Mycoses* 57:108–127
- Dong S, Shen Z, Xu L, Zhu F (2010a) Sequence and phylogenetic analysis of SSU rRNA gene of five microsporidia. *Curr Microbiol* 60(1):30–37
- Dong S, Shen Z, Xu L, Zhu F (2010b) Sequence and phylogenetic analysis of SSU rRNA gene of five microsporidia. *Curr Microbiol* 60:30–37
- Dorin J, D'Aveni M, Debourgogne A, Cuenin M et al (2017) Update on *Actinomucor elegans*, a mucormycete infrequently detected in human specimens: how combined microbiological tools contribute efficiently to a more accurate medical care. *Int J Med Microbiol* 307:435–442
- Doweld A (2001) *Prosyllabus tracheophytorum tentamen systematis plantarum vascularium* (Tracheophyta), vol 80. Geos, Moscow, pp 33–110
- Doweld AB (2013a) Nomenclatural novelties [*Aciascus*, *Carpen-terophlyctis*, *Conostomatum*, *Glomerogloea*, *Lecythiomyces*, *Spiromastigoides*, *Trissocladiomyces*]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550471>
- Doweld AB (2013b) Nomenclatural novelties [Batrachochytriaceae fam. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.44.pdf>
- Doweld AB (2013c) Nomenclatural novelties [Olpidiales ord. nov., Olpidiomycetes class. nov., Olpidiomycota phyl. nov., Olpidiomycotina subphyl. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.42.pdf>
- Doweld AB (2013d) Nomenclatural novelties [*Rozellomycota* phyl. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.43.pdf>
- Doweld AB (2013e) Nomenclatural novelties [*Volorax ingoldii* gen. et sp. nov.]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550301>
- Doweld AB (2014a) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.103.pdf>
- Doweld AB (2014b) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.76.pdf>
- Doweld AB (2014c) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.58.pdf>
- Doweld AB (2014d) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.94.pdf>

- Doweld AB (2014e) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.91.pdf>
- Doweld AB (2014f) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.74.pdf>
- Doweld AB (2014g) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.49.pdf>
- Doweld AB (2014h) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.61.pdf>
- Doweld AB (2014i) Nomenclatural novelties [*Algochytrops polysiphoniae* gen. et comb. nov.]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550471>
- Doweld AB (2014j) Nomenclatural novelties [*Leiolpidium* gen. nov.]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550478>
- Doweld AB (2014k) Nomenclatural novelties [*Nematoceromyces* gen. nov.]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550335>
- Doweld AB (2014l) Nomenclatural novelties [*Olpidiaster brassicae* comb. nov., *O. virulentus* sp. nov., Olpidiasteraceae fam. nov.]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550486>
- Doweld AB (2014m) Nomenclatural novelties [*Perolpidium saccatum*, *P. utriculiforme* gen. et comb. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.130.pdf>
- Doweld AB (2014n) Nomenclatural novelties [*Polyphagus arnaudi*, *P. asymmetricus*, *P. sinicus* spp. nov.]. <http://www.indexfungorum.org/names/NamesRecord.asp?RecordID=550465>
- Doweld AB (2014o) Nomenclatural novelties [*Rhizosiphon akinetovorax* sp. nov., Rhizosiphonaceae fam. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.116.pdf>
- Doweld AB (2014p) Nomenclatural novelties [*Riethophlyctis vaucleriae* gen. et sp. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.124.pdf>
- Doweld AB (2014q) Nomenclatural novelties [*Schizolpidium majus* gen. et comb. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.127.pdf>
- Doweld AB (2014r) Nomenclatural novelties [*Sorokinocystis mirabilis* nom. et comb. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.113.pdf>
- Doweld AB (2014s) Nomenclatural novelties [*Zygophlyctis planktonica* gen. et sp. nov.]. <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.114.pdf>
- Down RE, Bell HA, Bryning G, Kirkbride-Smith AE, Edwards JP, Weaver RJ (2008) Infection by the microsporidium *Vairimorpha necatrix* (Microspora: Microsporidia) elevates juvenile hormone titres in larvae of the tomato moth, *Lacanobia oleracea* (Lepidoptera: Noctuidae). *J Invertebr Pathol* 97(3):223–229
- Dube AK, Kumar MS (2017) Biotransformation of bromhexine by *Cunninghamella elegans*, *C. echinulata* and *C. blakesleeana*. *Braz J Microbiol* 48:259–267. <https://doi.org/10.1016/j.bjm.2016.11.003>
- Edgington S, Thompson E, Moore D, Hughes KA et al (2014) Investigating the insecticidal potential of *Geomyces* (Mycotrichaceae: Helotiales) and *Mortierella* (Mortierellaceae: Mortierellales) isolated from Antarctica. *SpringerPlus* 3:289. <https://doi.org/10.1186/2193-1801-3-289>
- Ellenberger S, Burmester A, Wöstemeyer J (2014) Complete mitochondrial DNA sequence of the mucoralean fusion parasite *Parasitella parasitica*. *Genome Announc* 2:e00912-14. <https://doi.org/10.1128/genomeA.00912-14>
- Ellerbeck M, Schüßler A, Brucker D, Dafinger C et al (2013) Characterization of three ammonium transporters of the glomeromycotan fungus *Geosiphon pyriformis*. *Eukaryot Cell* 12:1554–1562
- Estrada B, Palenzuela J, Barea J, Ruiz-Lozano JM et al (2011) *Diversispora clara* (Glomeromycetes)—a new species from saline dunes in the Natural Park Coto de Gata (Spain). *Mycotaxon* 118:73–81
- Etienne KA, Chibucos MC, Su Q, Orvis J et al (2014) Draft genome sequence of *Mortierella alpina* isolate CDC-B6842. *Genome Announc* 2:e01180-13. <https://doi.org/10.1128/genomeA.01180-13>
- Etienne KA, Gillece J, Hilsabeck R, Schupp JM et al (2012) Whole genome sequence typing to investigate the *Apophysomyces* outbreak following a tornado in Joplin, Missouri 2011. *PLoS ONE* 7(11):e49989
- Fakas S, Papanikolaou S, Batsos A, Galiotou-Panayotou M et al (2009) Evaluating renewable carbon sources as substrates for single cell oil production by *Cunninghamella echinulata* and *Mortierella isabellina*. *Biomass Bioenergy* 33:573–580
- Faye N, Toguebaye BS, Bouix G (1991) *Microfilum lutjani* ngn sp. (Protozoa Microsporida), a gill parasite of the golden African snapper *Lutjanus fulgens* (Valenciennes, 1830) (*Teleost lutjanidae*): developmental cycle and infrastructure. *J Protozool Res* 38(1):30–40
- Faye N, Toguebaye BS, Bouix G (1996) Ultrastructure and development of *Neonosemoides tilapiaie* (Sakiti and Bouix, 1987) n. sp. (Protozoa, Microspora) from African cichlid fish. *Eur J Protistol* 32(3):320–326
- Fayer R, Santín M, Trout JM (2007) *Enterocytozoon bieneusi* in mature dairy cattle on farms in the eastern United States. *Parasitol Res* 102:15–20
- Fialkowska E, Pajdak-Stós A (2018) Temperature-dependence of predator-prey dynamics in interactions between the predatory fungus *Lecopathag* sp. and its prey *L. inermis* Rotifers. *Microbial Ecol* 75:400–406
- Fisher MC, Garner TW, Walker SF (2009) Global emergence of *Batrachochytrium dendrobatidis* and amphibian chytridiomycosis in space, time, and host. *Ann Rev Microbiol* 63:291–310
- Foissner I, Foissner W (1995) *Ciliatosporidium platyophryae* nov. gen., nov. spec. (Microspora incertae sedis), a parasite of *Platyophrya terricola* (Ciliophora, Colpodea). *Eur J Protistol* 31(3):248–259
- Fokin SI, Di-Giuseppe G, Erra F, Dini F (2008) *Euplatespora binucleata* n. gen., n. sp. (Protozoa: Microsporidia), a parasite infecting the hypotrichous ciliate *Euplates woodruffi*, with observations on microsporidian infections in Ciliophora. *J Eukaryot Microbiol* 55(3):214–228
- Foltz JR, Plant KP, Overturf K, Clemens K et al (2009) Detection of *Nucleospora salmonis* in steelhead trout, *Oncorhynchus mykiss* (Walbaum), using quantitative polymerase chain reaction (qPCR). *J Fish Dis* 32(6):551–555
- Foos KM, May NL, Beach DL, Pomper M et al (2011) Phylogeny of Pilobolaceae. *Mycologia* 103:36–44
- Fowler JL, Reeves EL (1974) Spore dimorphism in a microsporidian isolate. *J Protistol* 21:538–542
- Franzen C, Fischer S, Schroeder J, Scholmerich J et al (2005) Morphological and molecular investigations of *Tubulinosema ratisbonensis* gen. nov., sp. nov. (Microsporidia: *Tubulinosematidae* fam. nov.), a parasite infecting a laboratory colony of *Drosophila melanogaster* (Diptera: Drosophilidae). *J Eukaryot Microbiol* 52(2):141–152
- Freeman KR, Martin AP, Karki D, Lynch RC et al (2009) Evidence that chytrids dominate fungal communities in high-elevation soils. *Proc Natl Acad Sci USA* 106:18315–18320. <https://doi.org/10.1073/pnas.0907303106>
- Freeman MA, Kasper JM, Kristmundsson Á (2013) *Nucleospora cyclopteri* n. sp., an intranuclear microsporidian infecting wild lumpfish, *Cyclopterus lumpus* L., in Icelandic waters. *Parasit Vectors* 6(1):49

- Freeman MA, Kristmundsson Á (2013) Ultrastructure of *Nucleospora cyclopteri*, an intranuclear microsporidian infecting the Atlantic lumpfish (*Cyclopterus lumpus* L.). *Bul Eur Ass Fish Pathol* 33:194–198
- Freeman MA, Sommerville C (2009) *Desmozoon lepeophtherii* n. gen., n. sp., (Microsporidia: Enterocytozoonidae) infecting the salmon louse *Lepeophtheirus salmonis* (Copepoda: Caligidae). *Parasit Vectors* 2(1):58
- Freeman MA, Sommerville C (2011) Original observations of *Desmozoon lepeophtherii*, a microsporidian hyperparasite infecting the salmon louse *Lepeophtheirus salmonis*, and its subsequent detection by other researchers. *Parasit Vectors* 4(1):231
- Freeman MA, Yokoyama H, Ogawa K (2004) A microsporidian parasite of the genus *Spraguea* in the nervous tissues of the Japanese anglerfish *Lophius litulon*. *Folia Parasitol* 51:167–176
- Frenken T, Alacid E, Berger SA, Bourne EC et al (2017) Integrating chytrid fungal parasites into plankton ecology: Research gaps and needs. *Environ Microbiol* 19:3802–3822. <https://doi.org/10.1111/1462-2920.13827>
- Fu SB, Yang JS, Cui JL, Sun DA (2013) Biotransformation of ursolic acid by *Syncephalastrum racemosum* CGMCC 3.2500 and anti-HCV activity. *Fitoterapia* 86:123–128. <https://doi.org/10.1016/j.fitote.2013.02.007>
- Furazola E, Goto BT, Alves da Silva G, Torres-Arias Y et al (2013) *Acaulospora herrerae*, a new pitted species in the Glomeromycetes from Cuba and Brazil. *Nova Hedwig* 97:401–413
- Furazola E, Torres-Arias Y, Ferrer RL, Herrera RA et al (2011) *Glomus crenatum* (Glomeromycetes), a new ornamented species from Cuba. *Mycotaxon* 116:143–149
- Furuya K (2009) Spore-forming microsporidian encephalitozoon: current understanding of infection and prevention in Japan. *Jpn J Infect Dis* 62:413–422
- Fuxa JR, Brooks WM (1979) Effects of *Vairimorpha necatrix* in sprays and com meal on *Heliothis* species on tobacco, soybeans, and sorghum. *J Econ Entomol* 72:462–467
- Gade L, Hurst S, Balajee SA, Lockhart SR et al (2016) Detection of mucormycetes and other pathogenic fungi in formalin fixed paraffin embedded and fresh tissues using the extended region of 28S rDNA. *Med Mycol* 55:385–395
- Gamper HA, Walker C, Schüßler A (2009) *Diversispora celata* sp. nov.: molecular ecology and phylotaxonomy of an inconspicuous arbuscular mycorrhizal fungus. *New Phytol* 182:495–506
- Ganjali Dashti M, Abdeshahian P, Wan Yusoff WM, Kalil MS et al (2014) Repeated batch fermentation biotechnology for the biosynthesis of lipid and gamma-linolenic acid by *Cunninghamella bainieri* 2A1. *BioMed Res Int*. <https://doi.org/10.1155/2014/831783>
- Garcia A, Adedoyin G, Heitman J, Lee SC (2017) Construction of a recyclable genetic marker and serial gene deletions in the human pathogenic mucorales *Mucor circinelloides*. *G3: genes. Genom Genet* 7:2047–2054
- Garcia JJ (1990) A new microsporidian pathogenic to larvae of blackflies (Diptera: Simuliidae): *Ringueletium pillosa* gen. sp. nov. (Microspora: Caudosporidae). *Neotropica* 36(96):111–122
- Garcia JJ (1991) Estudios sobre el ciclo de vida y ultraestructura de *Spherospora andinae* gen. et sp. nov. (Microspora: Thelohaniidae), un nuevo microsporidio de simúlidos neotropicales. *Neotropica* 37:15–23
- Garcia NFL, da Silva Santos FR, Gonçalves FA, da Paz MF et al (2015) Production of β-glucosidase on solid-state fermentation by *Lichtheimia ramosa* in agroindustrial residues: characterization and catalytic properties of the enzymatic extract. *Electron J Biotechnol* 18:314–319
- Garcia-Hermoso D, Hoinard D, Gantier JC, Grenouillet F et al (2009) Molecular and phenotypic evaluation of *Lichtheimia corymbifera* (formerly *Absidia corymbifera*) complex isolates associated with human mucormycosis: rehabilitation of *L. ramosa*. *J Clin Microbiol* 47:3862–3870. <https://doi.org/10.1128/JCM.02094-08>
- García-Martínez J, López-Medrano F, Alhambra A, Del Palacio A (2008) *Rhinocerebral zygomycosis* caused by *Saksenaea vasiciformis* in a diabetic patient. *Mycoses* 51:549–553
- Ge C, Chen H, Mei T, Tang X et al (2018) Application of a ω-3 Desaturase with an arachidonic acid Preference to eicosapentaenoic acid Production in *Mortierella alpina*. *Front Bioeng Biotechnol* 5:89. <https://doi.org/10.3389/fbioe.2017.00089>
- Gebremariam T, Liu M, Luo G, Bruno V et al (2014) Cdh3 mediates fungal invasion of host cells during mucormycosis. *J Clin Invest* 124:237–250. <https://doi.org/10.1172/JCI71349>
- Gerphagnon M, Latour D, Colombet J, Sime-Ngando T (2013) A double staining method using SYTOX green and calcofluor white for studying fungal parasites of phytoplankton. *Appl Environ Microbiol* 79:3943–3951
- Ghizelini AM, Mendonça-Hagler LCS, Macrae A (2012) Microbial diversity in Brazilian mangrove sediments—a mini review. *Braz J Microbiol* 43:1242–1254. <https://doi.org/10.1590/S1517-83822012000400002>
- Gleason FH, Jephcott TG, Kuepper FC, Gerphagnon M et al (2015) Potential roles for recently discovered chytrid parasites in the dynamics of harmful algal blooms. *Fungal Biol Rev* 29:20–33
- Gleason FH, Marano AV, Digby AL, Al-Shugairan N et al (2011) Patterns of utilization of different carbon sources by Chytridiomycota. *Hydrobiologia* 659:55–64
- Gomes MZ, Lewis RE, Kontoyiannis DP (2011) Mucormycosis caused by unusual mucormycetes, non-*Rhizopus*-*Mucor*, and *Lichtheimia* species. *Clin Microbiol Rev* 24:411–445. <https://doi.org/10.1128/CMR.00056-10>
- González MC, Murueta-Figueroa N, Medina-Ortiz C, Hanlin RT (2010) New record of *Circinella muscae* from a hydrocarbon polluted sand beach of Tabasco, Mexico. *Mycotaxon* 113:111–117
- González-Tortuero E, Rusek J, Maayan I, Petrusek A et al (2016) Genetic diversity of two *Daphnia*-infecting microsporidian parasites, based on sequence variation in the internal transcribed spacer region. *Parasit Vectors* 9:293
- Goto BT, Jardim JG, Silva GA, Furazola E et al (2012a) *Glomus trufemii* (Glomeromycetes), a new sporocarpic species from Brazilian sand dunes. *Mycotaxon* 120:1–9
- Goto BT, Maia LC, Oehl F (2008) *Ambispora brasiliensis*, a new ornamented species in the arbuscular mycorrhiza-forming Glomeromycetes. *Mycotaxon* 105:11–18
- Goto BT, Pereira CMR, Nobre CP, Zatorre NP et al (2013) *Acaulospora endographis* (Glomeromycetes), a new fungus with a complex spore wall. *Mycotaxon* 123:403–408
- Goto BT, Silva GA, Assis D, Silva DK et al (2012b) Intraornatosporaceae (Gigasporales), a new family with two new genera and two new species. *Mycotaxon* 119:117–132
- Greaves M (2014) *Pilobolus* in Britain. *Field Mycol* 15:62–64
- Griffith GW, Baker S, Fliegerova K, Liggenstoffer A et al (2010) Anaerobic fungi: neocallimastigomycota. *IMA Fungus* 1(2):181–185
- Grigoriev IV, Nikitin R, Haridas S, Kuo A et al (2014) MycoCosm portal: gearing up for 1000 fungal genomes. *Nucl Acids Res* 42:D699–D704. <https://doi.org/10.1093/nar/gkt1183>
- Gruninger RJ, Puniya AK, Callaghan TM, Edwards JE et al (2014) Anaerobic fungi (phylum Neocallimastigomycota): advances in understanding their taxonomy, life cycle, ecology, role and biotechnological potential. *FEMS Microbiol Ecol* 90:1–7
- Grushevaya IV, Ignatieva AN, Malysh SM, Senderskiy IV, Zubarev IV, Kononchuk AG (2018) Spore dimorphism in *Nosema pyrausta* (Microsporidia, Nosematidae): from morphological evidence to molecular genetic verification. *Acta Protozool* 57(1):49–52

- Gryganskyi AP, Golan J, Dolatabadi S, Mondo S et al (2018) Phylogenetic and phylogenomic definition of *Rhizopus* species. G3. <https://doi.org/10.1534/g3.118.200235>
- Gryganskyi AP, Humber RA, Smith ME, Hodge K et al (2013a) Phylogenetic lineages in Entomophthoromycota. Persoonia 30:94–105
- Gryganskyi AP, Humber RA, Smith ME, Miadlikovska J et al (2012) Molecular phylogeny of the Entomophthoromycota. Mol Phylogeny Evol 65(2):682–694
- Gryganskyi AP, Humber RA, Stajich JE, Mullens B et al (2013b) Sequential utilization of hosts from different fly families by genetically distinct, sympatric populations within the *Entomophthora muscae* species complex. PLoS ONE 8:e71168. <https://doi.org/10.1371/journal.pone.0071168>
- Gryganskyi AP, Lee SC, Litvintseva AP, Smith ME et al (2010) Structure, function, and phylogeny of the mating locus in the *Rhizopus oryzae* complex. PLoS ONE 5:e15273
- Gryganskyi AP, Mullens BA, Gajdeczka MT, Rehner SA et al (2017) Hijacked: co-option of host behavior by entomophthoralean fungi. PLoS Pathogens 13(5):e1006274
- Gsell AS, de Senerpont Domis LN, Verhoeven KJ, Van Donk E et al (2013) Chytrid epidemics may increase genetic diversity of a diatom spring-bloom. ISME J 7(10):2057. <https://doi.org/10.1038/ismej.2013.73>
- Guarro J, Chander J, Alvarez E, Stchigel AM et al (2011) *Apophysomyces variabilis* infections in humans. Emerg Infect Dis 17:134–135
- Gunnarsson GS, Blindheim S, Karlsbakk E, Plarre H et al (2017) *Desmozoon lepeophtherii* (microsporidian) infections and pancreas disease (PD) outbreaks in farmed Atlantic salmon (*Salmo salar* L.). Aquaculture 468:141–148
- Guo LW, Wu YX, Mao ZC, Ho HH et al (2012) Storage rot of dragon fruit caused by *Gilbertella persicaria*. Plant Dis 96:1826–1836
- Guzmán-Franco AW, Atkins SD, Alderson PG, Pell JK (2008) Development of species-specific diagnostic primers for *Zoophthora radicans* and *Pandora blunckii*; two co-occurring fungal pathogens of the diamondback moth, *Plutella xylostella*. Mycol Res 112:1227–1240
- Haag KL, Larsson JI, Refardt D, Ebert D (2011) Cytological and molecular description of *Hamiltosporidium tvaerminnensis* gen. et sp. nov., a microsporidian parasite of *Daphnia magna*, and establishment of *Hamiltosporidium magnivora* comb. nov. Parasitology 138(4):447–462
- Haag KL, James TY, Pombert JF, Larsson R et al (2014) Evolution of a morphological novelty occurred before genome compaction in a lineage of extreme parasites. Proc National Acad Sci 111(43):15480–15485
- Hajek AE, Gryganskyi A, Bittner T, Liebherr JK et al (2016) Phylogenetic placement of two species known only from resting spores: *Zoophthora independencia* sp. nov. and *Z. porteri* comb. nov. (Entomophthorales: Entomophthoraceae). J Invertebr Pathol 140:68–74
- Hajek AE, Solter LF, Maddox JV, Huang W-F, Estep AS, Krawczyk G, Weber DC, Hoelmer KA, Sanscrainte ND, Becnel JJ (2018) *Nosema maddoxi* sp. nov. (Microsporidia, Nosematidae), a widespread pathogen of the green stink bug *Chinavia hilaris* (Say) and the brown marmorated stink bug *Halyomorpha halys* (Stål). J Euk Microbiol 65(3):315–330
- Hanafy RA, Elshahed MS, Liggenstoffer AS, Griffith GW et al (2017) *Pecoromyces ruminantium*, gen. nov., sp. nov., an anaerobic gut fungus from the feces of cattle and sheep. Mycologia 109:231–243
- Hao G, Chen H, Du K, Huang X et al (2014a) Increased fatty acid unsaturation and production of arachidonic acid by homologous over-expression of the mitochondrial malic enzyme in *Mortierella alpina*. Biotechnol Lett 36:1827–1834. <https://doi.org/10.1007/s10529-014-1546-x>
- Hao G, Chen H, Gu Z, Zhang H et al (2015) Metabolic engineering of *Mortierella alpina* for arachidonic acid production with glycerol as carbon source. Microbial Cell Fact 14:205. <https://doi.org/10.1186/s12934-015-0392-4>
- Hao G, Chen H, Wang L, Gu Z et al (2014b) Role of malic enzyme during fatty acid synthesis in the oleaginous fungus *Mortierella alpina*. Appl Environ Microbiol 80:2672–2678. <https://doi.org/10.1128/AEM.00140-14>
- Hapsari MP, White MM, Hyde KD (2009) Freshwater trichomycetes from northern Thailand. Cryptog Mycol 30:405–425
- Hazard EI, Oldacre SW (1975) Revision of microsporidia (Protozoa) close to *Thelohania*, with descriptions of one new family, eight new genera and thirteen new species. US Dept Agric Technol Bull 1530:1–104
- He SH, Dai YC (2012) Taxonomy and phylogeny of *Hymenochaete* and allied genera of Hymenochaetaceae (Basidiomycota) in China. Fungal Divers 56:77–83
- Heady SE, Nault LR (2017) Acoustic signals of *Graminella nigrifrons* (Homoptera: Cicadellidae). The Great Lakes Entomologist 24: 2. <https://scholar.valpo.edu/tgle/vol24/iss1/2>
- Healy RA, Celio GJ, Kumar TKA, Roberson RW et al (2014) Ultrastructure of mitosis and spindle pole bodies in the zygomycetous fungus *Coemansia reversa* using conventional fixation and freeze substitution. Microsc Microanal 20:1292–1293
- Heilveil JS, Kohler SL, Solter LF (2001) Studies on the life cycle and transmission of *Cougoirdella* sp., a microsporidian parasite of *Glossosoma nigrior* (Trichoptera: Glossosomatidae). Great Lakes Entomol 34(1):9–15
- Heinz E, Williams TA, Nakjang S, Noël CJ et al (2012) The genome of the obligate intracellular parasite *Trachipleistophora hominis*: new insights into microsporidian genome dynamics and reductive evolution. PLoS Pathog 8(10):e1002979
- Henske JK, Gilmore SP, Knop D, Cunningham FJ, et al (2018) Index Fungorum 353:1 (2018) <http://www.indexfungorum.org/Publications/Index%20Fungorum%20no.353.pdf>
- Herivaux A, De Bernonville TD, Roux C, Clastre M et al (2017) The identification of phytohormone receptor homologs in early diverging fungi suggests a role for plant sensing in land colonization by fungi. MBio 8:e01739-16
- Hermet A, Méheust D, Mounier J, Barbier G et al (2012) Molecular systematics in the genus *Mucor* with special regards to species encountered in cheese. Fungal Biol 116:692–705. <https://doi.org/10.1016/j.funbio.2012.04.002>
- Hernandez-Lauzardo AN, Bautista-Baños S, Velazquez-Del Valle MG, Méndez-Montealvo MG et al (2008) Antifungal effects of chitosan with different molecular weights on in vitro development of *Rhizopus stolonifer* (Ehrenb.: Fr.) Vuill. Carbohydr Polym 73:541–547
- Hibbett DS, Binder M, Bischoff JF, Blackwell M et al (2007) A higher-level phylogenetic classification of the fungi. Mycol Res 111:509–547
- Hillman ET, Lu H, Yao T, Nakatsu CH (2017) Microbial ecology along the gastrointestinal tract. Microbes Environ 32:300–313
- Hirose D, Degawa Y, Inaba S, Tokumasu S (2012) The anamorphic genus *Calcarisporiella* is a new member of the Mucoromycotina. Mycoscience 53:256–260
- Hirose D, Degawa Y, Yamamoto K, Yamada A (2014) *Sphaerocreas pubescens* is a member of the Mucoromycotina closely related to fungi associated with liverworts and hornworts. Mycoscience 55:221–226
- Hirotani-Akabane E, Saikawa M (2010) Germination and morphology of zygospores in two *Cochlonema* and one *Acaulopage* species. Mycologia 102:39–43

- Ho HM, Benny GL (2008) A new species of *Syncephalis* from Taiwan. *Botanical Stud* 49:45–48
- Ho HM, Chiang HJ (2014) Notes on zygomycetes of Taiwan (XII): a “zoopagalean species” *Thamnocephalis Sphaerospora*” New to Taiwan. *Fungal Sci* 29:13–17
- Ho HM, Chuang SC (2010) Notes on zygomycetes of Taiwan (IX): two new records of *Dispira* (Dimargaritales, Zygomycetes) in Taiwan. *Fungal Sci* 25:13–18
- Ho HM, Chuang SC, Hsien CY (2008) Notes on zygomycetes of Taiwan (VI): *Chaetocladium brefeldii* new to Taiwan. *Fungal Sci* 23:21–25
- Ho HM, Kirk PM (2009) *Piptocephalis formosana*, a new species from Taiwan. *Botanical Stud* 50:69–72
- Ho YH, Ho HM, Saikawa M (2015) Two new species of *Cystopage*, *C. ovispora* and *C. irregularispora*, obtained in Taiwan. *Mycoscience* 56:396–401
- Hoffman RM, Marshall MM, Polchert DM, Jost BH (2003) Identification and characterization of two subpopulations of *Encephalitozoon intestinalis*. *Appl Environ Microbiol* 69:4966–4970
- Hoffman Y, Aflalo C, Zarka A, Gutman J et al (2008) Isolation and characterization of a novel chytrid species (phylum Blastocladiomycota), parasitic on the green alga *Haematococcus*. *Mycol Res* 112:70–81
- Hoffmann K (2010) Identification of the genus *Absidia* (Mucorales, Zygomycetes): a comprehensive taxonomic revision. In: Gherbawy Y, Voigt K (eds) Molecular identification of fungi. Springer, Berlin, pp 439–460
- Hoffmann K, Pawlowska J, Walther G, Wrzosek M et al (2013) The family structure of the Mucorales: a synoptic revision based on comprehensive multigene-genealogies. *Persoonia* 30:57–76
- Hoffmann K, Voigt K (2009) *Absidia parricida* plays a dominant role in biotrophic fusion parasitism among mucoralean fungi (Zygomycetes): *Lentamyces*, a new genus for *A. parricida* and *A. zychae*. *Plant Biol* 4:537–554
- Hoffmann K, Walther G, Voigt K (2009a) *Mycocladus* vs *Lichtheimia*: a correction (Lichtheimiaceae fam. nov., Mucorales, Mucoromycotina). *Mycol Res* 113:277–278
- Hoffmann K, Walther G, Voigt K (2009b) *Mycocladus* vs. *Lichtheimia*: a correction (Lichtheimiaceae fam. nov., Mucorales, Mucoromycotina). *Mycol Res* 113:275–278
- Hollister WS, Canning EU, Weidner E, Field AS (1996) Development and ultrastructure of *Trachipleistophora hominis* ng. n. sp. after in vitro isolation from an AIDS patient and inoculation into athymic mice. *Parasitology* 112(1):143–154
- Hopper JV, Mills NJ (2016) Pathogenicity, prevalence and intensity of a microsporidian infection by *Nosema fumiferanae postvittana* in the light brown apple moth, *Epiphyas postvittana*, in California. *J Invertebr Pathol* 134:27–34
- Hospenthal DR, Chung KK, Laiet K, Thompson EH et al (2011) *Saksenaea erythrospora* infection following combat trauma. *J Clin Microbiol* 49:3707–3709
- Hou YH, Ho HM (2010) The merosporangiferous fungi from Taiwan (VII): two new records of piptocephalis. *Fungal Sci* 25:19–24
- Huang WK, Cui JK, Liu SM, Kong LA et al (2016) Testing various biocontrol agents against the root-knot nematode (*Meloidogyne incognita*) in cucumber plants identifies a combination of *Syncephalastrum racemosum* and *Paecilomyces lilacinus* as being most effective. *Biol Control* 92:31–37
- Huang W-K, Sun J-H, Cui J-K, Wang G-F et al (2014) Efficacy evaluation of fungus *Syncephalastrum racemosum* and *Nematicide Avermectin* against the root-knot nematode *Meloidogyne incognita* on Cucumber. *PLoS ONE* 9:e89717. <https://doi.org/10.1371/journal.pone.0089717>
- Humber RA (2012) Entomophthoromycota: a new phylum and reclassification for entomophthroid fungi. *Mycotaxon* 120:477–492
- Humber RA (2016) Entomophthoromycota: a new overview of some of the oldest terrestrial fungi. In: Li DW (ed) Biology of microfungi. Springer, Cham, pp 127–145
- Hussain A, Rizwan-ul-Haq M, Al-Ayedh H, Al-Jabr MA (2014) Mycoinsecticides: potential and future perspective. *Recent Pat Food Nutr Agric* 6:45–53
- Hyde KD, Jones EBG, Liu JK, Ariyawansa H et al (2013) Families of dothideomycetes. *Fungal Divers* 63:1–313
- Hyde KD, Maharachchikumbura SS, Hongsanan S, Samarakoon MC (2017a) The ranking of fungi: a tribute to David L. Hawksworth on his 70th birthday. *Fungal Divers* 84:1–23
- Hyde KD, McKenzie EHC, Koko TW (2011) Towards incorporating anamorphic fungi in a natural classification—checklist and notes for 2010. *Mycosphere* 2:1–88
- Hyde KD, Nilsson RH, Alias SA, Ariyawansa HA et al (2014) One stop shop: backbones trees for important phytopathogenic genera: I. *Fungal Divers* 67:21–125. <https://doi.org/10.1007/s13225-014-0298-1>
- Hyde KD, Norphanphon C, Abreu VP, Bazzicalupo A (2017b) Fungal diversity notes 603–708: taxonomic and phylogenetic notes on genera and species. *Fungal Divers* 87:1–235
- Hyliš M, Oborník M, Nebesářová J, Vávra J (2007) Aquatic tetrasporoblastic microsporidia from caddis flies (Insecta, Trichoptera): characterisation, phylogeny and taxonomic re-evaluation of the genera *Episeptum* Larsson, 1986, *Pyrotheca* Hesse, 1935 and *Cougourdella* Hesse, 1935. *Eur J Protistol* 43(3):205–224
- Hyliš M, Oborník M, Nebesářová J, Vávra J (2013) Description and phylogeny of *Zelenkaia trichopterae* gen. et sp. nov. (Microsporidia), an aquatic microsporidian parasite of caddisflies (Trichoptera) forming spore doublets. *J Invertebr Pathol* 114(1):11–21
- Index Fungorum (2018) <http://www.indexfungorum.org/Names/Names>
- Ironsidge JE (2013) Diversity and recombination of dispersed ribosomal DNA and protein coding genes in Microsporidia. *PLoS ONE* 8:e55878
- Issi IV, Kadyrova MK, Pushkar EN, Khodzhaeva LF, Krylova SV (1990) Microsporidia of black flies (Definitions and short descriptions of the forms of Microsporidia of the world's fauna). Tashkent, “FAN” Publishing Co., Uzbekistan. (In Russian)
- Issi IV, Radischcheva DF, Dolzhenko VT (1983) Microsporidia of flies of genus *Delia* (Diptera, Muscidae), harmful to farm crops. *Bull VIZR* 55:3–9
- Issi IV, Tokarev YS, Seliverstova EV, Voronin VN (2012) Taxonomy of *Neoperezia chironomi* and *Neoperezia semenoviae* comb. nov. (Microsporidia, Aquasporidia): lessons from ultrastructure and ribosomal DNA sequence data. *Eur J Protistol* 48(1):17–29
- Issi IV, Tokarev YS, Voronin VN, Seliverstova EV et al (2010) Ultrastructure and molecular phylogeny of *Mrazekia macrocyclalis* sp. n. (Microsporidia, Mrazekiidae), a microsporidian parasite of *Macrocyclops albidus* (Jur.) (Crustacea, Copepoda). *Acta Protozool* 49(1):75
- Iwano H, Ishihara R (1991) Dimorphic development of *Nosema bombycis* spore in gut epithelium of larva of the silkworm *Bombyx mori*. *J Seric Sci Jpn* 60:249–256
- Jacobs K, Botha A (2008) *Mucor rentisporus* sp. nov., a new coprophilous species from Southern Africa. *Fungal Divers* 29:27–35
- Jamali S (2015) First report of the *Helicocephalum sarcophilum* (Zoopagomycotina) in Iran. *Mycol Iran* 2:77
- James TY, Berbee ML (2012) No jacket required—new fungal lineage defies dress code. *Bioessays* 34:94–102
- James TY, Porter D, Leander CA, Vilgalys R et al (2000) Molecular phylogenetics of the Chytridiomycota supports the utility of ultrastructural data in chytrid systematics. *Can J Bot* 78:336–350

- James TY, Hoffman Y, Zarka A, Boussiba S (2011) *Paraphysoderma sedebokerense*, gen. et sp. nov., an aplanosporous relative of *Physoderma* (Blastocladiomycota). Mycotaxon 118:177–180
- James TY, Letcher PM, Longcore JE, Mozley-Standridge SE et al (2006) A molecular phylogeny of the flagellated fungi (Chytridiomycota) and description of a new phylum (Blastocladiomycota). Mycologia 98:860–871
- James TY, Porter TM, Martin WW (2014) 7 Blastocladiomycota. In: McLaughlin DJ, Spadafora JW (eds) Systematics and evolution. Springer, Berlin, pp 177–207
- Janicki T, Krupiński M, Długoński J (2016) Degradation and toxicity reduction of the endocrine disruptors nonylphenol, 4-tert-octylphenol and 4-cumylphenol by the non-ligninolytic fungus *Umbelopsis isabellina*. Bioresour Technol 200:223–229
- Jayachandra T, Venugopal C, Appaiah KA (2011) Utilization of phytotoxic agro waste—coffee cherry husk through pretreatment by the ascomycetes fungi *Mycotypha* for biomethanation. Energy Sustain Dev 15:104–108
- Jensen AB, Eilenberg J, López Lastra C (2009) Differential divergences of obligately insect-pathogenic *Entomophthora* species from fly and aphid hosts. FEMS Microbiol Lett 300:180–187
- Jephcott TG, Alves-de-Souza C, Gleason FH, Van Ogtrop FF et al (2016) Ecological impacts of parasitic chytrids, syndiniales and perkinsids on populations of marine photosynthetic dinoflagellates. Fungal Ecol 19:47–58
- Jiang X, Yu H, Xiangf M, Liu X et al (2011) *Echinochlamydosporium variabile*, a new genus and species of Zygomycota from soil nematodes. Fungal Divers 46:43–51
- John D, Irodi A, Michael JS (2016) Concurrent infections of *Conidiobolus Coronatus* with disseminated tuberculosis presenting as bilateral orbital cellulitis. J Clin Diagn Res 10(4):ND01–ND02. <https://doi.org/10.7860/jcdr/2016/16790.7535>
- Jones ME, Armién AG, Rothermel BB, Pessier AP (2012a) Granulomatous myositis associated with a novel alveolate pathogen in an adult southern leopard frog (*Lithobates sphenocephalus*). Dis Aquat Org 102:163–167
- Jones SR, Prosperi-Porta G, Kim E (2012b) The diversity of microsporidia in parasitic copepods (Caligidae: Siphonostomatoidea) in the Northeast Pacific ocean with description of *Facilispora margolisi* n. sp. and a new family Facilisporidae n. fam. J Eukaryot Microbiol 59(3):206–217
- Joshi CV, Pathan EK, Punekar NS, Tupe SG et al (2013) A biochemical correlate of dimorphism in a zygomycete *Benjaminiella poitrasii*: characterization of purified NAD-dependent glutamate dehydrogenase, a target for antifungal agents. Antonie Van Leeuwenhoek 104:25–36
- Jouvenaz DP, Hazard EI (1978) New family, genus, and species of Microsporida (Protozoa: Microsporida) from the tropical fire ant, *Solenopsis geminata* (Fabricius) (Insecta: Formicidae). J Protozool Res 25(1):24–29
- Justo A, Hibbett DS (2011) Phylogenetic classification of *Trametes* (Basidiomycota, Polyporales) based on a five-marker dataset. Taxon 60:1567–1583
- Justo A, Vizzini A, Minnis AM, Menolli N Jr et al (2011) Phylogeny of the Pluteaceae (Agaricales, Basidiomycota): taxonomy and character evolution. Fungal Biol 115(1):1–20
- Kaerger K, Schwartz VU, Dolatabadi S, Nyilasi I et al (2015) Adaptation to thermotolerance in *Rhizopus coincides* with virulence as revealed by avian and invertebrate infection models, phylogeny, physiological and metabolic flexibility. Virulence 6:395–403
- Kagiwada S, Kayano Y, Hoshi H, Kawanishi T et al (2010) First report of Choanephora rot of ice plant (*Mesembryanthemum crystallinum*) caused by *Choanephora cucurbitarum* in Japan. J Gen Plant Pathol 76:345–347
- Kalavati C, Narasimhamurti CC (1977) *Steinhausia spraguei* n. sp. a microsporidian parasite of the excretory cells found in the fluid from renal appendages of *Sepia elliptica*. Riv Parassitol 38:271–275
- Kandel P, White MM (2012) A new species of *Ephemeroellomyces* from North America highlights its morphological plasticity and possible intergeneric similarities with other Harpellales. Fungal Biol 116:171–184
- Kang D, Jiang X, Wan H (2014) *Mucor irregularis* infection around the inner canthus cured by Amphotericin B: a case report and review of published literatures. Mycopathologia 178:129–133
- Kaonongbu W, Morton JB, Bever JD (2010) Taxonomic revision transferring species in *Kuklospora* to *Acaulospora* (Glomeromycota) and a description of *Acaulospora colliculosa* sp. nov. from field collected spores. Mycologia 102:1497–1509
- Karimi K, Arzanlou M, Ahari A, Ghazi MM (2015) Phenotypic and molecular characterization of the causal agent of chafer beetle mortality in the wheat fields of the Kurdistan province, Iran. J Plant Protect Res 55:227–234. <https://doi.org/10.1515/jppr-2015-0031>
- Karimi K, Zamani A (2013) *Mucor indicus*: biology and industrial application perspectives: a review. Biotechnol Adv 31:466–481. <https://doi.org/10.1016/j.biotechadv.2013.01.009>
- Karpov SA, Kobseva AA, Mamkaeva MA, Mamkaeva KA et al (2014) *Gromchytrium mamkaevae* gen. & sp. nov. and two new orders: Gromchytriales and Mesochytriales (Chytridiomycetes). Persoonia 32:115–126
- Karpov SA, Letcher PM, Mamkaeva MA, Mamkaeva KA (2010) Phylogenetic position of the genus *Mesochytrium* (Chytridiomycota) based on zoospore ultrastructure and sequences from the 18S and 28S rRNA gene. Nova Hedwig 90:81–94
- Karpov SA, López-García P, Mamkaeva MA et al (2018) The chytrid-like parasites of algae *Amoeboradix gromovi* gen. et sp. nov. and *Sanchytrium tribonematis* belong to a new fungal lineage. Protist 169:122–140
- Karpov SA, Mamanazarova KS, Popova OV, Aleoshin VV et al (2017a) Monoblepharidomycetes diversity includes new parasitic and saprotrophic species with highly intronized rDNA. Fungal Biol 121:729–741
- Karpov SA, Mamkaeva MA, Moreira D, López-García P (2016) Molecular phylogeny of *Aphelidium tribonemae* reveals its sister relationship with *A. aff. melosirae* (Aphelida, Opisthosporidia). Protistology 10:97–103
- Karpov SA, Tsvetkova VS, Mamkaeva MA, Torruella G, Timpano H, Moreira D, Mamanazarova KS, López-García P (2017b) Morphological and genetic diversity of Opisthosporidia: new aphelid *Paraphelidium tribonemae* gen. et sp. nov. J Eukaryot Microbiol 64(2):204–212
- Karpov SA, Torruella G, Moreira D, Mamkaeva MA, López-García P (2017c) Molecular phylogeny of *Paraphelidium letcheri* sp. nov. (Aphelida, Opisthosporidia). J Eukaryot Microbiol 64(5):573–578
- Karthikeyan V, Gopalakrishnan A (2014) A novel report of phytopathogenic fungi *Gilbertella persicaria* infection on *Pennaeus monodon*. Aquaculture 430:224–229
- Keller S, Weiser J, Wegensteiner R (2009) *Tarichium hylobii* sp. nov., a pathogen of *Hylobius abietis*. Sydowia 61:249–254
- Kelly P, Good B, Hanrahan JP, Fitzpatrick R et al (2009) Screening for the presence of nematophagous fungi collected from Irish sheep pastures. Vet Parasitol 165:345–349
- Kendrick B (2000) The fifth kingdom, 3rd edn. Focus Publishing, Newbury, MA
- Kennedy KJ, Daveson K, Slavin MA, van Hal SJ et al (2016) Mucormycosis in Australia: contemporary epidemiology and outcomes. Clin Microbiol Infect 22:775–781

- Kereslidze M, Pilarska D, Hajek AE, Jensen AB et al (2011) First record of *Entomophaga maimaiga* (Entomophthorales: Entomophthoraceae) in Georgia. *Biocontrol Sci Technol* 21:1375–1380
- Khade SW (2009) Arbuscular mycorrhizal fungi in wild banana II: a new species (*Glomus goaensis* Khade sp. nov.). *Mycorrhiza News* 20:21–22
- Khodzhaeva LF, Issi IV (1989) A new genus of microsporidians *Cristulospora* gen. n. (Amblyospiidae) with 3 new species from blood-sucking mosquitoes in Uzbekistan. *Parazitologija* 23(2):140–145
- Kia SH, Schulz M, Ayah E, Schouten A et al (2014) Abutilon theophrasti's defense against the allelochemical benzoxazolin-2 (3H)-one: support by *Actinomucor elegans*. *J Chem Ecol* 40:1286–1298
- Kilochitskii PJ (1997) Two new microsporidian genera: *Aedispora* gen. n. (Culicosporida, Culicosporidae) and *Krishtalia* gen. n. (Culicosporida, Golbergiidae) of the blood sucking mosquitoes from the Ukraine. *Vestn Zool* 31:15–23
- Kimura M, Yaguchi T, Sutton DA, Fothergill AW et al (2011) Disseminated human conidiobolomycosis due to *Conidiobolus lampraugei*. *J Clin Microbiol* 49:752–756. <https://doi.org/10.1128/JCM.01484-10>
- Kirk P, Cannon PF, Minter DW, Stalpers JA (2008) Ainsworth & Bisby's dictionary of the fungi, 10th edn. CAB International, Wallingford
- Kirk PM (2012) Nomenclatural novelties [*Anaeromyces polycephalus*, *Caecomyces hurleyensis*, *Callimastix frontalis*, *Piromyces cryptodigmaticus*]. Index Fungorum 1: 1
- Kirk PM, Stalpers JA, Braun U, Crous PW et al (2013) A withoutprejudice list of generic names of fungi for protection under the international code of nomenclature for algae, fungi, and plants. *IMA Fungus* 4:381–443
- Kito H, Abe A, Sujaya IN, Oda Y et al (2009) Molecular characterization of the relationships among *Amylomyces rouxii*, *Rhizopus oryzae*, and *Rhizopus delemar*. *Biosci Biochem Biotechnol* 73:861–864
- Krings M, Taylor TN, Martin H (2016) An enigmatic fossil fungus from the 410 Ma Rhynie chert that resembles *Macrochytrium* (Chytridiomycota) and *Blastocladiella* (Blastocladiomycota). *Mycologia* 108:303–312
- Kroll KW, Eisfeld AK, Lozanski G, Bloomfield CD et al (2016) MuCor: mutation aggregation and correlation. *Bioinformatics* 32(10):1557–1558
- Krüger M, Krüger C, Walker C, Stockinger H et al (2012) Phylogenetic reference data for systematics and phylotaxyonomy of arbuscular mycorrhizal fungi from phylum to species level. *New Phytol* 193:970–984
- Krüger M, Walker C, Schüßler A (2011) *Acaulospora brasiliensis* comb. nov. and *Acaulospora alpina* (Glomeromycota) from upland Scotland: morphology, molecular phylogeny and DNA-based detection in roots. *Mycorrhiza* 21:577–587
- Kubo H (2011) Cloning and expression analysis of putative glycer-aldehyde-3-phosphate dehydrogenase genes in *Pilobolus crystallinus*. *Mycoscience* 52:99–106
- Kubo H (2012) Asexual reproductive organ-specific expression of the glyceraldehyde-3-phosphate dehydrogenase 2 gene of *Pilobolus crystallinus*. *Mycoscience* 53:147–151
- Kumar Verma R, Shivaprakash MR, Shanker A, Panda NK (2012) Subcutaneous zygomycosis of the cervicotemporal region: due to *Basidiobolus ranaram*. *Med Mycol Case Rep* 1:59–62. <https://doi.org/10.1016/j.mmcr.2012.07.004>
- Kurihara Y, Sukarno N, Ilyas M, Yuniar E et al (2008) Indonesian Kickxellales: two species of Coemansia and Linderina. *Mycoscience* 49:250. <https://doi.org/10.1007/s10267-008-0417-5>
- Kwon-Chung KJ (2012) Taxonomy of fungi causing mucormycosis and entomophthoramycosis (zygomycosis) and nomenclature of the disease: molecular mycologic perspectives. *Clin Infect Dis* 54:8–15
- Kyei-Poku G, Gauthier D, Van Frankenhuyzen K (2008) Molecular data and phylogeny of *Nosema* infecting Lepidoptera forest defoliators in the genera *Choristoneura* and *Malacosoma*. *J Eukaryot Microbiol* 55:51–58
- Kyei-Poku G, Gauthier D, van-Frankenhuyzen K (2012) Complete rRNA sequence, arrangement of tandem repeated units and phylogeny of *Nosema fumiferanae* from spruce budworm, *Choristoneura fumiferana* (Clemens). *J Eukaryot Microbiol* 59(1):93–96
- Kyei-Poku G, Sokolova J (2017) The microsporidium *Nosema distriiae* (Thomson 1959): fine structure and phylogenetic position within the *N. bombycis* clade. *J Invertebr Pathol* 143:90–103
- Laisutisan K, Prasertsri S, Chuchird N, Limsuwan C (2009) Ultrastructure of the microsporidian *Thelohania* (*Agmasoma*) *penaei* in the pacific white shrimp (*Litopenaeus vannamei*). *Kasetsart Univ Fish Res Bull* 33(2):41–48
- Lange CE, Azzaro FG (2008) New case of long-term persistence of *Paranosema locustae* (Microsporidia) in melanopline grasshoppers (Orthoptera: Acrididae: Melanoplinae) of Argentina. *J Invertebr Pathol* 99(3):357–359
- Lange CE, Becnel JJ, Razafindrakarina E, Przybyszewski J, Razafindrafara H (1996) *Johenrea locustae* n.g., n.sp. (Microspora: Glugeidae): a pathogen of migratory locusts (Orthoptera: Acrididae: Oedipodinae) from Madagascar. *J Invertebr Pathol* 68:28–40
- Lange CE, Macvean CM, Henry JE, Streett DA (1995) *Heterovesicula cowani* ng, n. sp. (Heterovesiculidae n. fam.), a microsporidian parasite of Mormon crickets, *Anabrus simplex* Haldeman, 1852 (Orthoptera: Tettigoniidae). *J Eukaryot Microbiol* 42(5):552–558
- Lantemier F, Boutboul D, Menotti J, Chandresris MO et al (2009) Microsporidiosis in solid organ transplant recipients: two *Enterocytozoon bieneusi* cases and review. *Transpl Infect Dis* 11:83–88
- Larsson JIR (1980) Insect pathological investigations on Swedish Thysanura. II. A new microsporidian parasite of *Petrobius brevistylis* (Microcoryphia, Machilidae); description of the species and creation of two new genera and a new family. *Protistologica* 16:85–101
- Larsson JIR (1983) A revisionary study of the taxon *Tuzetia* Maurand, Fize, Fenwick and Michel, 1971, and related forms (Microspora, Tuzetiidae). *Protistologica* 19:323–355
- Larsson JIR (1986a) Ultrastructural investigation of two microsporidia with rod-shaped spores, with descriptions of *Cylindrospora fasciculata* sp. nov. and *Resiomeria odonataegen* et sp. nov. (Microspora, Thelohaniidae). *Protistologica* 22(4):379–398
- Larsson JIR (1990a) *Rectispora reticulata* gen. et sp. nov. (Microspora, Bacillidiidae), a new microsporidian parasite of *Pomatothrix hammoniensis* (Michaelson, 1901) (Oligochaeta, Tubificidae). *Eur J Protistol* 26(1):55–64
- Larsson JIR (1990b) Description of a new microsporidium of the water mite *Limnochares aquatica* and establishment of the new genus *Napamichum* (Microspora, Thelohaniidae). *J Invertebr Pathol* 55(2):152–161
- Larsson JIR (1990c) On the cytology and taxonomic position of *Nudispora biformalis* ng, n. sp. (Microspora, Thelohaniidae), a microsporidian parasite of the dragon fly *Coenagrion hastulatum* in Sweden. *J Protozool Res* 37(4):310–318
- Larsson JIR (1994) *Trichoctosporea pygopellita* gen. et sp. nov. (Microspora, Thelohaniidae), a microsporidian parasite of the

- mosquito *Aedes vexans* (Diptera, Culicidae). Arch Protistenkd 144(2):147–161
- Larsson JIR (2014a) The primitive microsporidia. In: Weiss LM, Becnel JJ (eds) Microsporidia pathogens of opportunity. Wiley-Blackwell Press, Ames, pp 605–634
- Larsson JIR, Bylén EK (1992) *Tardivesicula duplicata* gen. et sp. nov. (Microspora, Duboscqiidae), a microsporidian parasite of the caddis fly *Limnephilus centralis* (Trichoptera, Limnephiliidae) in Sweden. Eur J Protistol 28(1):25–36
- Larsson JIR, Ebert D, Vávra J (1996a) Ultrastructural study of *Glugea cladocera* Pfeiffer, 1895, and transfer to the genus *Agglomerata* (Microspora, Duboscqiidae). Eur J Protistol 32(4):412–422
- Larsson JIR, Ebert D, Vávra J (1997a) Ultrastructural study and description of *Ordospora colligata* gen. et sp. nov. (Microspora, Ordosporidae fam. nov.), a new microsporidian parasite of *Daphnia magna* (Crustacea, Cladocera). Eur J Protistol 33(4):432–443
- Larsson JIR, Ebert D, Vávra J, Voronin VN (1996b) Redescription of *Pleistophora intestinalis* Chatton 1907, a microsporidian parasite of *Daphnia magna* and *Daphnia pulex*, with establishment of the new genus *Glugoides* (Microspora, Glugeidae). Eur J Protistol 32:251–261
- Larsson JIR, Voronin VN (2000) Light and electron microscopic study of *Agglomerata volgensae* n. sp. (Microspora: Duboscqiidae), a new microsporidian parasite of *Daphnia magna* (Crustacea: Daphniidae). Eur J Protistol 36(1):89–99
- Larsson JIR, Yan ND (1988) The ultrastructural cytology and taxonomy of *Duboscqia sidaejírovec*, 1942 (Microspora, Duboscqiidae), with establishment of the new genus *Agglomerata* gen. nov. Arch Protistenkd 135(1–4):271–288
- Larsson JIR (2014b) The primitive microsporidia. Microsporidia 9:605–634
- Larsson R (1981) A new microsporidium *Berwaldia singularis* gen. et sp. nov. from *Daphnia pulex* and a survey of microsporidia described from *Cladocera*. Parasitology 83(2):325–342
- Larsson R (1985) On the cytology, development and systematic position of the *Theholania asterias* Weiser, 1963, with creation of the new genus *Bohuslavia* (Microspora, Thelohaniidae). Protistologica 21(2):235–246
- Larsson R (1986b) Ultracytology of a tetrasporoblastic Microsporidium of the Caddis fly *Holocentropus picicornis* (Trichoptera, Polycentropodidae), with description of *Episeptuni inversum* gen. et sp. nov. (Microspora, Gurleyidae). Arch Protistenkd 131(3–4):257–279
- Larsson R, Steiner MY, Bjornson S (1997b) *Intexta acarivora* gen. et sp. n. (Microspora: Chytridiopsidae): ultrastructural study and description of a new microsporidian parasite of the forage mite *Tyrophagus putrescentiae* (Acar: Acaridae). Acta Protozool 36:295–304
- Lazarus KL, Benny GL, Ho HM, Smith ME (2017) Phylogenetic systematics of *Syncephalis* (Zoopagales, Zoopagomycotina), a genus of ubiquitous mycoparasites. Mycologia 109:333–349
- Lechevalier P, Hermoso DG, Carol A, Bonacorsi S et al (2008) Molecular diagnosis of *Saksenaea vasiformis* cutaneous infection after scorpion sting in an immunocompetent adolescent. J Clin Microbiol 46:3169–3172
- Leiro J, Iglesias R, Parama A, Aragort W, Sanmartin ML (2002) PCR detection of *Tetramicra brevifilum* (Microspora) infection in turbot (*Scophthalmus maximus* L.) musculature. Parasitology 124:145–151
- Leiro J, Paramá A, Ortega M, Santamarina MT (1999) Redescription of *Glugea caulleryi*, a microsporidian parasite of the greater sand-eel, *Hyperoplus lanceolatus* (Le Sauvage), (Teleostei: Ammodytidae), as *Microgemma caulleryi* comb. nov. J Fish Dis 22:101–110
- Lepelletier F, Karpov SA, Alacid E, Le Panse S et al (2014) *Dinomyces arenysensis* gen. et sp. nov. (Rhizophydiales, Dinomycetaceae fam. nov.), a chytrid infecting marine dinoflagellates. Protist 165:230–244
- Leśnianka K, Perec-Matysiak A (2017) Wildlife as an environmental reservoir of *Enterocytozoon bieneusi* (Microsporidia) – analyses of data based on molecular methods. Ann Parasitol 63:265–281. <https://doi.org/10.17420/ap6304>
- Letcher PM (2014) Nomenclatural novelties [*Irineochytrium annulatum* comb. nov.]. <http://www.indexfungorum.org/names/NameRecord.asp?RecordID=550671>
- Letcher PM, Lee PA, Lopez S, Burnett M et al (2016) An ultrastructural study of *Paraphysoderma sedebockerense* (Blastocladiomycota), an epibiotic parasite of microalgae. Fungal Biol 120:324–337
- Letcher PM, Longcore JE, Powell MJ (2014) *Dendrochytridium crassum* gen. et sp. nov., a taxon in Chytridiales with unique zoospore ultrastructure. Mycologia 106:145–153
- Letcher PM, Powell MJ (2018) Three new genera of soil-inhabiting chytrids in Spizellomycetaceae (Chytridiomycota). Nova Hedwig 105(3–4):3–4. [https://doi.org/10.1127/nova\\_hedwigia/2017/0458](https://doi.org/10.1127/nova_hedwigia/2017/0458)
- Letcher PM, Powell MJ, Barr DJ, Churchill PF et al (2008a) Rhizophlyctidales—a new order in Chytridiomycota. Mycol Res 112:1031–1048
- Letcher PM, Powell MJ, Davis WJ (2015a) A new family and four new genera in Rhizophydiales (Chytridiomycota). Mycologia 107:808–830
- Letcher PM, Powell MJ, Lee PA, Lopez S, Burnett M (2017a) Molecular phylogeny and ultrastructure of *Aphelidium desmodesmi*, a new species in Aphelida (Opisthosporidia). J Eukaryot Microbiol 64(5):655–667
- Letcher PM, Powell MJ, Lopez S, Lee PA et al (2015b) A new isolate of *Amoeboaphelidium protococcarum*, and *Amoeboaphelidium occidentale*, a new species in phylum Aphelida (Opisthosporidia). Mycologia 107:522–531
- Letcher PM, Powell MJ, Picard KT (2012a) Zoospore ultrastructure and phylogenetic position of *Phlyctochytrium aureliae* Ajello is revealed (Chytridiaceae, Chytridiales, Chytridiomycota). Mycologia 104:410–418
- Letcher PM, Powell MJ, Viusent MC (2008b) Rediscovery of an unusual chytridiaceous fungus new to the order Rhizophydiales. Mycologia 100:325–334
- Letcher PM, Vélez CG, Barrantes ME, Powell MJ et al (2008c) Ultrastructural and molecular analyses of Rhizophydiales (Chytridiomycota) isolates from North America and Argentina. Mycol Res 112:759–782
- Letcher PM, Vélez CG, Schultz S, Powell MJ (2012b) New taxa are delineated in Alphamycetaceae (Rhizophydiales, Chytridiomycota). Nova Hedwig 94:9–29
- Letcher PM, Longcore JE, Quandt CA, Leite DD et al (2017b) Morphological, molecular, and ultrastructural characterization of *Rozella rhizoclosmatii*, a new species in Cryptomycota. Fungal Biol 121(1):1–10. <https://doi.org/10.1016/j.funbio.2016.08.008>
- Letcher PM, Longcore JE, James TY, Leite DS et al (2018) Morphology, ultrastructure, and molecular phylogeny of *Rozella multimorpha*, a new species in Cryptomycota. J Eukaryot Microbiol 65(2):180–190. <https://doi.org/10.1111/jeu.12452>
- Leung S-Y, Huang Y, Lau SKP, Woo PCY (2014) Complete mitochondrial genome sequence of *Lichtheimia ramosa* (syn. *Lichtheimia hongkongensis*). Genome Announc 2:e00644-44. <https://doi.org/10.1128/genomeA.00644-14>
- Levaditi C, Nicolau S, Schoen R (1923) L'étiologie de l'encephalite. C r hebd Séanc Acad Sci Paris 177:985

- Li GJ, Hyde KD, Zhao RL, Hongsanan S et al (2016) Fungal diversity notes 253–366: taxonomic and phylogenetic contributions to fungal taxa. *Fungal Divers* 78:1–237
- Li L, Yang ZY, Yang XQ, Zhang GH et al (2008) Debittering effect of *Actinomucor elegans* peptidases on soybean protein hydrolysates. *J Ind Microbiol Biotechnol* 35:41–47
- Li SL, Lin Q, Li XR, Xu H et al (2012) Biodiversity of the oleaginous microorganisms in Tibetan Plateau. *Braz J Microbiol* 43:627–634
- Li Y, Li J, Zhao H (2018) The preparation of chitosan from corn cob hydrolyzate by *Actinomucor elegans*. In: Liu H, Song C, Ram A (eds) Advances in applied biotechnology. ICAB 2016. Lecture Notes in Electrical Engineering, vol 444. Springer, Singapore
- Lichtwardt RW (2011) *Dacryodiomyces*, a new genus of Harpellales in Chironomidae larvae. *Mycologia* 103:912–914
- Lichtwardt RW (2012) Trichomycete gut fungi from tropical regions of the world. *Biodivers Conserv* 21:2397–2402
- Lichtwardt RW, White MM (2011) Typification of *Smittium*, an important genus in the taxonomy of Harpellales. *Mycologia* 103(4):918–920
- Lichtwardt RW, Williams MC, White MM (2011) *Klastostachys*, a new genus of Harpellales in Chironomidae larvae. *Mycologia* 103:915–917
- Liggenstoffer AS, Youssef NH, Couger MB, Elshahed MS (2010) Phylogenetic diversity and community structure of anaerobic gut fungi (phylum Neocallimastigomycota) in ruminant and non-ruminant herbivores. *ISME J* 10:1225–1235. <https://doi.org/10.1038/ismej.2010.49>
- Lihme M, Jensen AB, Rosendahl S (2009) Local scale population genetic structure of *Entomophthora muscae* epidemics. *Fungal Ecol* 2:81–86
- Lilje O, Lilje E (2008) Fluctuation in *Rhizophyllum* sp. (AUS 6) zoospore production and biomass during colony formation. *Aust Mycol* 27:20–32
- Lima DX, Souza-Motta CM, Wagner L, Voigt K et al (2017) *Circinella simplex*—a misapplied name of *Mucor circinatus* sp. nov. *Phytotaxa* 329:269–276
- Lima DX, Voigt K, De Souza CA, De Oliveira RJ et al (2016) Description of *Backusella constricta* sp. nov. (Mucorales, ex Zygomycota) from the Brazilian Atlantic rainforest, including a key to species of Backusella. *Phytotaxa* 289:59–68
- Lima LL, Kozovits AR, Magna DAA, Silva GA et al (2014) *Cetraspora auronigra*, a new glomeromycete species from Ouro Preto (Minas Gerais, Brazil). *Sydowia* 66:299–308
- Linde J, Schwartze V, Binder U, Lass-Flörl C et al (2014) De novo whole-genome sequence and genome annotation of *Lichtheimia ramosa*. *Genome Announc* 2(5):e00888-14
- Liu H, Ma J, Wang M, Wang W et al (2016) Food waste fermentation to fumaric acid by *Rhizopus arrhizus* RH7-13. *Appl Biochem Biotechnol* 180:1524–1533
- Liu XY, Zheng RY (2015) New taxa of *Ambomucor* (Mucorales, Mucoromycotina) from China. *Mycotaxon* 130:165–171
- Lom J, Dyková I (2005) Microsporidian xenomas in fish seen in wider perspective. *Folia Parasitol* 52(1/2):69
- Longcore JE, Letcher PM, James TY (2011) *Homolaphylyctis polyrhiza* gen. et sp. nov., a species in the Rhizophydiales (Chytridiomycetes) with multiple rhizoidal axes. *Mycotaxon* 118:433–440
- Longcore JE, Simmons DR (2012) The Polychytriales ord. nov. contains chitinophilic members of the rhizophlyctoid alliance. *Mycologia* 104:276–294
- Longcore JE, Simmons DR, Letcher PM (2016) *Synchytrium microbalum* sp. nov. is a saprobic species in a lineage of parasites. *Fungal Biol* 120:1156–1164
- Lorenz LM, Koella JC (2011) The microsporidian parasite *Vavraia culicis* as a potential late life–acting control agent of malaria. *Evol Appl* 4(6):783–790
- Loubès C, Akbarieh M (1978) Etude ultrastructurale de la microsporie *Baculea daphniae* n. sp., parasite de l'épithélium intestinal de *Daphnia pulex* Leydig, 1860 (Crustacé, Cladocère). *Protistologica* 14:23–38
- Lovy J, Kostka M, Dyková I, Arsenault G, Pecková H, Wright GM, Speare DJ (2009) Phylogeny and morphology of *Glugea hertwigi* from rainbow smelt *Osmerus mordax* found in Prince Edward Island, Canada. *Dis Aquat Organ* 86:235–243
- Lu XL, Liu ZH, Shen YN, She XD et al (2009) Primary cutaneous zygomycosis caused by *Rhizomucor variabilis*: a new endemic zygomycosis? A case report and review of 6 cases reported from China. *Clin Infect Dis* 49:e39–e43. <https://doi.org/10.1086/600817>
- Lu XL, Najafzadeh MJ, Dolatabadi S, Ran YP et al (2013) Taxonomy and epidemiology of *Mucor irregularis*, agent of chronic cutaneous mucormycosis. *Persoonia* 30:48–56. <https://doi.org/10.3767/003158513X665539>
- Lücking R, Hodkinson BP, Leavitt SD (2017) The 2016 classification of lichenized fungi in the Ascomycota and Basidiomycota—approaching one thousand genera. *Bryologist* 119:361–416
- Lukášová K, Holuša JA (2013) New data on the host specificity of *Larsoniella duplicati*. *Period Biol* 115(3):455–457
- Lumbsch HT, Huhndorf SM (2010) Outline of ascomycota 2009. *Myconet* 14:1–64
- Luo B, Liu H, Pan G, Li T et al (2014) Morphological and molecular studies of *Vairimorpha necatrix* BM, a new strain of the microsporidium *V. necatrix* (microsporidia, burenellidae) recorded in the silkworm, *Bombyx mori*. *Exp Parasitol* 143:74–82
- Luo XA, Zhu YM, Liu TT, Wang XP et al (2017) Identification and characterization of a novel diacylglycerol acyltransferase gene from *Mortierella alpina*. *Biotechnol Lett* 39:883–888
- Ma LJ, Ibrahim AS, Skory C, Grabherr MG et al (2009) Genomic analysis of the basal lineage fungus *Rhizopus oryzae* reveals a whole-genome duplication. *PLoS Genet* 5(7):e1000549
- Mackey PE, Cappe KG, Mani R, Rothenburg L et al (2015) Disseminated *Conidiobolus incongruus* in a dog: a case report and literature review. *Med Mycol Case Rep* 8:24–28. <https://doi.org/10.1016/j.mmcr.2015.02.005>
- Madden AA, Stchigel AM, Guarro J, Sutton D et al (2012) *Mucor nidicola* sp. nov., a fungal species isolated from an invasive paper wasp nest. *Int J Syst Evol Microbiol* 62:1710–1714. <https://doi.org/10.1099/ijs.0.033050-0>
- Magyar D, Merényi Z, Bratek Z, Baral HO et al (2016) *Lecophagus vermicola* sp. nov., a nematophagous hyphomycete with an unusual hunting strategy. *Mycol Prog* 15:1137–1144
- Mahmud A, Lee R, Munfus-McCrory D, Kwiatkowski N et al (2012) *Actinomucor elegans* as an emerging cause of mucormycosis. *J Clin Microbiol* 50:1092–1095
- Maier MA, Peterson TD (2016) Enumeration of parasitic chytrid zoospores in the Columbia River via quantitative PCR. *Appl Environ Microbiol* 82:3857–3867
- Malysh JM, Tokarev YS, Sitnicova NV, Martemyanov VV et al (2013) *Tubulinosema loxostegi* sp. n. (Microsporidia: Tubulinosematidae) from the beet webworm *Loxostege sticticalis* L. (Lepidoptera: Crambidae) in Western Siberia. *Acta Protozool* 4:299–308
- Mane SR, Pathan EK, Kale D, Ghormade V et al (2017) Optimization for the production of mycelial biomass from *Benjaminiella poitrasii* to isolate highly deacetylated chitosan. *J Polym Mater* 34:145–156
- Mangaraj S, Sethy G, Patro MK, Padhi S (2014) A rare case of subcutaneous mucormycosis due to *Syncephalastrum*

- racemosum*: case report and review of literature. Indian J Med Microbiol 32:448–451
- Mansour L, Prensier G, Jemaa SB, Hassine OKB, Méténier G, Vivarès CP, Cornillot E (2005) Description of a xenoma-inducing microsporidian, *Microgemma tincae* n. sp., parasite of the teleost fish *Syphodus tinca* from Tunisian coasts. Dis Aquat Org 65:217–226
- Mantzouridou F, Naziri E, Tsimidou MZ (2008) Industrial glycerol as a supplementary carbon source in the production of β-carotene by *Blakeslea trispora*. J Agric Food Chem 56:2668–2675
- Marano AV, Barrera MD, Steciow MM, Gleason FH et al (2011) Diversity of zoosporic true fungi and heterotrophic straminipiles in Las Cañas stream (Buenos Aires, Argentina): assemblages colonizing baits. Fundam Appl Limnol 178:203–218
- Marinho F, Silva GA, Ferreira AC, Veras JS et al (2014) *Bulbospora minima*, a new genus and a new species in the Glomeromycetes from semi-arid Northeast Brazil. Sydowia 66:313–323
- Martel A, Spitz-van der Sluijs A, Blooi M, Bert W et al (2013) *Batrachochytrium salamandrivorans* sp. nov. causes lethal chytridiomycosis in amphibians. Proc Natl Acad Sci 110:15325–15329
- Martin N, Guez MAU, Sette LD, Da Silva R et al (2010) Pectinase production by a Brazilian thermophilic fungus *Thermomucor indicae-seudaticae* N31 in solid-state and submerged fermentation. Microbiology 79:306–313. <https://doi.org/10.1111/j.1365-2958.2009.00057>
- Martinez A, Rivas F, Perojil A, Parra A et al (2013) Biotransformation of oleanolic and maslinic acids by *Rhizomucor miehei*. Phytochem 94:229–237
- Mascarin GM, da Silveira Duarte V, Brandão MM, Delalibera Í Jr (2012) Natural occurrence of *Zoophthora radicans* (Entomophthorales: Entomophthoraceae) on *Thaumastocoris peregrinus* (Heteroptera: Thaumastocoridae), an invasive pest recently found in Brazil. J Invertebr Pathol 110:401–404
- Mathur C, Prakash R, Ali A, Kaur J et al (2010) Emulsification and hydrolysis of oil by *Syncephalastrum racemosum*. Defence Sci J 60:251–254
- Mathuram AJ, Mohanraj P, Mathews MS (2013) Rhino-orbital-cerebral infection by *Syncephalastrum racemosum*. J Assoc Physicians India 45:339–340
- Matthews CG, Richards RH, Shinn AP, Cox DI (2013) Gill pathology in Scottish farmed Atlantic salmon, *Salmo salar* L., associated with the microsporidian *Desmozoon lepeophtherii* Freeman et Sommerville, 2009. J Fish Dis 36(10):861–869
- Matthews JL, Brown AMV, Larison K, Bishop-Stewart JK, Rogers P, Kent ML (2001) *Pseudoloma neurophilia* n.g., n.sp., a new genus and species of *Microsporidia* from the central nervous system of the zebrafish (*Danio rerio*). J Eukaryot Microbiol 48:229–235
- Matthews RA, Matthews ABF (1980) Cell and tissue reactions of turbot *Scophthalmus maximus* (L.) to *Tetramicra brevifilum* gen. n., sp. n. (Microspora). J Fish Dis 3:495–515
- Maurand I, Fize A, Fenwick B, Michel R (1971) Etude au microscope électronique de *Nosema infirmum* Kudo, 1921, microsporidie parasite d'un copepode cyclopoidé; création du genre nouveau *Tuzetia* à propos de cette espèce. Protistologica 7:221–225
- Medina J, Cornejo P, Borie F, Meier S et al (2014) *Corymbiglomus pacificum*, a new glomeromycete from a saline lakeshore in Chile. Mycotaxon 127:173–183
- Meeuwse P, Tramper J, Rinzema A (2011) Modeling lipid accumulation in oleaginous fungi in chemostat cultures: I. Development and validation of a chemostat model for *Umbelopsis isabellina*. Bioprocess Biosyst Eng 34:939–949
- Meissner EG, Bennett JE, Qvarnstrom Y, da Silva A, Chu EY, Tsokos M, Gea-Banacloche J (2012) Disseminated microsporidiosis in an immunosuppressed patient. Emerg Infect Dis 18:1155–1158
- Melo RF, Maia LC, Santiago AL (2016) The discovery of *Syncephalis obliqua* (Zoopagomycota, Zoopagales) in the Neotropics. Mycotaxon 130:1165–1169
- Mendoza L, Vilela R, Voelz K, Ibrahim AS et al (2015) Human fungal pathogens of Mucorales and Entomophthorales. Cold Spring Harb Perspect Med 5:a019562
- Menotti J, Cassinat B, Sarfati C, Liguory O, Derouin F, Molina JM (2003) Development of a real-time PCR assay for quantitative detection of *Encephalitozoon intestinalis* DNA. J Clin Microbiol 41:1410–1413
- Merheb-Dini C, Gomes E, Boscolo M, da Silva R et al (2010) Production and characterization of a milk-clotting protease in the crude enzymatic extract from the newly isolated *Thermomucor indicae-seudaticae* N31: (Milk-clotting protease from the newly isolated *Thermomucor indicae-seudaticae* N31). Food Chem 120:87–93. <https://doi.org/10.1016/j.foodchem.2009.09.075>
- Michel R, Scheid P, Köhsler M, Walochnik J (2015) *Acaulopage tetraceros* Drechsler 1935 (Zoopagales): cultivation, prey pattern and molecular characterization. J Endocytobiosis Cell Res 26:76–82
- Michel R, Walochnik J, Scheid P (2014) Article for the “free-living amoebae special issue”: isolation and characterisation of various amoebophagous fungi and evaluation of their prey spectrum. Exp Parasitol 145:131–136
- Mikhailov KV, Simdyanov TG, Aleoshin VV (2016) Genomic survey of a hyperparasitic microsporidian *Amphiamblys* sp. (Metchnikovellidae). Genome Biol Evol 9(3):454–467
- Millanes AM, Diederich P, Ekman S, Wedin M (2011) Phylogeny and character evolution in the jelly fungi (Tremellomycetes, Basidiomycota, Fungi). Mol Phylogenetic Evol 61:12–28
- Min B, Park J-H, Park H, Shin H-D et al (2017) Genome analysis of a zygomycete fungus *Choanephora cucurbitarum* elucidates necrotrophic features including bacterial genes related to plant colonization. Sci Rep. <https://doi.org/10.1038/srep40432>
- Misra JK (2012) Systematics of *Stachylina* and *Smittium*—the two largest genera of Harpellales, Zygomycota. In: Deshmukh SK, Misra JK, Tewari JP (eds) Systematics and evolution of fungi. CRC Press, New York, pp 124–167
- Misra JK, Papp T, Csernetics A, Vágólgyi C (2014) A new species of *Legeriomycetes* and other Harpellales reported for the first time in larval insects from Hungary. Mycoscience 55:268–274
- Misra JK, Tiwari VK (2008) A new species of *Gauthieromyces* and range extensions for other Harpellales to India. Mycologia 100:94–98
- Mitchell MJ, Cali A (1993) Ultrastructural study of the development of *Vairimorpha necatrix* (Kramer, 1965) (Protozoa, Microsporidia) in larvae of the corn earworm, *Heliothis zea* (Boddie) (Lepidoptera, Noctuidae) with emphasis on sporogony. J Eukaryot Microbiol 40:701–710
- Monaghan SR, Rumney RL, Vo NT, Bols NC et al (2011) *In vitro* growth of microsporidia *Anncalia algerae* in cell lines from warm water fish. In Vitro Cell Dev Biol Anim 47(2):104–113
- Monchy S, Sanciu G, Jobard M, Rasconi S et al (2011) Exploring and quantifying fungal diversity in freshwater lake ecosystems using rDNA cloning/sequencing and SSU tag pyrosequencing. Environ Microbiol 13:1433–1453
- Mondo SJ, Dannebaum RO, Kuo RC, Louie KB et al (2017) Widespread adenine N6-methylation of active genes in fungi. Nat Genet 49:964–968. <https://doi.org/10.1038/ng.3859>
- Morgenstern I, Powłowski J, Ishmael N, Darmond C et al (2012) A molecular phylogeny of thermophilic fungi. Fungal Biol 116:489–502
- Morin-Sardin S, Nodet P, Coton E, Jany JL et al (2017) *Mucor*: a janus-faced fungal genus with human health impact and industrial applications. Fungal Biol Rev 31:12–32. <https://doi.org/10.1016/j.fbr.2016.11.002>

- Morris DJ, Adams A (2002) Development of *Schroedera plumatellae* gen. n., sp. n. (Microsporidia) in *Plumatella fungosa* (Bryozoa: Phylactolaemata). *Acta Protozool* 41(4):383–396
- Morris DJ, Freeman MA (2010) Hyperparasitism has wide-ranging implications for studies on the invertebrate phase of myxosporean (Myxozoa) life cycles. *Int J Parasitol* 40(3):357–369
- Morrison CM, Sprague V (1981) Electron microscopical study of a new genus and new species of microsporida in the gills of Atlantic cod *Gadus morhua* L. *J Fish Dis* 4:15–32
- Morton JB, Msiska Z (2010) Phylogenies from genetic and morphological characters do not support a revision of Gigasporaceae (Glomeromycota) into four families and five genera. *Mycorrhiza* 20:483–496
- Moss DM, Cropp GP, Wallace S, Visvesvara GS (1999) Flow cytometric analysis of microsporidia belonging to the genus *Encephalitozoon*. *J Clin Microbiol* 37:371–375
- Mou LY, Xin XL, Chen L, Dong PP et al (2014) Biotransformation of resibufogenin by *Actinomucor elegans*. *J Asian Nat Prod Res* 16:623–628
- Mozley-Standridge SE, Letcher PM, Longcore JE, Porter D et al (2009) Cladochytriales—a new order in Chytridiomycota. *Mycol Res* 113:498–507
- Mrva M (2011) *Mayorella vespertoides* Page, 1983 (Amoebozoa)—a new host for the ectoparasitic fungus *Amoeophilus simplex* (Zygomycota). *Biologia* 66:645–647
- Myšková E, Ditrich O, Sak B, Kváč M, Cymbalak T (2014) Detection of ancient DNA of *Encephalitozoon intestinalis* (Microsporidia) in archaeological material. *J Parasitol* 100:356–359
- Nagahama T, Sato H, Shimazu M, Sugiyama J (1995) Phylogenetic divergence of the entomophthoralean fungi: evidence from nuclear 18S ribosomal RNA gene sequences. *Mycologia* 87:203–209
- Ndikumana S, Pelin A, Williot A, Sanders JL, Kent M, Corradi N (2017) Genome analysis of *Pseudoloma neurophilia*: a microsporidian parasite of Zebrafish (*Danio rerio*). *J Eukaryot Microbiol* 64:18–30
- Nelder MP, McCreadie JW, Beard CE (2009) Predicting occurrence of the fungal symbiont *Harpella* colonizing black fly larvae in coastal streams of Alabama and Mississippi, USA. *J Invertebr Pathol* 102:1–5
- Němejc K, Sak B, Květoňová D, Hanžal V, Janiszewski P, Forejtek P, Rajský D, Kotková M, Ravaszová P, McEvoy J, Kváč M (2013) Prevalence and diversity of *Encephalitozoon* spp. and *Enterocytozoon bieneusi* in wild boars (*Sus scrofa*) in Central Europe. *Parasitol Res* 113:761–767
- Neves ML, Silva MF, Souza-Motta CM, Spier MR et al (2011) *Lichtheimia blakesleeana* as a new potential producer of phytase and xylanase. *Molecules* 16:4807–4817
- Ni X, Backus EA, Maddox JV (1995) A new microsporidium, *Nosema empoascae* n. sp., from *Empoasca fabae* (Harris) (Homoptera: Auchenorrhyncha: Cicadellidae). *J Invertebr Pathol* 66:52–59
- Nie Y, Yu CZ, Liu XY, Huang B (2012) A new species of *Conidiobolus* (Acanthostaceae) from Anhui, China. *Mycotaxon* 120:427–435
- Nováková A, Vaughan MJ (2016) Dimargaris bacillispora—novel records from cave environment and its isolation in culture. *Czech Mycol* 68:167–182
- Nwe N, Furuike T, Tamura H (2009) The mechanical and biological properties of chitosan scaffolds for tissue regeneration templates are significantly enhanced by chitosan from gongronella butleri. *Materials* 2:374–398
- Nyilasi I, Papp T, Csernetics Á, Krizsán K et al (2008) High-affinity iron permease (FTR1) gene sequence-based molecular identification of clinically important Zygomycetes. *Clin Microbiol Infect* 14:393–397
- Nylund S, Andersen L, Sævareid I, Plarre H et al (2011) Diseases of farmed Atlantic salmon *Salmo salar* associated with infections by the microsporidian *Paranucleospora theridion*. *Dis Aquat Organ* 94(1):41–57
- Nylund S, Nylund A, Watanabe K, Arnesen CE et al (2010) *Paranucleospora theridion* n. gen., n. sp. (Microsporidia, Enterocytozoonidae) with a life cycle in the salmon louse (*Lepeophtheirus salmonis*, Copepoda) and Atlantic salmon (*Salmo salar*). *J Eukaryot Microbiol* 57(2):95–114
- Obidiegwu JE, Sanetomo R, Flath K, Tacke E et al (2015) Genomic architecture of potato resistance to *Synchytrium endobioticum* disentangled using SSR markers and the 8.3 k SolCAP SNP genotyping array. *BMC Genet* 16:38–54
- Oehl F, Alves a Silva G, Goto BT, Costa Maia L et al (2011a) Glomeromycota: two new classes and a new order. *Mycotaxon* 116:365–379
- Oehl F, Castillo C, Schneider D, Saele V et al (2012a) *Ambispora reticulata*, a new species in the Glomeromycota from mountainous areas in Switzerland and Chile. *J Appl Bot Food Qual* 85:129–133
- Oehl F, da Silva DKA, Maia LC, de Sousa NMF et al (2011b) *Orbispora* gen. nov., ancestral in the Scutellosporaceae (Glomeromycetes). *Mycotaxon* 116:161–169
- Oehl F, da Silva GA, Goto BT, Sieverding E (2011c) Glomeromycota: three new genera and glomoid species reorganized. *Mycotaxon* 116:75–120
- Oehl F, da Silva GA, Goto BT, Sieverding E (2011d) New recombinations in Glomeromycota. *Mycotaxon* 117:429–434
- Oehl F, da Silva GA, Sánchez-Castro I, Goto B et al (2011e) Revision of Glomeromycetes with entrophosphoroid and glomoid spore formation with three new genera. *Mycotaxon* 117:297–316
- Oehl F, de Souza FA, Sieverding E (2008) Revision of *Scutellospora* and description of five new genera and three new families in the arbuscular mycorrhiza-forming Glomeromycetes. *Mycotaxon* 106:311–360
- Oehl F, Jansa J, de Souza FA, da Silva GA (2011f) *Cetrasporea helvetica*, a new ornamented species in the Glomeromycetes from Swiss agricultural fields. *Mycotaxon* 114:71–84
- Oehl F, Palenzuela J, Sanchez-Castro I, Hountondji F et al (2012b) *Acaulospora minuta*, a new arbuscular mycorrhizal fungal species from sub-Saharan savannas of West Africa. *J Appl Bot Food Qual* 84:213–218
- Oehl F, Palenzuela J, Sánchez-Castro I, Kuss P et al (2012c) *Acaulospora nivalis*, a new fungus in the Glomeromycetes, characteristic for high alpine and nival altitudes of the Swiss Alps. *Nova Hedwig* 95:105–122
- Oehl F, Sánchez-Castro I, de Sousa NMF, Silva G et al (2015a) *Dominikia bernensis*, a new arbuscular mycorrhizal fungus from a Swiss no-till farming site, and *D. aurea*, *D. compressa* and *D. indica*, three new combinations in *Dominikia*. *Nova Hedwig* 101:65–76
- Oehl F, Sánchez-Castro I, Palenzuela J, da Silva GA (2015b) *Palaeospora spainii*, a new arbuscular mycorrhizal fungus from Swiss agricultural soils. *Nova Hedwig* 101:89–102
- Oehl F, Santos VM, Palenzuela J (2016) *Paraglomus turpe*, a new arbuscular mycorrhizal fungal species from Central European agricultural soils. *Nova Hedwig* 103:491–499
- Oehl F, Sieverding E, Palenzuela J, Ineichen K et al (2011g) Advances in Glomeromycota taxonomy and classification. *IMA Fungus* 2:191–199
- Oehl F, Tchabi A, Silva GA, Sánchez-Castro I et al (2014) *Acaulospora spinosissima*, a new arbuscular mycorrhizal fungus from the Southern Guinea Savanna in Benin. *Sydowia* 66:29–42
- Ogawa Y, Sugiyama M, Hirose D, Kusama-Eguchi K et al (2011) Polyphyly of intraspecific groups of *Umbelopsis ramaniana* and

- their genetic and morphological variation. *Mycoscience* 52:91–98
- Oi DH, Porter SD, Valles SM, Briano JA et al (2009) Pseudacteon decapitating flies (Diptera: Phoridae): Are they potential vectors of the fire ant pathogens *Kneallhazia* (= *Thelohania*) solenopsae (Microsporidia: Thelohaniidae) and *Vairimorpha invictae* (Microsporidia: Burenellidae)? *Biol Control* 48(3):310–315
- Oman SJ, White MM (2012) Extended studies of *Baltomyces styrax* in Idaho and expanded distribution of this isopod gut fungus in USA. *Mycologia* 104:313–320
- Ortiz-Santana B, Lindner DL, Miettinen O, Justo A, Hibbett DS (2013) A phylogenetic overview of the antrodia clade (Basidiomycota, Polyporales). *Mycologia* 105:1391–1411
- Ovcharenko M, Bacela K, Wilkinson T, Ironside JE et al (2010) *Cucumispora dikerogammari* n. gen. (Fungi: Microsporidia) infecting the invasive amphipod *Dikerogammarus villosus*: a potential emerging disease in European rivers. *Parasitology* 137(2):191–204
- Ovcharenko M, Świątek P, Ironside J, Skalski T (2013) *Orthosomella lipae* sp. n. (Microsporidia) a parasite of the weevil, *Liophloeus latus* Germar, 1824 (Coleoptera: Curculionidae). *J Invertebr Pathol* 112(1):33–40
- Ovcharenko M, Wita I (2001) Ultrastructural study of *Agglomerata connexa* sp. nov. (Microspora, Duboscqiidae), a new microsporidian parasite of *Daphnia longispina* (Cladocera, Daphniidae). *Acta Parasitol* 46(2):94–102
- Overstreet RM, Weidner E (1974) Differentiation of microsporidian spore-tails in *Inodosporus spraguei* gen. et sp. n. *Z Parasitenkd* 44(3):169–186
- Palenzuela J, Azcón-Aguilar C, Barea JM, da Silva GA et al (2014) *Acaulospora viridis*, a new species in the Glomeromycetes from two mountain ranges in Andalucía (Spain). *Nova Hedwig* 99:71–82
- Palenzuela J, Azcón-Aguilar C, Barea JM, da Silva GA et al (2015) *Acaulospora baetica*, a new arbuscular mycorrhizal fungal species from two mountain ranges in Andalucía (Spain). *Nova Hedwig* 101:463–474
- Palenzuela J, Azcón-Aguilar C, Barea JM, da Silva GA et al (2013a) *Acaulospora pustulata* and *Acaulospora tortuosa*, two new species in the Glomeromycota from Sierra Nevada National Park (Southern Spain). *Nova Hedwig* 97:305–319
- Palenzuela J, Azcón-Aguilar C, Barea JM, da Silva GA et al (2013b) *Septoglomus altomontanum*, a new arbuscular mycorrhizal fungus from mountainous and alpine areas in Andalucía (southern Spain). *IMA Fungus* 4:243–249
- Palenzuela J, Barea JM, Ferrol N, Oehl F (2011) *Ambispora granatensis*, a new arbuscular mycorrhizal fungus, associated with *Asparagus officinalis* in Andalucía (Spain). *Mycologia* 103:333–340
- Palenzuela J, Ferrol N, Boller T, Azcón-Aguilar C et al (2008) *Otospora bareai*, a new fungal species in the Glomeromycetes from a dolomitic shrub land in Sierra de Baza National Park (Granada, Spain). *Mycologia* 100:296–305
- Panek J, El Alaoui H, Mone A, Urbach S et al (2014) Hijacking of host cellular functions by an intracellular parasite, the microsporidian *Anncaliia algerae*. *PLoS ONE* 9(6):e100791
- Papanikolaou S, Diamantopoulou P, Chatzifragkou A, Philippoussis A et al (2010) Suitability of low-cost sugars as substrates for lipid production by the fungus *Thamnidium elegans*. *Energy Fuels* 24:4078–4086
- Paperna I, Lainson R (1995a) *Alloglugea bufonis* nov. gen., nov. sp. (Microsporea: Glugeidae), a microsporidian of *Bufo marinus* tadpoles and metamorphosing toads (Amphibia: Anura) from Amazonian Brazil. *Dis Aquat Organ* 23(1):7–16
- Paperna I, Lainson R (1995b) *Alloglugea bufonis* nov. gen., nov. sp. (Microsporea: Glugeidae), a microsporidian of *Bufo marinus* tadpoles and metamorphosing toads (Amphibia: Anura) from Amazonian Brazil. *Dis Aquat Organ* 23:7–16
- Paquette C, Slater SE, McMahon MD, Quddus MR (2016) *Cokeromyces recurvatus* in a cervical papanicolaou test: a case report of a rare fungus with a brief review of the literature. *Diagn Cytopathol* 44:419–421. <https://doi.org/10.1002/dc.23432>
- Paskerova GG, Frolova EV, Kováčiková M, Panfilkina TS et al (2016) *Metchnikovella dogieli* sp. n. (Microsporidia: Metchnikovellida), a parasite of archigregarines *Selenidium* sp from polychaetes *Pygospio elegans*. *Protistology* 10(4):148–157
- Pastor FJ, Ruiz-Cendoya M, Pujol I, Mayayo E et al (2010) In vitro and in vivo antifungal susceptibilities of the mucoralean fungus *Cunninghamella*. *Antimicrob Agents Chemother* 54:4550–4555. <https://doi.org/10.1128/AAC.00786-10>
- Pathan EK, Ghormade V, Deshpande MV (2017) Selection of reference genes for quantitative real-time RT-PCR assays in different morphological forms of dimorphic zygomycetous fungus *Benjaminiella poitrasii*. *PLoS ONE* 12:e0179454. <https://doi.org/10.1371/journal.pone.0179454>
- Pawlowska P, Aleksandrak-Piekarczyk T, Banach A, Kiersztyn B et al (2016) Preliminary studies on the evolution of carbon assimilation abilities within Mucorales. *Fungal Biol* 120:752–763. <https://doi.org/10.1016/j.funbio.2016.02.004>
- Pekkarinen M, Lom J, Nilsen F (2002) *Ovipleistophora* gen. n., a new genus for *Pleistophora mirandellae*-like microsporidia. *Dis Aquat Organ* 48(2):133–142
- Pell JK, Canning EU (1992) Ultrastructure of *Tricornia muhezae* ng. n. sp. (Microspora, Thelohaniidae), a parasite of *Mansonia africana* (Diptera: Culicidae) from Tanzania. *J Protozool Res* 39(1):242–247
- Pell JK, Canning EU (1993) Ultrastructure and life cycle of *Merocinta davidii* gen et sp. nov., a dimorphic microsporidian parasite of *Mansonia africana* (Diptera: Culicidae) from Tanzania. *J Invertebr Pathol* 61(3):267–274
- Penton CR, StLouis D, Cole JR, Luo Y et al (2013) Fungal diversity in permafrost and tallgrass prairie soils under experimental warming conditions. *Appl Environ Microbiol* 79:7063–7072. <https://doi.org/10.1128/AEM.01702-13>
- Percival NJ, Harvey MC (2011) *Harpella forcipella* (Scopoli) (Lep.: Oecophoridae) new to the UK. *Br J Entomol Nat Hist* 24:220
- Pereira CMR, Goto BT, da Silva DKA, Ferreira AC et al (2016a) *Acaulospora reducta* sp. nov. and *A. excavata*—two glomeromycotan fungi with pitted spores from Brazil. *Mycotaxon* 130:983–995
- Pereira CMR, Maia LC, Sánchez-castro I, Palenzuela J et al (2016b) *Acaulospora papillosa*, a new mycorrhizal fungus from NE Brazil, and *Acaulospora rugosa* from Norway. *Phytotaxa* 260:14–24
- Petkovits T, Nagy LG, Hoffmann K, Wagner L et al (2011) Data partitions, Bayesian analysis and phylogeny of the zygomycetous fungal family Mortierellaceae, inferred from nuclear ribosomal DNA sequences. *PLoS ONE* 6:e27507. <https://doi.org/10.1371/journal.pone.0027507>
- Phelps NB, Goodwin AE (2008) Vertical transmission of *Ovipleistophora ovariae* (Microspora) within the eggs of the golden shiner. *J Aquat Anim Health* 20(1):45–53
- Phelps NBD, Mor SK, Armien AG, Pelican KM et al (2015) Description of the microsporidian parasite, *Heterosporis sutherlandae* n. sp., infecting fish in the Great Lakes Region, USA. Pombert J-F, ed. *PLoS ONE* 10(8):e0132027
- Picard KT, Letcher PM, Powell MJ (2009) *Rhizidium phycophilum*, a new species in Chytridiales. *Mycologia* 101:696–706
- Pierce SD, Foos KM (2011) Phylogenetic species identification of Pilobolus associated with horses in India and Ohio. *Proc Indiana Acad Sci* 120(1–2):62–70

- Pilarska DK, Radek R, Huang WF, Takov DI, Linde A, Solter LF (2015) Review of the genus *Endoreticulatus* (Microsporidia, Encephalitozoonidae) with description of a new species isolated from the grasshopper *Poecilimon thoracicus* (Orthoptera: Tettigoniidae) and transfer of *Microsporidium ititi* Malone to the genus. *J Invertebr Pathol* 124:23–30
- Pinho DB, Pereira OL, Soares DJ (2014) First report of *Gilbertella persicaria* as the cause of soft rot of fruit of *Syzygium cumini*. *Australas Plant Dis Notes* 9:143–147
- Plowes RM, Becnel JJ, LeBrun EG, Oi DH, Valles SM, Jones NT, Gilbert LE (2015) *Myrmecomorpha nylanderiae* gen. et sp. nov., a microsporidian parasite of the tawny crazy ant *Nylanderia fulva*. *J Invertebr Pathol* 129:45–49
- Poddubnaya LG, Tokarev YS, Issi IV (2006) A new microsporidium *Paratuzetia kupermani* gen. et sp. n. (Microsporidia), a hyper-parasite of the procercoïd of the cestode *Khawia armeniaca* Chol. 1915 (Cestoda, Caryophyllidea). *Protistology* 4(3):269–277
- Poley JD, Sutherland BJ, Fast MD, Koop BF et al (2017) Effects of the vertically transmitted microsporidian *Facilispora margolisi* and the parasiticide emamectin benzoate on salmon lice (*Lepeophtheirus salmonis*). *BMC Genomics* 18(1):630
- Pombert JF, Haag KL, Beidas S, Ebert D et al (2015) The *Ordospora colligata* genome: evolution of extreme reduction in microsporidia and host-to-parasite horizontal gene transfer. *MBio* 6(1):e02400-14
- Pomport-Castillon C, De Jonckheere JF, Romestand B (2000) Ribosomal DNA sequences of *Glugea anomala*, *G. stephani*, *G. americanus* and *Spraguea lophii* (Microsporidia): phylogenetic reconstruction. *Dis Aquat Organ* 40:125–129
- Pomport-Castillon C, Romestand B, De Jonckheere JF (1997) Identification and phylogenetic relationship of microsporidia by riboprinting. *J Euk Microbiol* 44:540–544
- Porter TM, Martin W, James TY, Longcore JE et al (2011) Molecular phylogeny of the Blastocladiomycota (Fungi) based on nuclear ribosomal DNA. *Fungal Biol* 115:381–392
- Powell MJ, Letcher PM, Chambers JG, Roychoudhury S (2015) A new genus and family for the misclassified chytrid, *Rhizophlyctis harderi*. *Mycologia* 107:419–431
- Powell MJ, Letcher PM, Chen S-F (2018) Phylogeny and taxonomic revision of the soil chytrid, Gaertneriomycetes. And description of the new genus *Barromyces* (Spizellomycetaceae Chytridiomycota). *Nova Hedwig.* [https://doi.org/10.1127/nova\\_hedwigia/2018/0465](https://doi.org/10.1127/nova_hedwigia/2018/0465)
- Powell MJ, Letcher PM, Longcore JE (2011) *Operculomyces* is a new genus in the order Rhizophydiales. *Mycologia* 103(4):854–862
- Powell MJ, Letcher PM, Longcore JE (2013) *Pseudorhizidium* is a new genus with distinct zoospore ultrastructure in the order Chytridiales. *Mycologia* 105:496–507
- Prakash H, Ghosh AK, Rudramurthy SM, Paul RA et al (2016) The environmental source of emerging *Apophysomyces variabilis* infection in India. *Sabouraudia* 54:567–575
- Prakash H, Rudramurthy SM, Gandham PS, Ghosh AK et al (2017) *Apophysomyces variabilis*: draft genome sequence and comparison of predictive virulence determinants with other medically important Mucorales. *BMC Genomics* 18:736–749
- Pyle JD, Keeling PJ, Nibert ML (2017) Amalga-like virus infecting *Antonospora locustae*, a microsporidian pathogen of grasshoppers, plus related viruses associated with other arthropods. *Virus Res* 233:95–104
- Qi X, Liu B, Song Q, Zou B et al (2016) Assessing fungal population in soil planted with Cry1Ac and CPTI transgenic cotton and its conventional parental line using 18S and ITS rDNA sequences over four seasons. *Front Plant Sci* 7:1023. <https://doi.org/10.3389/fpls.2016.01023>
- Qin HE, Yan XU, Yun TE, Dong W (2008) Biodiesel production catalyzed by whole-cell lipase from *Rhizopus chinensis*. *Chin J Catal* 29:41–46
- Quandt CA, Beaudet D, Corsaro D, Walochnik J et al (2017) The genome of an intranuclear parasite, *Paramicrosporidium saccharoebiae*, reveals alternative adaptations to obligate intracellular parasitism. *Elife*. <https://doi.org/10.7554/elife.29594>
- Rabie ME, El Hakeem I, Al-Shraim M, Al Skinny MS et al (2011) Basidiobolomycosis of the colon masquerading as stenotic colon cancer. *Case Rep Surg*. <https://doi.org/10.1155/2011/685460>
- Racsà LD, Willis B, Lockhart SR, Kraft CS (2016) Bloodstream infection caused by *Mucor velutinosus*. *Infect Dis Clin Pract* 24:e3–e4
- Radek R, Wellmanns D, Wolf A (2011) Two new species of *Nephridiophaga* (Zygomycota) in the Malpighian tubules of cockroaches. *Parasitol Res* 109:473–482
- Radek R, Kariton M, Dabert J, Alberti G (2015) Ultrastructural characterization of *Acarispora falculifera* n. gen., n. sp., a new microsporidium (Opisthokonta: Chytridiopsida) from the feather mite *Falculifer rostratus* (Astigmata: Pterolichoidea). *Acta parasitologica* 60(2):200–210
- Radek R, Wurzbacher C, Gisder S, Nilsson RH et al (2017) Morphologic and molecular data help adopting the insect-pathogenic nephridiophagids (Nephridiophagidae) among the early diverging fungal lineages, close to the Chytridiomycota. *MycoKeys* 25:31–50
- Rajachan OA, Kanokmedhakul S, Kanokmedhakul K, Soytong K (2014) Bioactive depsidones from the fungus *Pilobolus heterosporus*. *Planta Medica* 80:1635–1640
- Ralphs JR, Matthews RA (1986) Hepatic microsporidiosis of juvenile grey mullet, *Chelon labrosus* (Risso), due to *Microgemma hepaticus* gen. nov., sp. nov. *J Fish Dis* 9:225–242
- Reda ES (2010) First record of microsporidium *Neonosemoides* sp. and some ciliates infecting *Chrysichthys auratus* (Bagridae) from the Damietta Branch of River Nile, Egypt. *J Am Sci* 6(12):1298–1305
- Redecker D, Schüller A, Stockinger H, Stürmer SL et al (2013) An evidence-based consensus for the classification of arbuscular mycorrhizal fungi (*Glomeromycota*). *Mycorrhiza* 23:515–531
- Refardt D, Canning EU, Mathis A, Cheney SA, Lafranchi-Tristem NJ, Ebert D (2002) Small subunit ribosomal DNA phylogeny of microsporidia that infect *Daphnia* (Crustacea: Cladocera). *Parasitology* 124:381–389
- Refardt D, Decaestecker E, Johnson PT, Vávra J (2008) Morphology, molecular phylogeny, and ecology of *Binucleata daphniae* ng, n. sp. (Fungi: Microsporidia), a parasite of *Daphnia magna* Straus, 1820 (Crustacea: Branchiopoda). *J Eukaryotic Microbiol* 55(5):393–408
- Refardt D, Ebert D (2006) Quantitative PCR to detect, discriminate and quantify intracellular parasites in their host: an example from three microsporidians in *Daphnia*. *Parasitology* 133:11–18
- Refardt D, Mouton L (2007) Reverse arrangement of rRNA subunits in the microsporidium *Glugoides intestinalis*. *J Eukaryot Microbiol* 54:83–85
- Richardson M (2009) The ecology of the Zygomycetes and its impact on environmental exposure. *Clin Microbiol Infect* 15:2–9
- Rocha LFN, Tai MHH, Santos AHD, Albernaz DADS et al (2009) Occurrence of invertebrate-pathogenic fungi in a Cerrado ecosystem in Central Brazil. *Biocontrol Sci Technol* 19:547–553
- Rode NO, Landes J, Lievens EJ, Flaven E et al (2013) Cytological, molecular and life cycle characterization of *Anostrotracospora rigaudi* ng, n. sp. and *Enterocytospora artemiae* ng, n. sp., two new microsporidian parasites infecting gut tissues of the brine shrimp *Artemia*. *Parasitology* 140(9):1168–1185

- Rodrigues RC, Fernandez-Lafuente R (2010) Lipase from *Rhizomucor miehei* as an industrial biocatalyst in chemical process. *J Mol Catal B* 64:1–22
- Rodríguez-Gutiérrez G, Carrillo-Casas EM, Arenas R, García-Méndez JO et al (2015) Mucormycosis in a non-Hodgkin lymphoma patient caused by *Syncephalastrum racemosum*: case report and review of literature. *Mycopathologia* 180:89. <https://doi.org/10.1007/s11046-015-9878-1>
- Roth O, Ebert D, Vizoso DB, Bieger A et al (2008) Male-biased sex-ratio distortion caused by *Octosporea bayeri*, a vertically and horizontally-transmitted parasite of *Daphnia magna*. *Int J Parasitol* 38(8–9):969–979
- Ruan Z, Zanotti M, Wang X, Ducey C et al (2012) Evaluation of lipid accumulation from lignocellulosic sugars by *Mortierella isabellina* for biodiesel production. *Bioresour Technol* 110:198–205
- Russ C, Lang BF, Chen Z, Gujja S et al (2016) Genome sequence of *Spizellomyces punctatus*. *Genome Announc* 4:e00849-16
- Ryan LJ, Ferrieri P, Powell RD Jr, Paddock CD et al (2011) Fatal *Cokeromyces recurvatus* pneumonia: report of a case highlighting the potential for histopathologic misdiagnosis as Coccidioides. *Int J Surg Pathol* 19:373–376
- Saad N, Abdeshahian P, Kalil MS, Wan Yusoff WM et al (2014) Optimization of aeration and agitation rate for lipid and gamma linolenic acid production by *Cunninghamella bainieri* 2A1 in submerged fermentation using response surface methodology. *Sci World J*. <https://doi.org/10.1155/2014/280146>
- Sagristà E, Bozzo MG, Bigas M, Poquet M, Durfort M (1998) Developmental cycle and ultrastructure of *Steinhausia mytilorum*, a microsporidian parasite of oocytes of the mussel, *Mytilus galloprovincialis* (Mollusca, Bivalvia). *Eur J Protistol* 34:58–68
- Sahadevan Y, Richter-Fecken M, Kaerger K, Voigt K et al (2013) Early and late trisporoids differentially regulate β-carotene production and gene transcript levels in the mucoralean fungi *Blakeslea trispora* and *Mucor mucedo*. *Appl Environ Microbiol* 79:7466–7475. <https://doi.org/10.1128/AEM.02096-13>
- Saikawa M (2011) Ultrastructural studies on zygomycotan fungi in the Zoopagaceae and Cochlonemataceae. *Mycoscience* 52:83–90
- Saikawa M (2012) Morphological studies on fungi in the Zoopagaceae and Cochlonemataceae. *Bull Tokyo Gakugei Univ Div Nat Sci* 64:55–76
- Sakai M, Baxa DV, Kurobe T, Kono T et al (2009) Detection of *Nucleospora salmonis* in cutthroat trout (*Oncorhynchus clarki*) and rainbow trout (*Oncorhynchus mykiss*) by loop-mediated isothermal amplification. *Aquaculture* 288(1–2):27–31
- Sakuradani E, Ando A, Ogawa J, Shimizu S (2009) Improved production of various polyunsaturated fatty acids through filamentous fungus *Mortierella alpina* breeding. *Appl Microbiol Biotechnol* 84:1–10
- Salas V, Pastor FJ, Calvo E, Sutton D et al (2012) Experimental murine model of disseminated infection by *Saksenaea vasiformis*: successful treatment with posaconazole. *Med Mycol* 50:710–715. <https://doi.org/10.3109/13693786.2012.673137>
- Saleh M, Kumar G, Abdel-Baki AA, Al-Quraishy S et al (2016a) In vitro antimicroparial activity of gold nanoparticles against *Heterosporis saurida*. *BMC Vet Res* 12:44
- Saleh M, Kumar G, Abdel-Baki AA, Dkhil MA et al (2016b) In Vitro gene silencing of the fish Microsporidian *Heterosporis saurida* by RNA interference. *Nucl Acid Ther* 26(4):250–256
- Sanders J, Myers MS, Tomanek L, Cali A et al (2012) *Ichthyospodium weissii* n. sp. (Microsporidia) Infecting the arrow goby (*Clevelandia ios*). *J Eukaryot Microbiol* 59(3):258–267
- Sanders JL, Kent ML (2011) Development of a sensitive assay for the detection of *Pseudoloma neurophilia* in laboratory populations of the zebrafish *Danio rerio*. *Dis Aquat Organ* 96:145–156
- Sanders JL, Lawrence C, Nichols DK, Brubaker JF et al (2010) *Pleistophora hyphessobryconis* (Microsporidia) infecting zebrafish (*Danio rerio*) in research facilities. *Dis Aquat Organ* 91(1):47–56
- Sanders JL, Watral V, Stidworthy MF, Kent ML (2016) Expansion of the known host range of the Microsporidium, *Pseudoloma neurophilia*. *Zebrafish* 13(Suppl 1):S102–S106
- Santiago AL, Benny GL, Maia LC (2011a) *Syncephalis aggregata*, a new species from the semiarid region of Brazil. *Mycologia* 103:135–138
- Santiago AL, Trufem SF, Malosso E, Santos PJ et al (2011b) Zygomycetes from herbivore dung in the ecological reserve of Dois Irmãos, Northeast Brazil. *Braz J Microbiol* 42:89–95
- Santín M, Fayer R (2011) Microsporidiosis: *Enterocytozoon bieneusi* in domesticated and wild animals. *Res Vet Sci* 90:363–371. <https://doi.org/10.1016/j.rvsc.2010.07.014>
- Santos FR, Garcia NF, da Paz MF, Fonseca GG et al (2016) Production and characterization of β-glucosidase from *Gongronella butleri* by solid-state fermentation. *Afr J Biotechnol* 15:633–641
- Sanz C, Rodríguez-Romero J, Idnurm A, Christie JM et al (2009) *Phycomyces* MADB interacts with MADA to form the primary photoreceptor complex for fungal phototropism. *Proc Natl Acad Sci* 106(17):7095–7100. <https://doi.org/10.1073/pnas.0900879106>
- Sanz C, Velayos A, Álvarez MI, Benito EP et al (2011) Functional analysis of the *Phycomyces carRA* gene encoding the enzymes phytoene synthase and lycopene cyclase. *PLoS ONE* 6:e23102
- Sapir A, Dillman AR, Connon SA, Grupe BM, Ingels J, Mundo-Ocampo M, Levin LA, Baldwin JG, Orphan VJ, Sternberg PW (2014) Microsporidia-Nematode associations in methane seeps reveal basal fungal parasitism in the deep sea. *Front Microbiol* 5(43):1–12
- Saroj A, Kumar A, Qamar N, Alam M (2012) First report of wet rot of *Withania somnifera* caused by *Choanephora cucurbitarum* in India. *Plant Dis* 96:293
- Satari B, Karimi K (2017) Mucoralean fungi for sustainable production of bioethanol and biologically active molecules. *Appl Microbiol Biotechnol* 102:1097–1117
- Sato H (2013) *Bojamycetes repens* (Harpellales) from exuviae of mayfly, a new record from Japan. *Mycoscience* 54:217–220
- Sato Y, Narisawa K, Tsuruta K, Umez M et al (2010) Detection of Betaproteobacteria inside the mycelium of the fungus *Mortierella elongata*. *Microbes Environ* 25(4):321–324
- Schachtschabel D, David A, Menzel KD, Schimek C et al (2008) Cooperative biosynthesis of trisporoids by the (+) and (−) mating types of the zygomycete *Blakeslea trispora*. *ChemBioChem* 9:3004–3012
- Schofield C, Stern A, Jevtic A (2013) Disseminated zygomycosis due to *Mycocladus corymbifera* with cutaneous and cerebral involvement. *Australas J Dermatol* 54:e8–e11. <https://doi.org/10.1111/j.1440-0960.2011.00752.x>
- Scholz B, Guillou L, Marano AV, Neuhauser S et al (2016) Zoosporic parasites infecting marine diatoms—a black box that needs to be opened. *Fungal Ecol* 19:59–76
- Scholz F, Fringuelli E, Bolton-Warberg M, Marcos-López M, Mitchell S, Prodhol P, Moffet D, Savage P, O'Sullivan SM, O'Connor I, McCarthy E, Rodger HD (2017) First record of *Tetramicra brevifilum* in lumpfish (*Cyclopterus lumpus* L.). *J Fish Dis* 40:757–771
- Schrödl W, Heydel T, Schwartze VU, Hoffmann K et al (2011) Direct analysis and identification of pathogenic *Lichtheimia* species by matrix assisted laser desorption ionization (MALDI) time-of-flight (TOF) analyzer-mediated mass spectrometry. *J Clin Microbiol* 50:419–427

- Schüßler A, Krüger M, Walker C (2011) Revealing natural relationships among arbuscular mycorrhizal fungi: culture line BEG47 represents *Diversispora epigaea*, not *Glomus versiforme*. PLoS ONE 6(8):e23333
- Schüßler A, Schwartott D, Walker C (2001) A new fungal phylum, the *Glomeromycota*: phylogeny and evolution. Mycol Res 105:1413–1421
- Schüßler A, Walker C (2010) The *Glomeromycota*: a species list with new families and new genera. The Royal Botanic Garden Kew, Botanische Staatssammlung Munich, and Oregon State University.
- Schwartz VU, Hoffmann K, Nyilasi I, Papp T et al (2012) *Lichtheimia* species exhibit differences in virulence potential. PLoS ONE 7(7):e40908. <https://doi.org/10.1371/journal.pone.0040908>
- Schwartz VU, Santiago A, Luiz A, Jacobsen ID et al (2014a) The pathogenic potential of the *Lichtheimia* genus revisited: *Lichtheimia brasiliensis* is a novel, non-pathogenic species. Mycoses 57(s3):128–131. <https://doi.org/10.1111/myc.12230.L>
- Schwartz VU, Winter S, Shelest E, Marcat-Houben M et al (2014b) Gene expansion shapes genome architecture in the human pathogen *Lichtheimia corymbifera*: an evolutionary genomics analysis in the ancient terrestrial Mucorales (Mucoromycotina). PLoS Genet 10(8):e1004496
- Schweikert M, Schnepp E (1996) *Pseudaphelidium drebesii*, gen. et sp. nov. (incerta sedis), a parasite of the marine centric diatom *Thalassiosira punctigera*. Arch Protistenkd 147:11–17
- Seifert KA, Morgan-Jones G, Gams W, Kendrick B (2011) The genera of Hyphomycetes. CBS Biodiversity Series 9, CBSKNAW Fungal Biodiversity Centre, Utrecht.
- Senderskiy IV, Timofeev SA, Seliverstova EV, Pavlova OA et al (2014) Secretion of *Antonospora* (Paranosema) locustae proteins into infected cells suggests an active role of Microsporidia in the control of host programs and metabolic processes. PLoS ONE 9(4):e93585
- Seto K, Degawa Y (2018) *Pendulichytrium sphaericum* gen. et sp. nov. (Chytridiales, Chytriomycetaceae), a new chytrid parasitic on the diatom, *Aulacoseira granulata*. Mycoscience 59:59–66
- Seto K, Degawa Y (2015) *Cyclopsomyces plurioperculatus*: a new genus and species of Lobulomycetales (Chytridiomycota, Chytridiomycetes) from Japan. Mycologia 107(3):633–640
- Seto K, Kagami M, Degawa Y (2017) Phylogenetic position of parasitic chytrids on diatoms: characterization of a novel clade in Chytridiomycota. J Eukaryot Microbiol 64(3):383–393
- Seye F, Faye O, Ndiaye M, Njie E et al (2009) Pathogenicity of the fungus, *Aspergillus clavatus*, isolated from the locust, *Oedaleus senegalensis*, against larvae of the mosquitoes *Aedes aegypti*, *Anopheles gambiae* and *Culex quinquefasciatus*. J Insect Sci 9(53):1–7. <https://doi.org/10.1673/031.009.5301>
- Shakya VP, Idnurm A (2017) The inhibition of mating in *Phycomyces blakesleeanus* by light is dependent on the MadA-MdB complex that acts in a sex-specific manner. Fungal Genet Biol 101:20–30
- Shakya VPS, Idnurm A (2014) Sex determination directs uniparental mitochondrial inheritance in *Phycomyces*. Eukaryot Cell 13:186–189. <https://doi.org/10.1128/EC.00203-13>
- Shankar S, More SV, Laxman RS (2010) Recovery of silver from waste X-ray film by alkaline protease from *Conidiobolus coronatus*. Kathmandu Uni J Sci Eng Technol 6:60–69
- Sharma N, Schwartzman JD, Gutmann EJ, Marotti JD et al (2018) *Cokeromyces recurvatus* in a papanicolaou test: an exceedingly rare finding that can be mistaken for *Paracoccidioides brasiliensis*. CytoJournal 12(15):5. [https://doi.org/10.4103/cytojournal.cytojournal\\_35\\_17](https://doi.org/10.4103/cytojournal.cytojournal_35_17)
- Sharma P, Cohen JK, Lockhart SR, Hurst SF et al (2011) Ruptured mycotic aortic aneurysm in a sooty mangabey (*Cercocebus atys*). Comp Med 61:532–537
- Shelburne SA, Ajami NJ, Chibucus MC, Beird HC et al (2015) Implementation of a pan-genomic approach to investigate holobiont-infecting microbe interaction: a case report of a leukemic patient with invasive mucormycosis. PloS ONE 10(11):e0139851. <https://doi.org/10.1371/journal.pone.0139851>
- Shi WP, Wang YY, Lv F, Guo C et al (2009) Persistence of *Paranosema* (Nosema) locustae (Microsporidia: Nosematidae) among grasshopper (Orthoptera: Acrididae) populations in the Inner Mongolia Rangeland, China. Biol Control 54(1):77–84
- Siddiqui M, Ahmad MS, Yousuf S, Fatima N et al (2017) Biotransformation of a potent anabolic steroid, mibolerone, with *Cunninghamella blakesleeanas*, *C. echinulata*, and *Macrophomina phaseolina*, and biological activity evaluation of its metabolites. PLoS ONE 12(2):e0171476. <https://doi.org/10.1371/journal.pone.0171476>
- Siddiqui Y, Meon S, Ismail MR, Ali A (2008) Trichoderma-fortified compost extracts for the control of choanephora wet rot in okra production. Crop Protect 27:385–390
- Siddiqui Y, Meon S, Ismail R, Rahmani M (2009) Bio-potential of compost tea from agro-waste to suppress *Choanephora cucurbitarum* L. the causal pathogen of wet rot of okra. Biol Control 49:38–44
- Silva NRA, Luna MAC, Santiago ALCMA, Franco LO et al (2014) Biosurfactant-and-bioemulsifier produced by a promising *Cunninghamella echinulata* isolated from caatinga soil in the Northeast of Brazil. Int J Mol Sci 15:15377–15395. <https://doi.org/10.3390/ijms150915377>
- Silveira H, Canning EU (1995) *Vittaforma corneae* n. comb. for the human microsporidium *Nosema corneum* Shadduck, Meccoli, Davis & Font, 1990; based on its ultrastructure in the liver of exptly infected athymic mice. J Eukaryot Microbiol 42:158–165
- Simakova AV (2014) Comparison of taxonomic importance of morphological and molecular-genetic characters in systematics of Microsporidia (Microsporidia) of blood-sucking mosquitoes (Diptera: Culicidae). Parazitologija 48(4):284–301
- Simakova AV, Lukiantsev VV, Vossbrink SR, Andreadis TG (2011) Identification of mosquito-parasitic microsporidia, *Amblyospora rugosa* and *Trichoctosporea pygopellita* (Microsporidia: Amblysporidae), from *Acanthocyclops venustus* and *Acanthocyclops reductus* (Copepoda: Cyclopidae), based on small subunit rDNA analysis. Parazitologija 45(2):140–146
- Simakova AV, Pankova TF, Issi IV (2003) *Crepidula beklemishevi* gen. et sp. n. and *Dimeiospora palustris* gen. et sp. n. (Microspora: Amblysporidae) new microsporidian genera and species from blood-sucking mosquitoes (Diptera: Culicidae) from the south of the western Siberia. Parazitologija 37(2):145–153
- Simakova AV, Pankova TF, Issi IV (2004) *Crepidulospora* nomen novum for the junior generic homonym (preoccupied generic name) *Crepidula*. Parazitologija 38(5):477–478
- Simakova AV, Pankova TF, Tokarev YS, Issi IV (2005) *Senoma* gen. n., a new genus of microsporidia, with the type species *Senoma globulifera* comb. n. (syn. *Issia globulifera* Issi et Pankova 1983) from the malaria mosquito *Anopheles messeae* Fall. Protistology 4(2):135–144
- Simakova AV, Tokarev YS, Issi IV (2009a) *Pankovaia semitubulata* gen. et sp. n. (Microsporidia: Tuzetiidae) from nymphs of mayflies *Cloeon dipterum* L. (Insecta: Ephemeroptera) in Western Siberia. Eur J Protistol 45(1):13–20
- Simakova AV, Tokarev YuS, Issi IV (2009b) *Tuzetia dualis* sp. n. (Microsporidia, Tuzetiidae) from the mayfly *Cloeon dipterum* L. (Insecta, Ephemeroptera) in Western Siberia. Protistology 6(2):92–97

- Simakova AV, Tokarev YS, Issi IV (2018a) A new microsporidium *Fibrillaspora daphniae* gn sp. n. infecting *Daphnia magna* (Crustacea: Cladocera) in Siberia and its taxonomic placing within a new family Fibrillasporidae and new superfamily Tubulinosematoidea (Opisthosporidia: Microsporidia). Parasitol Res 117(3):759–766
- Simakova AV, Tokarev YS, Issi IV (2018b) Correction to: a new microsporidium *Fibrillaspora daphniae* g. n. sp. n. infecting *Daphnia magna* (Crustacea: Cladocera) in Siberia and its taxonomic placing within a new family Fibrillasporidae and new superfamily Tubulinosematoidea (Opisthosporidia: Microsporidia). Parasitol Res 117(4):1301
- Simakova AV, Vossbrinck CR, Andreadis TG (2008) Molecular and ultrastructural characterization of *Andreanna caspii* n. gen., n. sp. (Microsporida: Amblyosporidae), a parasite of *Ochlerotatus caspius* (Diptera: Culicidae). J Invertebr Pathol 99(3):302–311
- Simelane DO, Steinkraus DC, Kring TJ (2008) Predation rate and development of *Coccinella septempunctata* L. influenced by *Neozygites fresenii*-infected cotton aphid prey. Biol Control 44:128–135
- Simmons DR (2011) Phylogeny of Powellomycetaceae fam. nov. and description of *Geranomyces variabilis* gen. et comb. nov. Mycologia 103:1411–1420
- Simmons DR, James TY, Meyer AF, Longcore JE (2009) Lobulomycetales, a new order in the Chytridiomycota. Mycol Res 113:450–460
- Simmons DR, Letcher PM, Powell MJ, Longcore JE (2012) *Alogomyces tanneri* gen. et sp. nov., a chytrid in Lobulomycetales from horse manure. Mycologia 104:157–163
- Simmons DR, Longcore JE (2012) *Thoreauomyces* gen. nov., *Fimicolochytrium* gen. nov. and additional species in *Geranomyces*. Mycologia 104:1229–1243
- Singh I, Kushwaha RKS (2017) Biology and significance of *Saksenaea vasiformis*. In: Satyanarayana T, Deshmukh S, Johri B (eds) Developments in fungal biol and applied mycology. Springer, Singapore. [https://doi.org/10.1007/978-981-10-4768-8\\_2](https://doi.org/10.1007/978-981-10-4768-8_2)
- Siri A, López Lastra CC (2010) Diversity of trichomycetes in larval flies from aquatic habitats in Argentina. Mycologia 102:347–362
- Slothouber Galbreath JGM, Smith JE, Terry RS et al (2004) Invasion success of *Fibrillanosema crangonycis*, n. sp., ng: a novel vertically transmitted microsporidian parasite from the invasive amphipod host *Crangonyx pseudogracilis*. Int J Parasitol 34(2):235–244
- Smith DS, Rocheleau H, Chapados JT, Abbott C et al (2014) Phylogeny of the genus *Synchytrium* and the development of TaqMan PCR assay for sensitive detection of *Synchytrium endobioticum* in soil. Phytopathology 104:422–432
- Smith ME, Gryganskyi A, Bonito G, Nouhra E et al (2013) Phylogenetic analysis of the genus *Modicella* reveals an independent evolutionary origin of sporocarp-forming fungi in the Mortierellales. Fungal Genet Biol 61:61–68
- Sokolova YY, Fuxa JR (2008) Biology and life-cycle of the microsporidium *Kneallhazia solenopsae* Knell Allan Hazard 1977 gen. n., comb. n., from the fire ant *Solenopsis invicta*. Parasitology 135(8):903–929
- Sokolova YY, Kryukova NA, Glupov VV, Fuxa JR (2006) *Systemostrema alba* Larsson 1988 (Microsporidia, Thelohaniidae) in the Dragonfly *Aeshna viridis* (Odonata, Aeshnidae) from South Siberia: morphology and molecular characterization. J Eukaryot Microbiol 53:49–57
- Sokolova Y, Pelin A, Hawke J, Corradi N (2015) Morphology and phylogeny of *Agmasoma penaei* (Microsporidia) from the type host, *Litopenaeus setiferus*, and the type locality, Louisiana, USA. Int J Parasitol 45(1):1–6
- Sokolova YK, Issi IV, Voronin VN (2018) Annotated list of species of the Microsporidia described in the Former Soviet Union and Russia in 20th century (1967–2000). Protistology 12(1):12–37
- Sokolova YY, Lange CE, Fuxa JR (2008) Phylogenetic relationships of *Heterovesicula cowani*, a microsporidian pathogen of Mormon crickets, *Anabrus simplex* (Orthoptera: Tettigoniidae), based on SSU rDNA-sequence analyses. J Invertebr Pathol 99(1):112–116
- Sokolova YY, Lange CE, Mariottini Y, Fuxa JR (2009) Morphology and taxonomy of the microsporidium *Liebermannia covasacrae* n. sp. from the grasshopper *Covasacris pallidinota* (Orthoptera, Acrididae). J Invertebr Pathol 101(1):34–42
- Sokolova YY, Paskerova GG, Rotari YM, Nassonova ES et al (2013) Fine structure of *Metchnikovella incurvata* Caulery and Mesnil 1914 (microsporidia), a hyperparasite of gregarines *Polyrhabinia* sp. from the polychaete *Pygospio elegans*. Parasitology 140(7):855–867
- Sokolova YY, Paskerova GG, Rotari YM, Nassonova ES et al (2014) Description of *Metchnikovella spiralis* sp. n. (Microsporidia: Metchnikovelliidae), with notes on the ultrastructure of metchnikovellids. Parasitology 141(8):1108–1122
- Sokolova YY, Senderskiy IV, Tokarev YS (2016) Microsporidia *Alfenia sibirica* sp. n. and *Agglomerata cladocera* (Pfeiffer) 1895, from Siberian microcrustaceans and phylogenetic relationships within the “Aquatic outgroup” lineage of fresh water microsporidia. J Invertebr Pathol 136:81–91
- Sokolova YY, Sokolov IM, Carlton CE (2010a) New microsporidia parasitizing bark lice (Insecta: Pscoptera). J Invertebr Pathol 104(3):186–194
- Sokolova YY, Sokolov IM, Carlton CE (2010b) New microsporidia parasitizing bark lice (Insecta: Pscoptera). J Invertebr Pathol 104:186–194
- Spatafora JW, Chang Y, Benny GL, Lazarus K et al (2016) A phylum-level phylogenetic classification of zygomycete fungi based on genome-scale data. Mycologia 108:1028–1046
- Sprague V (1977a) System of classification of the microspora. Proc Int Congr Protozool 5:266A
- Sprague V (1977b) The zoological distribution of the microsporidia. In: Bulla LA, Cheng TC (eds) Comparative pathobiology. Springer, Boston, MA
- Sprague V, Becnel JJ, Hazard EI (1992) Taxonomy of phylum microspora. Crit Rev Microbiol 18:285–395
- Sprague V, Ormieres R, Manier J-F (1972) Creation of a new genus and a new family in the microsporida. J Invertebr Pathol 20:228–231
- Sridhar M, Kumar D, Anandan S (2014) *Cyllamyces icaris* sp. nov., a new anaerobic gut fungus with nodular sporangiophores isolated from Indian water buffalo (*Bubalus bubalis*). Int J Curr Res Aca Rev 2:7–24
- Steiger RA, Simmons RD, Longcore JE (2012) *Cylindrochytridium johnstonii* is a member of the Cladochytriales. Mycotaxon 118:293–302
- Steinkraus DC, Hajek AE, Liebherr JK (2017) Zombie soldier beetles: epizootics in the goldenrod soldier beetle, *Chauliognathus pensylvanicus* (Coleoptera: Cantharidae) caused by *Eryniopsis lampyridarum* (Entomophthoromycotina: Entomophthoraceae). J Invertebr Pathol 148:51–59
- Stentiford GD, Bateman KS, Dubuffet A, Chambers E et al (2011) *Hepatospora eriocheir* (Wang and Chen, 2007) gen. et comb. nov. infecting invasive Chinese mitten crabs (*Eriocheir sinensis*) in Europe. J Invertebr Pathol 108(3):156–166
- Stentiford GD, Bateman KS, Feist SW, Oyarzún S et al (2014) *Areospora rohanae* n. gen. n. sp. (Microsporidia; Areosporiidae n. fam.) elicits multi-nucleate giant-cell formation in southern king crab (*Lithodes santolla*). J Invertebr Pathol 118:1–11

- Stentiford GD, Bateman KS, Small HJ, Moss J et al (2010) *Myospora metanephrops* (ng, n. sp.) from marine lobsters and a proposal for erection of a new order and family (Crustaceacida; Myosporidae) in the class marinospordia (Phylum Microsporidia). *Int J Parasitol* 40(12):1433–1446
- Stentiford GD, Feist SW, Stone DM, Bateman KS (2013) Microsporidia: diverse, dynamic, and emergent pathogens in aquatic systems. *Trends Parasitol* 29(11):567–578
- Stentiford GD, Ramilo A, Abollo E, Kerr R (2017) *Hyperspora aquatica* n. gen., n. sp. (Microsporidia), hyperparasitic in *Marteilia cochillia* (Paramyxida), is closely related to crustacean-infecting microspordian taxa. *Parasitology* 144(2):186–199
- Stentiford GD, Ross S, Minardi D, Feist SW et al (2018) Evidence for trophic transfer of *Inodosporus octospora* and *Ovipleistophora arlo* n. sp. (Microsporidia) between crustacean and fish hosts. *Parasitology* 145:1105–1117. <https://doi.org/10.1017/S0031182017002256>
- Stentiford GD, Ross SH, Kerr R, Bass D (2015) *Paradoxiuum irvingi* n. gen. n. sp. (Microsporidia) infecting the musculature of European pink shrimp *Pandalus montagui*. *J Invertebr Pathol* 130:1–8
- Strittmatter M, Guerra T, Silva J, Gachon CM (2016) A new flagellated dispersion stage in *Paraphysoderma sedebockerense*, a pathogen of *Haematococcus pluvialis*. *J App Phycol* 28:1553–1558
- Strongman DB (2010) Trichomycetes from Newfoundland, including Gros Morne National Park. *Botany* 88:1011–1022
- Strongman DB, Wang J (2015) New trichomycete species from China and additional information on Gauthieromyces. *Mycologia* 107:874–888
- Strongman DB, Wang J, Xu S (2010) New trichomycetes from western China. *Mycologia* 102:174–184
- Strongman DB, White MM (2008) Trichomycetes from lentic and lotic aquatic habitats in Ontario, Canada. *Botany* 86:1449–1466
- Strongman DB, White MM (2011) *Trifoliellum bioblitzii*, a new genus of trichomycete from mayfly nymphs in Nova Scotia, Canada. *Mycologia* 103(1):219–225
- Strullu-Derrien C, Kenrick P, Pressel S, Duckett JG et al (2014) Fungal associations in *Horneophyton ligneri* from the Rhynie Chert (c. 407 million year old) closely resemble those in extant lower land plants: novel insights into ancestral plant-fungus symbioses. *New Phytol* 203:964–979
- Su Y, Feng J, Sun X, Jiang J, Guo Z, Ye L, Xu L (2014) A new species of *Glugea* Thélohan, 1891 in the red sea bream *Pagrus major* (Temminck & Schlegel) (Teleostei: Sparidae) from China. *Syst Parasitol* 89:175–183
- Subramanian C, Sobel JD (2011) A case of *Conidiobolus coronatus* in the vagina. *Med Mycol* 49:427–429
- Sun J, Li H, Yuan Q (2012) Metabolic regulation of trisporic acid on *Blakeslea trispora* revealed by a GC-MS-based metabolomic approach. *PLoS ONE* 7:e46110. <https://doi.org/10.1371/journal.pone.0046110>
- Sun Q, Chen F, Geng F, Luo Y et al (2018) A novel aspartic protease from *Rhizomucor miehei* expressed in *Pichia pastoris* and its application on meat tenderization and preparation of turtle peptides. *Food Chem* 245:570–577
- Suyama Y, Degawa Y (2013) *Sigmoideomycetaceae*, a family new to Japan, recorded from Japanese Alps and Ryukyu Islands. In: Anon. Abstracts of the 2013 annual meeting of the Japanese Alps inter-university cooperative project Sugadaira, Japan, p 79 (ES-A15\_2013.pdf). [http://jalps.suiri.tsukuba.ac.jp/files/6813/9478/3916/2013\\_meeting\\_Jalps\\_program\\_v2.2.pdf](http://jalps.suiri.tsukuba.ac.jp/files/6813/9478/3916/2013_meeting_Jalps_program_v2.2.pdf).
- Sveen S, Øverland H, Karlsbakk E, Nylund A (2012) *Paranucleospora theridion* (Microsporidia) infection dynamics in farmed Atlantic salmon *Salmo salar* put to sea in spring and autumn. *Dis Aquat Organ* 101(1):43–49
- Symczak S, Al-Yahya'e MN, Kozłowska A, Ryszka P et al (2018) A new genus, *Desertispora*, and a new species, *Diversispora sabulosa*, in the family Diversisporaceae (order Diversisporales, subphylum Glomeromycotina). *Micol Prog* 17:437–449
- Symczak S, Błaszkowski J, Chwat G, Boller T et al (2014) Three new species of arbuscular mycorrhizal fungi discovered at one location in a desert of Oman: *Diversispora omaniana*, *Septoglomus nakheelum* and *Rhizophagus arabicus*. *Mycologia* 106:243–259
- Tabaković-Tošić M, Georgiev G, Mirchev P, Tošić D et al (2012) *Entomophaga maimaiga*—new entomopathogenic fungus in the Republic of Serbia. *Afr J Biotechnol* 11:8571–8577
- Taha M, Adetutu EM, Shahsavar E, Smith AT et al (2014) Azo and anthraquinone dye mixture decolourization at elevated temperature and concentration by a newly isolated thermophilic fungus, *Thermomucor indicae-seudatiae*. *J Env Chem Eng* 2:415–423. <https://doi.org/10.1016/j.jece.2014.01.015>
- Taj-Aldeen SJ, Almaslamani M, Theelen B, Boekhout T (2017) Phylogenetic analysis reveals two genotypes of the emerging fungus *Mucor indicus*, an opportunistic human pathogen in immunocompromised patients. *Emerg Microbes Infect* 6:e63
- Tajdini F, Amini MA, Nafissi-Varcheh N, Faramarzi MA (2010) Production, physiochemical and antimicrobial properties of fungal chitosan from *Rhizomucor miehei* and *Mucor racemosus*. *Int J Biol Macromol* 47:180–183
- Takeda I, Tamano K, Yamane N, Ishii T et al (2014) Genome sequence of the Mucoromycotina fungus *Umbelopsis isabellina*, an effective producer of lipids. *Genome Announc* 2:e00071-14
- Takó M, Kotogán A, Németh B, Radulov I et al (2012) Extracellular lipase production of zygomycetes fungi isolated from soil. *Rev Agri Rural Dev* 1(1):61–65
- Takov D, Pilarska D (2009) Single and mixed infections in *Ips typographus* (Coleoptera: Scolytinae) caused by the entomopathogens *Entomopoxvirus typographi* (Virales), *Gregarina typographi* (Sporozoa) and *Chytridiopsis typographi* (Microsporidia). *Acta Zool Bulg* 61(1):45–48
- Tang X, Zan X, Zhao L, Chen H et al (2016) Proteomics analysis of high lipid-producing strain *Mucor circinelloides* WJ11: an explanation for the mechanism of lipid accumulation at the proteomic level. *Microbial Cell Fact* 15:35–51. <https://doi.org/10.1186/s12934-016-0428-4>
- Tawil G, Viksø-Nielsen A, Rolland-Sabaté A, Colonna P et al (2010) In depth study of a new highly efficient raw starch hydrolyzing α-amylase from *Rhizomucor* sp. *Biomacromolecules* 12:34–42
- Tedersoo L, Liiv I, Kivistik PA, Anslan S et al (2016) Genomics and metagenomics technologies to recover ribosomal DNA and single-copy genes from old fruit-body and ectomycorrhiza specimens. *MycoKeys* 13:1–20. <https://doi.org/10.3897/mycokeys.13.8140>
- Thellier M, Breton J (2008) *Enterocytozoon bieneusi* in human and animals, focus on laboratory identification and molecular epidemiology. *Parasite* 15:349–358
- Thélohan P (1891) Sur deux Sporozoaires nouveaux, parasites des muscles des Poissons. *C r hebd Séanc Acad Sci Paris* 112:168–171
- Tibpromma S, Hyde KD, Jeewon R, Maharanachikumbura SSN et al (2017) Fungal diversity notes 491–602: taxonomic and phylogenetic contributions to fungal taxa. *Fungal Divers* 83:1–261
- Tkaczuk C, Bałazy S, Krzyżkowski T, Wegensteiner R (2011) Extended studies on the diversity of arthropod-pathogenic fungi in Austria and Poland. *Acta Mycol* 46:211–222
- Tokarev YS, Simakova AV, Timofeev SA, Malysh JM, Sokolova OI, Issi IV (2016) Host specificity in microsporidia. *Parasitologiya* 50(6):446–459
- Tokarev YS, Voronin VN, Seliverstova EV, Dolgikh VV, Pavlova OA, Ignatjeva AN, Issi IV (2010a) Ultrastructure and molecular

- phylogeny of *Anisofilaria chironomi* sp.n. g.n. (Microsporidia: Terresporidia), a microsporidian parasite of *Chironomus plumosus* L. (Diptera: Chironomidae). Parasitol Res 106:39–46
- Tokarev YS, Voronin VN, Seliverstova EV, Grushetskaya TA et al (2012) Ultrastructure and molecular phylogenetics of *Helmichia lacustris*, a microsporidium with an uncoiled isofilar polar filament. Parasitol Res 110(3):1201–1208
- Tokarev YS, Voronin VN, Seliverstova EV, Pavlova OA, Issi IV (2010b) Life cycle, ultrastructure and molecular phylogeny of *Crispospora chironomi* g.n. sp.n. (Microsporidia: Terresporidia), a microsporidian parasite of *Chironomus plumosus* L. (Diptera: Chironomidae). Parasitol Res 107:1381–1389
- Tokarev YS, Malysh JM, Kononchuk AG, Seliverstova EV et al (2015) Redefinition of *Nosema pyrausta* (*Perezia pyraustae* Paillot 1927) basing upon ultrastructural and molecular phylogenetic studies. Parasitol Res 114(2):759–761. <https://doi.org/10.1007/s00436-014-4272-3>
- Tonka T, Weiser J (2000) *Becnelia sigarae* gen. n., sp. n. isolated from testes of the water boatmen, *Sigara lateralis* (Heteroptera: Corixidae) in Czech Republic. Acta Protozool 39(3):241–252
- Tonka T, Weiser-Jr J, Weiser J (2010) Budding: a new stage in the development of *Chytridiopsis typographi* (Zygomycetes: Microsporidia). J Invertebr Pathol 104(1):17–22
- Torres-Cruz TJ, Billingsley Tobias TL, Almatrik M et al (2017) *Bifiguratus adelaide*, gen. et sp. nov., a new member of Mucoromycotina in endophytic and soil-dwelling habitats. Mycologia 109(3):363–378
- Tretter ED, Johnson EM, Benny GL, Lichtwardt RW et al (2014) An eight-gene molecular phylogeny of the Kickxellomycotina, including the first phylogenetic placement of Asellariales. Mycologia 106:912–935
- Tretter ED, Johnson EM, Wang Y, Kandel P et al (2013) Examining new phylogenetic markers to uncover the evolutionary history of early-diverging fungi: comparing MCM7, TSR1 and rRNA genes for single- and multi-gene analyses of the Kickxellomycotina. Persoonia 30:106–125. <https://doi.org/10.3767/003158513X666394>
- Truong C, Mujic AB, Healy R, Kuhar F et al (2017) How to know the fungi: combining field inventories and DNA-barcoding to document fungal diversity. New Phytol 214:913–919
- Tsukada R, Tsuchiyama A, Sasaki M, Park CH, Fujii Y, Takesue M, Hatai H, Kudo N, Ikadai H (2013) Encephalitozoon infections in Rodentia and Soricomorpha in Japan. Vet Parasitol 198:193–196
- Tully CC, Romanelli AM, Sutton DA, Wickes BL et al (2009) Fatal *Actinomucor elegans* var. *kuwaitiensis* infection following combat trauma. J Clin Microbiol 47:3394–3399
- Uehling J, Gryganskyi A, Hameed K, Tschaplinski T et al (2017) Comparative genomics of *Mortierella elongata* and its bacterial endosymbiont *Mycoavidus cysteinexigens*. Environ Microbiol 19:2964–2983
- Uloth MB, Clode PL, You MP, Barbetti MJ (2015) Calcium oxalate crystals: an integral component of the *Sclerotinia sclerotiorum/Brassica carinata* pathosystem. PLoS ONE 10:e0122362. <https://doi.org/10.1371/journal.pone.0122362>
- Urquhart AS, Coulon PM, Idnurm A (2017) *Pilaira australis* sp. nov. (Mucorales, Mucoromycota) isolated from emu faeces in Australia. Phytotaxa 329:277–283
- Vaingankar JD, Rodrigues BF (2011) *Acaulospora soloidea*, a new arbuscular mycorrhizal fungus from rhizosphere soils of *Murraya paniculata*. Mycotaxon 115:323–326
- Valencáková A, Bálent P, Novotný F, Cisláková L (2005) Application of specific primers in the diagnosis of *Encephalitozoon* spp. Ann Agric Environ Med 12:321–323
- Valencáková A, Bálent P, Ravaszova P, Horak A, Oborník M, Halanova M, Malcekova B, Novotny F, Goldova M (2012) Molecular identification and genotyping of Microsporidia in selected hosts. Parasitol Res 110:689–693
- Valle LG (2010) Description of zygospores in *Tectimyces robustus* and clarifications on homothallic species within Harpellales. Mycologia 102:384–391
- Valle LG (2013a) Consolidating the legacy of J.-F. Manier: new species and records of trichomycetes from France. Mycologia 105(6):1607–1617
- Valle LG (2013b) New and rare harpellales from Portugal and northwestern Iberian Peninsula: discovering the hidden mycoflora of Galicia-Tras-os-Montes region. Mycologia 105:748–759
- Valle LG, Rossi W, Santamaría S (2013) New species and new records of trichomycetes from Italy. Mycologia 105(3):712–727
- Valle LG, Rossi W, Santamaría S (2014) *Orphella intropus* (Kickxellomycotina), a new insect endosymbiont with an unusual perforating holdfast system and other trichomycetes from Italy. Mycologia 106:589–606
- Valle LG, White MM, Cafaro MJ (2008) Harpellales in the digestive tracts of *Ephemeroptera* and *Plecoptera* nymphs from Veracruz, Mexico. Mycologia 100:149–162
- Van den Wyngaert S, Seto K, Rojas-Jimenez K, Kagami M et al (2017) A new parasitic chytrid, *Staurastromyces oculus* (Rhizophydiales, Staurastromycetaceae fam. nov.), Infecting the freshwater desmid *Staurastrum* sp. Protist 168:392–407
- Van Rooij P, Martel A, D’Herde K, Brutyn M et al (2012) Germ tube mediated invasion of *Batrachochytrium dendrobatidis* in amphibian skin is host dependent. PLoS ONE 7:e41481. <https://doi.org/10.1371/journal.pone.0041481>
- Vávra J, Hyliš M, Fiala I, Nebesárová J (2016) *Globulispora mitoportans* n.g., n. sp., (Opisthosporidia: Microsporidia) a microsporidian parasite of daphnids with unusual spore organization and prominent mitosome-like vesicles. J Invertebr Pathol 135:43–52
- Vávra J, Hyliš M, Fiala I, Refardt D et al (2016) Microsporidia in a woodland pool I. *Lanatospora costata* sp. n. (Opisthosporidia, Microsporidia), parasite of *Megacyclops viridis* (Crustacea, Copopoda): fine structure and molecular phylogeny. Acta Protozool 55(4):269–280
- Vávra J, Hyliš M, Fiala I, Sacherová V et al (2017) Microsporidian genus *Berwaldia* (Opisthosporidia, Microsporidia), infecting daphnids (Crustacea, Branchiopoda): biology, structure, molecular phylogeny and description of two new species. Eur J Protistol 61:1–2
- Vávra J, Larsson JR, Baker MD (1997) Light and electron microscopic cytology of *Trichotuzetia guttata* gen. et sp. n. (Microspora, Tuzetiidae), a microsporidian parasite of *Cyclops vicinus* Uljanin 1875 (Crustacea, Copepoda). Arch Protistenkd 147(3–4):293–306
- Vávra J, Norlevine NG (1984) A new genus for *Glugea daphniae* (Protozoa: Microspore), a parasite of *Daphnia longispina* (Crustacea: Phyllopoda) 1. J Protozool Res 31(4):508–513
- Vedmed AI, Krylova SV, Issi IV (1991) The *Pulicispora xenopsyllae* new genus new species microsporidium from fleas of the genus *Xenopsylla*. Parazitologiya 25:13–19
- Vélez CG, Letcher PM, Schultz S, Mataloni MG et al (2013) Three new genera in chytridiales from aquatic habitats in Argentina and North America. Mycologia 105:1251–1265
- Vélez CG, Letcher PM, Schultz S, Powell MJ (2011) Molecular phylogenetic and zoospore ultrastructural analyses of *Chytridium olla* establish the limits of a monophyletic Chytridiales. Mycologia 103:118–130
- Verma V (2008) Fungus disease in fish, diagnosis and treatment. Vet World 1(2):62
- Videira M, Casal G, Rocha S, Gonçalves E et al (2015) *Potaspora aequidens* n. sp. (Microsporidia, Tetramicridae), a parasite

- infecting the freshwater fish *Aequidens plagiozonatus* (Teleostei, Cichlidae) from Brazil. *Parasitol Res* 114(7):2435–2442
- Vidtmann SS, Sokolova YY (1994) The description of the new genus *Larssonia* gen. n. based on the ultrastructural analysis of *Microsporidium* (Pleistophora) obtusa from *Daphnia pulex*. *Parazitologiya* 28:202–213
- Vijendravarma RK, Godfray HC, Kraaijeveld AR (2008) Infection of *Drosophila melanogaster* by *Tubulinosema kingi*: stage-specific susceptibility and within-host proliferation. *J Invertebr Pathol* 99(2):239–241
- Vilela R, Silva SMS, Riet-Correa F, Dominguez E et al (2010) Morphologic and phylogenetic characterization of *Conidiobolus lampragues* recovered from infected sheep. *J Clin Microbiol* 48:427–432. <https://doi.org/10.1128/JCM.01589-09>
- Vinckier D (1975) *Nosemooides* gen. n., *N. vivieri* (Vinckier, Devauchelle & Prensier, 1970) comb. nov. (Microsporidie); étude de la différenciation sporoblastique et genèse des différentes structures de la spore. *J Protozool Res* 22(2):170–184
- Vivares CP, Bouix G, Manier JF (1977) *Ornieresia carcinii* gen. n., sp. n., Microsporidie du Crabe Méditerranéen, *Carcinus mediterraneus* Czerniavsky 1884: cycle Évolutif et Étude Ultrastructurale. *J Protozool Res* 24(1):83–94
- Vivares CP, Méténier G (2000) Towards the minimal eukaryotic parasitic genome. *Curr Opin Microbiol* 3:463–467
- Vivares CP, Méténier G (2001) The microsporidian encephalitozoon. *Bioessays* 23:194–202
- Voglmayr H, Cléménçon H (2016) Identification and taxonomic position of two mucoralean endoparasites of *Hysterangium* (Basidiomycota) based on molecular and morphological data. *Mycol Progress* 15:9. <https://doi.org/10.1007/s11557-015-1150-z>
- Vojvodic S, McCreadie JW (2008) Do different species of *Smittium* (Harpellales, Legeriomycetaceae) influence each other in the host gut? *Mycol Res* 112(12):1409–1413
- Vojvodic S, McCreadie JW (2009) Morphological differences of symbiotic fungi *Smittium culisetae* (Harpellales: Legeriomycetaceae) in different Dipteran hosts. *Mycol Res* 113:967–972
- Voos JR, Olive LS (1968) A new chytrid with aerial sporangia. *Mycologia* 60:730–733
- Voronin VN (1976) Characteristics of the genus *Glugea* (Protozoa, Microsporidia) based on the example of the type species *Glugea anomala* (Moniez, 1887) Gurley 1893 and its varieties. *Parazitologiya* 10:263–267
- Voronin VN (1986a) Microsporidia of crustaceans. *Protozoology* 10:137–165
- Voronin VN (1986b) The microsporidia of crustaceans. *Protozoology* (Leningrad) 10:137–165
- Voronin VN (1993) The microsporidium *Toxospora volgae* gen. n., sp. n. from chironomid larvae of the genus *Corynoneura*. *Parazitologiya* 27:148–154
- Vossbrinck CR, Baker MD, Andreadis TG (2010) Phylogenetic position of *Octosporea muscaeformis* (Microsporidia) and its relationship to *Octosporea bayeri* based on small subunit rDNA analysis. *J Invertebr Pathol* 105(3):366–370
- Vossbrinck CR, Andreadis TG, Vavra J, Becnel JJ (2004) Molecular phylogeny and evolution of mosquito parasitic Microsporidia (Microsporidia: Amblyosporidae). *J Eukaryot Microbiol* 51(1):88–95
- Vossbrinck CR, Baker MD, Didier ES, Debrunner-Vossbrinck BA, Shadduck JA (1993) Ribosomal DNA sequences of *Encephalitozoon hellem* and *Encephalitozoon cuniculi*: species identification and phylogenetic construction. *J Eukaryot Microbiol* 40:354–362
- Vossbrinck CR, Debrunner-Vossbrinck BA (2005) Molecular phylogeny of the Microsporidia: ecological, ultrastructural and taxonomic considerations. *Folia Parasitol* 52:131–142
- Wagner L, Stielow B, Hoffmann K, Petkovits T et al (2013) A comprehensive molecular phylogeny of the Mortierellales (Mortierellomycotina) based on nuclear ribosomal DNA. *Persoonia* 30:77–93. <https://doi.org/10.3767/003158513X666268>
- Wakefield WS, Powell MJ, Letcher PM, Barr DJ et al (2010) A molecular phylogenetic evaluation of the Spizellomycetales. *Mycologia* 102:596–604
- Walker C (2008) *Ambispora* and *Ambisporaceae* resurrected. *Mycol Res* 112:297–298
- Walker C, Trappe JM, Schüßler A, Hawksworth DL et al (2017) 2491) Proposal to conserve the name *Rhizophagus* with a conserved type (Fungi: Glomeromycota: Glomeraceae. *Taxon* 66:199–200
- Walther G, Pawłowska J, Alastruey-Izquierdo A, Wrzosek M et al (2013) DNA barcoding in Mucorales: an inventory of biodiversity. *Persoonia* 30:11–47
- Wang CY, Solter LF, Huang WF, Tsai YC (2009) A new microsporidian species, *Vairimorpha ocinarae* n. sp., isolated from *Ocinara lida* Moore (Lepidoptera: Bombycidae) in Taiwan. *J Invertebr Pathol* 100(2):68–78
- Wang H, Chen H, Hao G, Yang B et al (2013a) Role of the phenylalanine-hydroxylating system in aromatic substance degradation and lipid metabolism in the oleaginous fungus *Mortierella alpina*. *Appl Environ Microbiol* 79:3225–3233. <https://doi.org/10.1128/AEM.00238-13>
- Wang H, Yang B, Hao G, Feng Y et al (2011a) Biochemical characterization of the tetrahydrobiopterin synthesis pathway in the oleaginous fungus *Mortierella alpina*. *Microbiology* 157:3059–3070. <https://doi.org/10.1099/mic.0.051847-0>
- Wang J, Xu SQ, Strongman DB (2010) Two new *Harpellales* inhabiting the digestive tracts of midge larvae and other trichomycetes from Tianshan Mountains, China. *Mycologia* 102:135–141
- Wang L, Chen W, Feng Y, Ren Y et al (2011b) Genome characterization of the oleaginous fungus *Mortierella alpina*. *PLoS ONE* 6:e28319. <https://doi.org/10.1371/journal.pone.0028319>
- Wang R, Sui P, Hou X, Cao T et al (2017a) Cloning and identification of a novel steroid 11 $\alpha$ -hydroxylase gene from *Absidia coerulea*. *J Steroid Biochem Mol Biol* 171:254–261
- Wang R, Zhang H, Sun L, Qi G (2017b) Microbial community composition is related to soil biological and chemical properties and bacterial wilt outbreak. *Sci Rep* 7:343. <https://doi.org/10.1038/s41598-017-00472-6>
- Wang S, Li P, Su J, Liang R et al (2014a) Enhanced glucosamine production with *Actinomucor elegans* based on stimulating factor of methanol. *Indian J Microbiol* 54:459–465
- Wang TC, Nai YS, Wang CY, Solter LF, Hsu HC, Wang CH, Lo CF (2013b) A new microsporidium, *Triwangia caridinae* gen. nov., sp. nov. parasitizing fresh water shrimp, *Caridina formosae* (decapoda: Atyidae) in Taiwan. *J Invertebr Pathol* 112:281–293
- Wang X, Liu X, Groenewald JZ (2017c) Phylogeny of anaerobic fungi (phylum *Neocallimastigomycota*), with contributions from yak in China. *Antonie Van Leeuwenhoek* 110:87–103. <https://doi.org/10.1007/s10482-016-0779-1>
- Wang Y, Li XC, Fu G, Zhao S et al (2017d) Morphology and phylogeny of *Ameson portunus* n. sp. (Microsporidia) infecting the swimming crab *Portunus trituberculatus* from China. *Eur J Protistol* 61:122–136
- Wang Y, Treter ED, Johnson EM, Kandel P et al (2014b) Using a five-gene phylogeny to test morphology-based hypotheses of *Smittium* and allies, endosymbiotic gut fungi (Harpellales) associated with arthropods. *Mol Phylogenet Evol* 79:23–41
- Wang Y, Treter ED, Lichtwardt RW, White MM (2013c) Overview of 75 years of *Smittium* research, establishing a new genus for

- Smittium culisetae*, and prospects for future revisions of the ‘*Smittium*’ clade. *Mycologia* 105(1):90–111
- Wang Y, White MM, Kvist S, Moncalvo J-M (2016a) Genome-wide survey of gut fungi (Harpellales) reveals the first horizontally transferred ubiquitin gene from a mosquito host. *Mol Biol Evol* 33:2544–2554. <https://doi.org/10.1093/molbev/msw126>
- Wang Y, White MM, Moncalvo J-M (2016b) Draft genome sequence of *Capniomyces stellatus*, the obligate gut fungal symbiont of stonefly. *Genome Announc* 4:e00761-16. <https://doi.org/10.1128/genomeA.00761-16>
- Wang Y, Yue Q, Ma X, Xi R et al (2014c) Biotransformation of resibufogenin by *Actinomucor elegans* and the cytotoxicity of the resulting metabolites. *Phytochem Lett* 9:132–136
- Wang YN, Liu XY, Zheng RY (2013d) Four new species records of *Umbelopsis* (Mucoromycotina) from China. *J Mycol*. <https://doi.org/10.1155/2013/970216>
- Wang YN, Liu XY, Zheng RY (2015) *Umbelopsis longicollis* comb. nov. and the synonymy of *U. roseonana* and *U. versiformis* with *U. nana*. *Mycologia* 107:1023–1032
- Wang Z, Xiao Y, Wang W, Wang Z (2017e) The optimization of the production conditions of gamma aminobutyric acid by *Absidia* fermentation. *Biomed Res* 28:9139–9143
- Watts MR, Chan RC, Cheong EY, Brammah S et al (2014) *Anncalia algerae* microsporidial myositis. *Emerg Infect Dis* 20(2):185–191
- Weidner E, Canning EU, Rutledge CR, Meek CL (1999) Mosquito (Diptera: Culicidae) host compatibility and vector competency for the human myositic parasite *Trachipleistophora hominis* (Phylum Microspora). *J Med Entomol* 36:522–525
- Weiser J (1977) Contribution to the classification of microsporidia. *Vest Cesk Spol Zool* 41:308–321
- Weiser J, Belton P, Zizka Z, Holusa J (2015) Ultrastructure of the microsporidium, *Duboscqia legeri*, the type species of the genus *Duboscqia* Perez, 1908. *Acta Protozool* 49(2):125–131
- Weiser J, David L (1997) A light and electron microscopic study of *Larsoniella resinella* n. gen., n. sp. (Microspora, Unikaryonidae), a parasite of *Petrova resinella* (Lepidoptera, Tortricidae) in Central Europe. *Arch Protistenkd* 147(3–4):405–410
- Weiser J, Purrini K (1980) Seven new microsporidian parasites of springtails (*Collembola*) in the Federal Republic of Germany Sieben neue Mikrosporidien-Arten der Springschwänze (*Collembola*) aus der Bundesrepublik Deutschland. *Z Parasitenkd* 62(1):75–84
- Weiser J, Wegensteiner R, Zizka Z (1995) *Canningia spinidentis* gen. et. sp. n. (Protista: Microspora), a new pathogen of the fir bark beetle *Pityokteines spinidens*. *Folia Parasitol* 42(1):1–10
- Weissenberg R (1976) Microsporidian interactions with the host cell. In: Bulla LA, Cheng TC (eds) Comparative pathobiology, vol 1. Plenum Press, New York, pp 203–237
- Weli SC, Dale OB, Hansen H, Gjessing MC et al (2017) A case study of *Desmozoon lepeophtherii* infection in farmed Atlantic salmon associated with gill disease, peritonitis, intestinal infection, stunted growth, and increased mortality. *Parasit Vectors* 10(1):370
- Werner S, Persöhn D, Rambold G (2016) New aspects of the biology of *Mortierella alliacea*. *Mycol Prog* 15:1293–1301
- Whipps CM, Kent ML (2006) Polymerase chain reaction detection of *Pseudoloma neurophilia*, a common microsporidian of zebrafish (*Danio rerio*) reared in research laboratories. *J Am Assoc Lab Anim Sci* 45:36–39
- White MM, Strongman DB (2012a) New species of *Spartiella* and *Legeriosimilis* from mayflies and other arthropod-associated trichomycetes from Nova Scotia, Canada. *Botany* 90(11):1195–1203
- White MM, Strongman DB (2012b) New species of *Smittium* and *Stachylina* and other trichomycetes in larval Diptera from streams in Nova Scotia, Canada. *Botany* 90:1204–1219
- Wijayawardene DNN, McKenzie EHC, Hyde KD (2012) Towards incorporating anamorphic fungi in a natural classification—checklist and notes for 2011. *Mycosphere* 3:157–228
- Wijayawardene NN, Crous PW, Kirk PM, Hawksworth DL et al (2014) Naming and outline of Dothideomycetes—2014 including proposals for the protection or suppression of generic names. *Fungal Divers* 69:1–55
- Wijayawardene NN, Hyde KD, Lumbsch HT, Liu JK et al (2018) Outline of ascomycota: 2017. *Fungal Divers* 88:167–263
- Wijayawardene NN, Hyde KD, Rajeshkumar KC, Hawksworth DL et al (2017a) Notes for genera: ascomycota. *Fungal Divers* 86:1–594
- Wijayawardene NN, Hyde KD, Tibpromma S, Wanasinghe DN et al (2017b) Towards incorporating asexual fungi in a natural classification: checklist and notes 2012–2016. *Mycosphere* 8:1457–1554
- Wijayawardene NN, Hyde KD, Wanasinghe DN, Papizadeh M et al (2016) Taxonomy and phylogeny of dematiaceous coelomycetes. *Fungal Divers* 77:1–316
- Wilkinson TJ, Rock J, Whiteley NM, Ovcharenko MO et al (2011) Genetic diversity of the feminising microsporidian parasite *Dictyocoela*: new insights into host-specificity, sex and phylogeography. *Int J Parasitol* 41(9):959–966
- William RT, Strongman DB (2013) Trichomycetes occurring in both lentic (lake) and lotic (stream) habitats within the Halifax Regional Municipality, Nova Scotia, Canada. *Botany* 91:382–402
- Williams BA, Lee RC, Becnel JJ, Weiss LM et al (2008) Genome sequence surveys of *Brachyla algerae* and *Edhazardia aedis* reveal microsporidia with low gene densities. *BMC Genomics* 9(1):200
- Williams RT, Strongman DB (2012) Two new genera of fungal trichomycetes, *Bactromyces* and *Laculus* (Harpellales), from Nova Scotia, Canada. *Botany* 90:101–111
- Willis A, Błaszkowski J, Prabhu T, Chwat G et al (2016) *Sacculospora felinovii*, a novel arbuscular mycorrhizal fungal species (Glomeromycota) from dunes on the west coast of India. *Mycol Prog* 15:791–798
- Wilson ER, Smalling KL, Reilly TJ, Gray E et al (2014) Assessing the potential effects of fungicides on nontarget gut fungi (Trichomycetes) and their associated larval black fly hosts. *J Am Water Resour Assoc* 50:420–433. <https://doi.org/10.1111/jawr.12166>
- Wilson JM (1979) The biology of *Encephalitozoon cuniculi*. *Med Biol* 57:84–101
- Winters AD, Faisal M (2014) Molecular and ultrastructural characterization of *Dictyocoela diporeiae* n. sp. (Microsporidia), a parasite of *Diporeia* spp. (Amphipoda, Gammaridea). *Parasite* 21:26
- Wolk DM, Schneider SK, Wengenack NL, Sloan LM, Rosenblatt JE (2002) Real-time PCR method for detection of *Encephalitozoon intestinalis* from stool specimens. *J Clin Microbiol* 40:3922–3928
- Wolkow N, Jakobiec FA, Stagner AM, Cunnane ME et al (2017) Chronic orbital and calvarial fungal infection with *Apophysomyces variabilis* in an immunocompetent patient. *Surv Ophthalmol* 62(1):70–82
- Woo PCY, Leung SY, Ngan AHY, Lau SK et al (2012) A significant number of reported *Absidia corymbifera* (*Lichtheimia corymbifera*) infections are caused by *Lichtheimia ramosa* (syn. *Lichtheimia hongkongensis*): an emerging cause of mucormycosis. *Emerg Microbes Infect* 8:e15. <https://doi.org/10.1038/emi.2012.11>

- Woodbury N, Gries G (2013) Firebrats, *Thermobia domestica*, aggregate in response to the microbes *Enterobacter cloacae* and *Mycotypha microspora*. *Entomol Exp Appl* 147:154–159
- Wu X, Liu Q, Deng Y, Chen X et al (2018) Production of fumaric acid by bioconversion of corncob hydrolytes using an improved *Rhizopus oryzae* strain. *Appl Biochem Biotechnol* 184:553–569
- Wüppenhorst N, Lee M-K, Rappold E et al (2010) Rhino-orbitocerebral zygomycosis caused by *Conidiobolus incongruus* in an immunocompromised patient in Germany. *J Clin Microbiol* 48:4322–4325. <https://doi.org/10.1128/JCM.01188-10>
- Xess I, Mohapatra S, Shivaprakash MR, Chakrabarti A et al (2012) Evidence implicating *Thamnostylum lucknowense* as an etiological agent of rhino-orbital mucormycosis. *J Clin Microbiol* 50:1491–1494. <https://doi.org/10.1128/JCM.06611-11>
- Xiang H, Zhang R, Butler RR, Liu T, Zhang L, Pombert JF, Zhou Z (2015) Comparative analysis of codon usage bias patterns in microsporidian genomes. *PLoS ONE* 10(6):e0129223
- Xu J, Baldwin D, Kindrachuk C, Hegedus DD (2009) Comparative EST analysis of a *Zoophthora radicans* isolate derived from *Pieris brassicae* and an isogenic strain adapted to *Plutella xylostella*. *Microbiology* 155:174–185
- Xu Q, Li S, Fu Y, Tai C et al (2010) Two-stage utilization of corn straw by *Rhizopus oryzae* for fumaric acid production. *Bioresour Technol* 101:6262–6264
- Xu X, Shen Z, Zhu F, Tao H, Tang X, Xu L (2012) Phylogenetic characterization of a microsporidium (*Endoreticulatus* sp. Zhenjiang) isolated from the silkworm, *Bombyx mori*. *Parasitol Res* 110:815–819
- Yamamoto K, Degawa Y, Hirose D, Fukuda M et al (2015) Morphology and phylogeny of four *Endogone* species and *Sphaerocreas pubescens* collected in Japan. *Mycol Prog* 14:86
- Yamamoto K, Degawa Y, Takashima Y, Fukuda M, Yamada A (2017a) *Endogone corticioides* sp. nov. from subalpine conifer forests in Japan and China, and its multi-locus phylogeny. *Mycoscience* 58:23–29
- Yamamoto K, Endo N, Degawa Y, Fukuda M et al (2017b) First detection of endogone ectomycorrhizas in natural oak forests. *Mycorrhiza* 27:295–301
- Yaman M, Radek R, Weiser J, Toguebaye BS (2010) *Unikaryon phylloretiae* sp. n. (Protista, Microspora), a new microsporidian pathogen of *Phylloreta undulata* (Coleoptera; Chrysomelidae). *Eur J Protistol* 46(1):10–16
- Yong N, Xiao-Xiao T, Xiao-Yong L, Bo H (2016) *Conidiobolus stilbeus*, a new species with mycelial strand and two types of primary conidiophores. *Mycosphere* 7:801–809
- Yu J, Walther G, Van Diepeningen AD et al (2015) DNA barcoding of clinically relevant *Cunninghamella* species. *Med Mycol* 53:99–106. <https://doi.org/10.1093/mmy/myu079>
- Yun HY, Kim YH, James TY (2011) First report of false rust caused by *Synchytrium minutum* on Kudzu in Korea. *Plant Dis* 95:358. <https://doi.org/10.1094/PDIS-09-10-0697>
- Zain ME, Moss ST, El-Sheikh HH (2012) Development of merosporangia in *Linderina pennispora* (Kickxellales, Kickxellaceae). *IMA Fungus* 3(2):103–108. <https://doi.org/10.5598/imafungus.2012.03.02.01>
- Zawadzka K, Bernat P, Felczak A, Lisowska K (2015) Carbazole hydroxylation by the filamentous fungi of the *Cunninghamella* species. *Environ Pollut Res Int* 22:19658–19666. <https://doi.org/10.1007/s11356-015-5146-7>
- Zhang H, Feng Y, Cui Q, Song X (2017) Expression of *Vitreoscilla hemoglobin* enhances production of arachidonic acid and lipids in *Mortierella alpina*. *BMC Biotechnol* 17(1):68
- Zhang H, Huang T, Chen S (2015) Ignored sediment fungal populations in water supply reservoirs are revealed by quantitative PCR and 454 pyrosequencing. *BMC Microbiol* 15:44. <https://doi.org/10.1186/s12866-015-0379-7>
- Zhang P, Zhou W, Wang P, Wang L et al (2013) Enhancement of chitosanase production by cell immobilization of *Gongronella* sp. JG. *Braz J Microbiol* 44(1):189–195. <https://doi.org/10.1590/S1517-83822013005000017>
- Zheng RY, Liu XY (2009) Taxa of *Pilaira* (Mucorales, Zygomycota) from China. *Nova Hedwig* 88(1–2):255–267
- Zheng RY, Liu XY (2014) *Ambomucor* gen. & spp. nov. from China. *Mycotaxon* 126(1):97–108
- Zheng RY, Liu XY, Li RY (2009) More *Rhizomucor* causing human mucormycosis from China: *R. chlamydosporus* sp. nov. *Sydotzia* 61(1):135–147
- Zheng RY, Liu XY, Wang YN (2017) *Circinella* (Mucorales, Mucoromycotina) from China. *Mycotaxon* 132(1):43–62
- Zhou X, Montalva C, Arismendi N, Hong F (2017) *Neozygites linanensis* sp. nov., a fungal pathogen infecting bamboo aphids in southeast China. *Mycotaxon* 13:305–315
- Zhou XX, Zhao DD, Liu JH, Lu F et al (2014) Physical, chemical and microbiological characteristics of fermented surimi with *Actinomucor elegans*. *LWT-Food Sci Technol* 59(1):335–341
- Žižić M, Živić M, Maksimović V, Stanić M et al (2014) Vanadate influence on metabolism of sugar phosphates in fungus *Phycomyces blakesleeanus*. *PLoS ONE* 9(7):e102849. <https://doi.org/10.1371/journal.pone.0102849>

## Affiliations

Nalin N. Wijayawardene<sup>1,2</sup> · Julia Pawłowska<sup>3</sup> · Peter M. Letcher<sup>4</sup> · Paul M. Kirk<sup>5</sup> · Richard A. Humber<sup>6</sup> · Arthur Schüßler<sup>7</sup> · Marta Wrzosek<sup>3</sup> · Anna Muszewska<sup>8</sup> · Alicja Okrasińska<sup>3</sup> · Łukasz Istel<sup>3</sup> · Aleksandra Gęsiorska<sup>3</sup> · Paul Mungai<sup>9</sup> · Adebola Azeez Lateef<sup>10</sup> · Kunhiraman C. Rajeshkumar<sup>11</sup> · Rajshree V. Singh<sup>11</sup> · Renate Radek<sup>12</sup> · Grit Walther<sup>13</sup> · Lysett Wagner<sup>13</sup> · Christopher Walker<sup>14,15</sup>  · D. Siril A. Wijesundara<sup>16</sup> · Moslem Papizadeh<sup>17</sup> · Somayeh Dolatabadi<sup>18</sup> · Belle D. Shenoy<sup>19</sup> · Yuri S. Tokarev<sup>20</sup> · Saisamorn Lumyong<sup>21</sup> · Kevin D. Hyde<sup>1,2</sup>

<sup>1</sup> Key Laboratory for Plant Diversity and Biogeography of East Asia, Kunming Institute of Botany, Chinese Academy of Science, Kunming 650201, Yunnan, People's Republic of China

<sup>2</sup> Center of Excellence in Fungal Research and School of Science, Mae Fah Luang University, Chiang Rai 57100, Thailand

- <sup>3</sup> Department of Molecular Phylogenetics and Evolution, Institute of Botany, Faculty of Biology, Biological and Chemical Research Center, University of Warsaw, ul. Zwirki i Wigury 101, 02-089 Warsaw, Poland
- <sup>4</sup> Department of Biological Sciences, The University of Alabama, Tuscaloosa, AL 35487, USA
- <sup>5</sup> Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3DS, UK
- <sup>6</sup> USDA-ARS Emerging Pests and Pathogens Research, Robert W. Holley Center for Agriculture and Health, Tower Road, Ithaca, NY 14853-2901, USA
- <sup>7</sup> Symbiosis and Plant-Microbe Association Research Laboratory, SYMPLANTA GmbH & Co. KG, 64287 Darmstadt, Germany
- <sup>8</sup> Institute of Biochemistry and Biophysics, Polish Academy of Sciences, Pawinskiego 5A, 02-106 Warsaw, Poland
- <sup>9</sup> Ecological Monitoring Unit, Biodiversity Research and Monitoring Division, Kenya Wildlife Service, P.O. Box 40241, Nairobi 00100, Kenya
- <sup>10</sup> Department of Plant Biology, Faculty of Life Sciences, University of Ilorin, Ilorin, Nigeria
- <sup>11</sup> National Fungal Culture Collection of India (NFCCI), Biodiversity and Palaeobiology (Fungi) Group, Agharkar Research Institute, Pune, Maharashtra 411 004, India
- <sup>12</sup> Evolutionary Biology, Institute for Biology/Zoology, Freie Universität Berlin, 14195 Berlin, Germany
- <sup>13</sup> National Reference Center for Invasive Mycoses (NRZMyk), Leibniz Institute for Natural Product Research and Infection Biology – Hans Knoell Institute, Jena, Germany
- <sup>14</sup> School of Agriculture and Environment, Faculty of Science, University of Western Australia, 35 Stirling Highway, Crawley, WA 6009, Australia
- <sup>15</sup> Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh EH3 5LR, UK
- <sup>16</sup> National Institute of Fundamental Studies, Hantane Road, Kandy, Sri Lanka
- <sup>17</sup> Department of Microbiology, Pasteur Institute of Iran, Tehran, Iran
- <sup>18</sup> Faculty of Engineering, Sabzevar University of New Technology, Sabzevar, Iran
- <sup>19</sup> CSIR-National Institute of Oceanography Regional Centre, 176, Lawson's Bay Colony, Visakhapatnam, Andhra Pradesh 530017, India
- <sup>20</sup> Laboratory of Microbiological Control, All-Russian Institute of Plant Protection, Shosse Podbelskogo 3, Pushkin, St. Petersburg, Russia 196608
- <sup>21</sup> Department of Biology, Faculty of Science, Chiang Mai University, Chiang Mai 50200, Thailand