

Supplementary Table 1. Data summary and phylotype OTUs

Sample ID	Total Reads	Total Bases	OTUs
VAGDNA	291,132	144,033,010	1807
MORJDNA	359,590	182,666,862	1703

Supplementary Table 2: Species richness estimates

Diversity index	VAGDNA	MORJDNA
Chao I	1964.1	1902
ACE	2002.2	1908
Shannon	6.63	4.1

Supplementary Table 3.Identified bacterial taxa as potential hydrocarbon degraders


Bacteria	Substrate	References
<i>Marinobacter</i> sp.	Alkanes, PAHs	Head et al. (2006), Liu & Liu (2013), Kostka et al. (2011)
<i>Marinobacter sedimentarum</i> , <i>Marinobacter flavimaris</i>	Aliphatic and aromatic hydrocarbons	Al-Mailem et al. (2013)
<i>Marinobacter vinifirmus</i> , <i>Marinobacter hydrocarbonoclasticus</i>	Aromatic hydrocarbon	Berlendis et al. (2010)
<i>Marinobacter nanhaiticus</i>	PAHs	Gao et al. (2013)
<i>Halomonas</i> sp.	Crude Oil, Hydrocarbons	Fathepure, (2014), Mnif, et. al. (2009) Wang et al.(2007) and Head et al.(2006)
<i>Pseudomonas aeruginosa</i>	Aliphatic and Aromatic Hydrocarbons	Fathepure, (2014), Bacosa et al. (2013) , Mukherjee et al.(2010) Head et al. (2006)
<i>Glaciecola</i> sp.	Crude Oil, Alkanes	Chronopoulou et al. (2015), Brakstad et al. (2008)
<i>Cobetia marina</i>	PAHs	Lee et al. (2018)
<i>Petrobacter</i> sp.	Hydrocarbons	De Vasconcellos et al. (2010) Parnadi et al. (2007)
<i>Pseudoalteromonas</i> sp.	Crude Oil, PAHs	Bacosa et al. (2016), Hedlund& Staley (2006)
<i>Alteromonas</i> sp.	PAHs	Jin et al. (2012), Cui et al. (2008)
<i>Alcanivorax borkumensis</i>	Crude Oil, PAHs	Bacosa et al. (2016), McGenity et al. (2012), Yakimov et al. (1998)
<i>Sphingobium</i> sp.	PAHs	Bacosa& Inoue (2015 b), Das, &Chandran(2011), Kertesz & Kawasaki (2010)
<i>Sphingomonas paucimobilis</i>	PAHs	Das &Chandran (2011), Kertesz& Kawasaki (2010), Daugulis& McCracken (2003), Ye et al.(1995)
<i>Gordonia</i> sp.	Hydrocarbons	Chaillan et al. (2004), Kubota et al.(2008)
<i>Rhodococcus</i> sp.	Alkanes, Monocyclic aromatic hydrocarbons	Das &Chandran (2011), Kubota et al.(2008), Kim et al. (2002)
<i>Oleibacter marinus</i>	Aliphatic Hydrocarbons	Coulon et al. (2012), Teramoto et al. (2011)

<i>Novosphingobium indicum</i>	PAHs	Kertesz& Kawasaki (2010), Yuan et al. (2009)
<i>Arthrobacter</i> sp.	PAHs	Das &Chandran (2011), Plotnikova et al. (2011), Juhasz& Naidu (2000), Jones et al. (1983)
<i>Corynebacterium</i> , sp., <i>Micrococcus</i> sp., <i>Flavobacterium</i> sp.	Crude oil	Adebusoye et al. (2007)
<i>Burkholderia</i> sp., <i>Mycobacterium</i> sp., <i>Brevibacterium</i> sp.	Petroleum hydrocarbons	Chaillan et al.(2004), Jones et al. (1983)
<i>Alkanindiges illinoiensis</i>	Crude oil	Ron & Rosenberg (2010), Bogan et al. (2003)
<i>Desulfoglaeba alkanexedens</i>	Alkanes	Davidova et al.(2006)
<i>Thalassospira tepidiphila</i>	PAHs	Zhao et al.(2010), Kodama et al.(2008)
<i>Nonlabens</i>	Petroleum hydrocarbons	Netzer et al.(2018)
<i>Bacillus</i> sp.	Crude oil	Kumar et al. (2007)
<i>Dietzia psychralcaliphila</i>		Wang et al. (2011), Yumoto et al.(2002)
<i>Psychrobacter</i> sp.	Aliphatic Hydrocarbons	Bacosa et al. (2016)
<i>Acinetobacter</i> sp.	Alkanes	Ron & Rosenberg, (2010), Throne-Holst et al. (2007)
<i>Vibrio</i> sp.	Crude oil	Ijah&Antai(2003)
<i>Aerococcus</i> sp.	Crude oil	Mayaboti (2016)

Supplementary Table 4. Identified bacterial taxa as pathogens in human and marine environment

Bacteria	Host of Disease	References
<i>Halomonas venusta</i>	Humans, Fishes	Stevens et al.(2009), Kim et al. (2013), von Graevenitz et al.(2002)
<i>Pseudomonasaeruginosa</i>	Humans	Thompson et al. (2005), Ahlén et al. (2000)
<i>Bacillussubtilis</i> , <i>Bacillusphaericus</i> <i>Bacillus anthracis</i>	Humans infections	Farrar (1963)
<i>Klebsiellasp.</i>	Humans	Podschun and Ullmann (1998)
<i>Staphylococcus aureus</i>	Humans, Marine Animals	Charoenca& Fujioka (1993), Thomas& Scott (1997), Feldhusen (2000), Tryland, (2000)
<i>Aerococcus viridans</i>	Humans, Marine Animals	Stewart et al. (2004), Rasmussen, M. (2016), Torrent et al. (2002)
<i>Fusobacterium nucleatum</i>	Humans	Han (2015)
<i>Alloiococcus otitidis</i>	Humans	Tano et al. (2008)
<i>Serratia liquefaciens</i>	Humans	Starliper, (2001), Grohskopf et al. (2001)
<i>Rothia mucilaginosa</i>	Humans	Tomczak et al. (2013)
<i>Mycobacterium tuberculosis</i> , <i>Mycobacteriummarinum</i>	Humans, Marine Animals	Lehane&Rawlin, (2000);Montali et al. (2001)
<i>Elizabethkingia</i> sp.	Humans	Bernardet& Nakagawa, (2006), Loch& Faisal, (2015).
<i>Hemophilus piscium</i>	Humans	Snieszko et al. (1950), Slack (2012).
<i>Micrococcus</i> sp.	Humans	Oudiz et al. (2004)
<i>Tenacibaculum maritimum</i>	Marine Animals	Avendaño-Herrera et al.(2006), Toranzo et al.(2005)
<i>Prevotella nigrescens</i> <i>Prevotella intermedia</i>	Marine Animals	Smalley et al.(2003)
<i>Achromobacter xylosoxidans</i>	Humans	Awadh et al. (2017)
<i>Shewanella putrefaciens</i> <i>Shewanella algae</i>	Humans, Marine Animals	Leong et al.(2000), Vogel et al. (2000), Pagani et al. (2003)
<i>Comamonas testosteroni</i>	Humans	Farooq et al. (2017)
<i>Streptococcuspneumonia</i> , <i>Streptococcus iniae</i>	Humans, Marine Animals	Lehane&Rawlin (2000), Thomas & Scott (1997), Weinstein et al. (1997)
<i>Veillonella parvula</i>	Marine Animals	Bhatti et al. (2002)

<i>Brevibacterium</i> sp.	Humans	Ulrich et al. (2006)
<i>Flavobacterium</i> sp.	Marine Animals	Austin et al. (2012)
<i>Kocuria kristinae</i>	Humans	Chen et al. (2015)
<i>Corynebacterium striatum</i>	Humans	Watkins et al. (1993)
<i>Rhodococcus equi</i>	Marine Animals	Weinstock & Brown (2002)
<i>Vibrio vulnificus</i>	Humans, Marine Animals	Phillips & Satchell (2017), Tao et al. (2011), Thompson et al. (2005)
<i>Vibrio cholera</i>		
<i>Vibrio parahaemolyticus</i>		
<i>Acinetobacter calcoaceticus</i>	Marine Animals	Bergogne-Berezin & Towner (1996), Grimes, 1991
<i>Aggregatibacter actinomycetemcomitans</i>	Humans	Li et al. (2011)
<i>Dietzia</i> sp.	Humans	Koerner et al. (2009)
<i>Campylobacter lari</i> , <i>Campylobacter jejuni</i>	Humans, Marine Animals	Endtz et al. (1997) Abeyta et al. (1993)
<i>Roseomonas</i> sp.	Humans	Rihs et al. (1993)
<i>Granulicatella adiacens</i>	Humans	Hepburn et al. (2003)
<i>Burkholderia</i> sp.	Marine Animals	Hicks et al. (2000)
<i>Clostridium perfringens</i> , <i>Clostridium botulinum</i>	Humans, Marine Animals	Feldhusen, (2000), Aschfalk & Muller (2001), Weber et al. (1993)
<i>Cupriavidus metallidurans</i>	Humans	Langevin et al. (2011)
<i>Treponema pallidum</i>	Humans	Salazar et al. (2002)



Supplementary Fig.1 Rarefaction curves for Operational Taxonomic Units (OTUs)

References

- Abeyta, C., Deeter, F.G., Kaysner, C.A., Stott, R.F., & Wekell, M.M. (1993). *Campylobacter- jejuni* in a Washington state shellfish growing bed associated with illness. *J Food Protect* 56(4), 323–325.
- Adebusoye, S. A., Ilori, M. O., Amund, O. O., Teniola, O. D., & Olatope, S. O. (2007). Microbial degradation of petroleum hydrocarbons in a polluted tropical stream. *World Journal of Microbiology and Biotechnology*, 23(8), 1149-1159.
- Ahlén, C., Mandal, L. H., Johannessen, L. N., & Iversen, O. J. (2000). Survival of infectious *Pseudomonas aeruginosa* genotypes in occupational saturation diving environment and the significance of these genotypes for recurrent skin infections. *American journal of industrial medicine*, 37(5), 493-500.
- Al-Mailem, D. M., Eliyas, M., & Radwan, S. S. (2013). Oil-bioremediation potential of two hydrocarbonoclastic, diazotrophic *Marinobacter* strains from hypersaline areas along the Arabian Gulf coasts. *Extremophiles*, 17(3), 463-470.
- Aschfalk, A., & Müller, W. (2001). *Clostridium perfringens* toxin types in hooded seals in the Greenland Sea, determined by PCR and ELISA. *Journal of Veterinary Medicine, Series B*, 48(10), 765-769.

Austin, B., Austin, D. A., Austin, B., & Austin, D. A. (2012). *Bacterial fish pathogens* (p. 652). Heidelberg, Germany: Springer.

Avendaño-Herrera, R., Toranzo, A. E., & Magariños, B. (2006). Tenacibaculosis infection in marine fish caused by *Tenacibaculum maritimum*: a review. *Diseases of aquatic organisms*, 71(3), 255-266.

Awadh, H., Mansour, M., Aqtash, O., & Shweihat, Y. (2017). Pneumonia due to a Rare Pathogen: *Achromobacter xylosoxidans*, Subspecies *denitrificans*. *Case reports in infectious diseases*, 2017.

Bacosa, H. P., & Inoue, C. (2015 b). Polycyclic aromatic hydrocarbons (PAHs) biodegradation potential and diversity of microbial consortia enriched from tsunami sediments in Miyagi, Japan. *Journal of hazardous materials*, 283, 689-697.

Bacosa, H. P., Suto, K., & Inoue, C. (2013). Degradation potential and microbial community structure of heavy oil-enriched microbial consortia from mangrove sediments in Okinawa, Japan. *Journal of Environmental Science and Health, Part A*, 48(8), 835-846.

Bacosa, H. P., Thyng, K. M., Plunkett, S., Erdner, D. L., & Liu, Z. (2016). The tarballs on Texas beaches following the 2014 Texas City “Y” Spill: modeling, chemical, and microbiological studies. *Marine pollution bulletin*, 109(1), 236-244.

Bergogne-Berezin, E., & Towner, K. J. (1996). *Acinetobacter spp.* as nosocomial pathogens: microbiological, clinical, and epidemiological features. *Clinical microbiology reviews*, 9(2), 148.

Berlendis, S., Cayol, J. L., Verhé, F., Laveau, S., Tholozan, J. L., Ollivier, B., & Auria, R. (2010). First evidence of aerobic biodegradation of BTEX compounds by pure cultures of *Marinobacter*. *Applied biochemistry and biotechnology*, 160(7), 1992-1999.

Bernardet, J. F., & Nakagawa, Y. (2006). An introduction to the family Flavobacteriaceae. In *The prokaryotes* (pp. 455-480). Springer, New York, NY.

Bhatti, M. A., & Frank, M. O. (2000). *Veillonella parvula* meningitis: case report and review of *Veillonella* infections. *Clinical infectious diseases*, 31(3), 839-840.

Bogan, B. W., Sullivan, W. R., Kayser, K. J., Derr, K. D., Aldrich, H. C., & Paterek, J. R. (2003). *Alkanindiges illinoiensis* gen. nov., sp. nov., an obligately hydrocarbonoclastic,

aerobic squalane-degrading bacterium isolated from oilfield soils. *International journal of systematic and evolutionary microbiology*, 53(5), 1389-1395.

Brakstad, O. G., Nonstad, I., Faksness, L. G., &Brandvik, P. J. (2008). Responses of microbial communities in Arctic sea ice after contamination by crude petroleum oil. *Microbial ecology*, 55(3), 540-552.

Chaillan, F., Le Flèche, A., Bury, E., Phantavong, Y. H., Grimont, P., Saliot, A., & Oudot, J. (2004). Identification and biodegradation potential of tropical aerobic hydrocarbon-degrading microorganisms. *Research in microbiology*, 155(7), 587-595.

Charoenca, N., & Fujioka, R. S. (1993). Assessment of *Staphylococcus* bacteria in Hawaii's marine recreational waters. *Water Science and Technology*, 27(3-4), 283-289.

Chen, H. M., Chi, H., Chiu, N. C., & Huang, F. Y. (2015). *Kocuria kristinae*: a true pathogen in pediatric patients. *Journal of Microbiology, Immunology and Infection*, 48(1), 80-84.

Chronopoulou, P. M., Sanni, G. O., Silas Olu, D. I., van der Meer, J. R., Timmis, K. N., Brussaard, C. P., &McGenity, T. J. (2015). Generalist hydrocarbon-degrading bacterial communities in the oil-polluted water column of the North Sea. *Microbial biotechnology*, 8(3), 434-447.

Coulon, F., Chronopoulou, P.M., Fahy, A., Païssé, S., Goñi-Urriza, M., Peperzak, L., Alvarez, L.A., McKew, B.A., Brussaard, C.P., Underwood, G.J. & Timmis, K.N. (2012). Central role of dynamic tidal biofilms dominated by aerobic hydrocarbonoclastic bacteria and diatoms in the biodegradation of hydrocarbons in coastal mudflats. *Applied and environmental microbiology*, 78(10), 3638-3648.

Cui, Z., Lai, Q., Dong, C., & Shao, Z. (2008). Biodiversity of polycyclic aromatic hydrocarbon-degrading bacteria from deep sea sediments of the Middle Atlantic Ridge. *Environmental microbiology*, 10(8), 2138-2149.

Das, N., & Chandran, P. (2011). Microbial degradation of petroleum hydrocarbon contaminants: an overview. *Biotechnology research international*, 1-13.

Daugulis, A. J., & McCracken, C. M. (2003). Microbial degradation of high and low molecular weight polyaromatic hydrocarbons in a two-phase partitioning bioreactor by two strains of *Sphingomonas* sp. *Biotechnology Letters*, 25(17), 1441-1444.

Davidova, I. A., Duncan, K. E., Choi, O. K., & Suflita, J. M. (2006). *Desulfoglaeba alkanexedens* gen. nov., sp. nov., an n-alkane-degrading, sulfate-reducing bacterium. *International journal of systematic and evolutionary microbiology*, 56(12), 2737-2742.

De Vasconcellos, S. P., Angolini, C. F. F., García, I. N. S., Dellagnezze, B. M., Da Silva, C. C., Marsaioli, A. J., Dos Santos Neto, E. V., & De Oliveira, V. M. (2010). Screening for hydrocarbon biodegraders in a metagenomic clone library derived from Brazilian petroleum reservoirs. *Organic Geochemistry*, 41(7), 675-681.

Endtz, H. P., Vliegenthart, J. S., Vandamme, P., Weverink, H. W., van den Braak, N. P., Verbrugh, H. A., & van Belkum, A. (1997). Genotypic diversity of *Campylobacter lari* isolated from mussels and oysters in The Netherlands. *International journal of food microbiology*, 34(1), 79-88.

Farooq, S., Farooq, R., & Nahvi, N. (2017). *Comamonas testosteroni*: Is It Still a Rare Human Pathogen. *Case reports in gastroenterology*, 11(1), 42-47.

Farrar, W. E. (1963). Serious infections due to “non-pathogenic” organisms of the genus *Bacillus*: Review of their status as pathogens. *The American journal of medicine*, 34(1), 134-141.

Fathepure, B. Z. (2014). Recent studies in microbial degradation of petroleum hydrocarbons in hypersaline environments. *Frontiers in microbiology*, 5, 173.

Feldhusen, F. (2000). The role of seafood in bacterial foodborne diseases. *Microbes and infection*, 2(13), 1651-1660.

Gao, W., Cui, Z., Li, Q., Xu, G., Jia, X., & Zheng, L. (2013). *Marinobacter nankaiticus* sp. nov., polycyclic aromatic hydrocarbon-degrading bacterium isolated from the sediment of the South China Sea. *Antonie Van Leeuwenhoek*, 103(3), 485-491.

Grimes, D. J. (1991). Ecology of estuarine bacteria capable of causing human disease: a review. *Estuaries*, 14(4), 345-360.

Grohskopf, L.A., Roth, V.R., Feikin, D.R., Arduino, M.J., Carson, L.A., Tokars, J.I., Holt, S.C., Jensen, B.J., Hoffman, R.E. and Jarvis, W.R. (2001). *Serratia liquefaciens* bloodstream infections from contamination of epoetin alfa at a hemodialysis center. *New England Journal of Medicine*, 344(20), 1491-1497.

Han, Y. W. (2015). *Fusobacterium nucleatum*: a commensal-turned pathogen. *Current opinion in microbiology*, 23, 141-147.

Head, I. M., Jones, D. M., & Röling, W. F. (2006). Marine microorganisms make a meal of oil. *Nature Reviews Microbiology*, 4(3), 173.

Hedlund, B. P., & Staley, J. T. (2006). Isolation and characterization of *Pseudoalteromonas* strains with divergent polycyclic aromatic hydrocarbon catabolic properties. *Environmental Microbiology*, 8(1), 178-182.

Hepburn, M. J., Fraser, S. L., Rennie, T. A., Singleton, C. M., & Delgado, B. (2003). Septic arthritis caused by *Granulicatella adiacens*: diagnosis by inoculation of synovial fluid into blood culture bottles. *Rheumatology international*, 23(5), 255-257.

Hicks, C. L., Kinoshita, R., & Ladds, P. W. (2000). Pathology of melioidosis in captive marine mammals. *Australian veterinary journal*, 78(3), 193-195.

Ijah, U. J. J., & Antai, S. P. (2003). Removal of Nigerian light crude oil in soil over a 12-month period. *International biodeterioration & biodegradation*, 51(2), 93-99.

Jin, H. M., Kim, J. M., Lee, H. J., Madsen, E. L., & Jeon, C. O. (2012). *Alteromonas* as a key agent of polycyclic aromatic hydrocarbon biodegradation in crude oil-contaminated coastal sediment. *Environmental science & technology*, 46(14), 7731-7740.

Jones, D. M., Douglas, A. G., Parkes, R. J., Taylor, J., Giger, W., & Schaffner, C. (1983). The recognition of biodegraded petroleum-derived aromatic hydrocarbons in recent marine sediments. *Marine Pollution Bulletin*, 14(3), 103-108.

Juhasz, A. L., & Naidu, R. (2000). Bioremediation of high molecular weight polycyclic aromatic hydrocarbons: a review of the microbial degradation of benzo [a] pyrene. *International biodeterioration & biodegradation*, 45(1-2), 57-88.

Kertesz, M. A., & Kawasaki, A. (2010). Hydrocarbon-degrading sphingomonads: *Sphingomonas*, *sphingobium*, *novosphingobium*, and *sphingopyxis*. In *Handbook of hydrocarbon and lipid microbiology* (pp. 1693-1705). Springer, Berlin, Heidelberg.

Kim, D., Kim, Y. S., Kim, S. K., Kim, S. W., Zylstra, G. J., Kim, Y. M., & Kim, E. (2002). Monocyclic aromatic hydrocarbon degradation by *Rhodococcus* sp. strain DK17. *Applied and environmental microbiology*, 68(7), 3270-3278.

Kim, K. K., Lee, J. S., & Stevens, D. A. (2013). Microbiology and epidemiology of *Halomonas* species. *Future microbiology*, 8(12), 1559-1573.

Kodama, Y., Stiknowati, L. I., Ueki, A., Ueki, K., & Watanabe, K. (2008). *Thalassospira tepidiphila* sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from seawater. *International journal of systematic and evolutionary microbiology*, 58(3), 711-715.

Koerner, R. J., Goodfellow, M., & Jones, A. L. (2009). The genus *Dietzia*: a new home for some known and emerging opportunist pathogens. *FEMS Immunology & Medical Microbiology*, 55(3), 296-305.

Kostka, J. E., Prakash, O., Overholt, W. A., Green, S., Freyer, G., Canion, A., Delgadio, J; Norton, N; Hazen, T.C., & Huettel, M. (2011). Hydrocarbon-degrading bacteria and the bacterial community response in Gulf of Mexico beach sands impacted by the Deepwater Horizon oil spill. *Applied and environmental microbiology*, 77(22), 7962–7974.

Kubota, K., Koma, D., Matsumiya, Y., Chung, S. Y., & Kubo, M. (2008). Phylogenetic analysis of long-chain hydrocarbon-degrading bacteria and evaluation of their hydrocarbon-degradation by the 2, 6-DCPIP assay. *Biodegradation*, 19(5), 749-757.

Kumar, M., León, V., Materano, A. D. S., & Ilzins, O. A. (2007). A halotolerant and thermotolerant *Bacillus* sp. degrades hydrocarbons and produces tensio-active emulsifying agent. *World Journal of Microbiology and Biotechnology*, 23(2), 211-220.

Langevin, S., Vincelette, J., Bekal, S., & Gaudreau, C. (2011). First case of invasive human infection caused by *Cupriavidus metallidurans*. *Journal of clinical microbiology*, 49(2), 744-745.

Lee, D. W., Lee, H., Lee, A. H., Kwon, B. O., Khim, J. S., Yim, U. H., Kim, B.S., & Kim, J. J. (2018). Microbial community composition and PAHs removal potential of indigenous bacteria in oil contaminated sediment of Taean coast, Korea. *Environmental Pollution*, 234, 503-512.

Lehane, L., & Rawlin, G. T. (2000). Topically acquired bacterial zoonoses from fish: a review. *The Medical journal of Australia*, 173(5), 256-259.

Leong, J., Mirkazemi, M., & Kimble, F. (2000). *Shewanella putrefaciens* hand infection. *Australian and New Zealand Journal of Surgery*, 70(11), 816-817.

Li, Y., Shibata, Y., Zhang, L., Kuboyama, N., & Abiko, Y. (2011). Periodontal pathogen *Aggregatibacter actinomycetemcomitans* LPS induces mitochondria-dependent-apoptosis in human placental trophoblasts. *Placenta*, 32(1), 11-19.

Liu, Z., & Liu, J. (2013). Evaluating bacterial community structures in oil collected from the sea surface and sediment in the northern Gulf of Mexico after the Deepwater Horizon oil spill. *Microbiology Open*, 2(3), 492-504.

Loch, T. P., & Faisal, M. (2015). Emerging flavobacterial infections in fish: a review. *Journal of advanced research*, 6(3), 283-300.

Mayaboti, C. A. (2016). *Isolation of furnace oil and crude oil degrading bacteria from soil* (Doctoral dissertation, BRAC University).

McGenity, T. J., Folwell, B. D., McKew, B. A., & Sanni, G. O. (2012). Marine crude-oil biodegradation: a central role for interspecies interactions. *Aquatic Biosystems*, 8(1), 10.

Mnif, S., Chamkha, M., & Sayadi, S. (2009). Isolation and characterization of *Halomonas* sp. strain C2SS100, a hydrocarbon-degrading bacterium under hypersaline conditions. *Journal of Applied Microbiology*, 107(3), 785-794.

Montali, R. J., Mikota, S. K., & Cheng, L. I. (2001). Mycobacterium tuberculosis in zoo and wildlife species. *Revue scientifique et technique (International Office of Epizootics)*. 20 (1), 291-303.

Mukherjee, S., Bardolui, N. K., Karim, S., Patnaik, V. V., Nandy, R. K., & Bag, P. K. (2010). Isolation and characterization of a monoaromatic hydrocarbon-degrading bacterium, *Pseudomonas aeruginosa* from crude oil. *Journal of Environmental Science and Health Part A*, 45(9), 1048-1053.

Netzer, R., Henry, I. A., Ribicic, D., Wibberg, D., Brönner, U., & Brakstad, O. G. (2018). Petroleum hydrocarbon and microbial community structure successions in marine oil-related aggregates associated with diatoms relevant for Arctic conditions. *Marine pollution bulletin*, 135, 759-768.

Oudiz, R. J., Widlitz, A., Beckmann, X. J., Camanga, D., Alfie, J., Brundage, B. H., & Barst, R. J. (2004). *Micrococcus*-associated central venous catheter infection in patients with pulmonary arterial hypertension. *Chest*, 126(1), 90-94.

Pagani, L., Lang, A., Vedovelli, C., Moling, O., Rimenti, G., Pristera, R., & Mian, P. (2003). Soft tissue infection and bacteremia caused by *Shewanella putrefaciens*. *Journal of clinical microbiology*, 41(5), 2240-2241.

Parnadi, P. S., Kardena, E., Ratnaningsih, E.,& Wisjnuprapto, W. (2007).Improving the effectiveness of crude-oil hydrocarbon biodegradation employing *Azotobacterchroococcum* as co-inoculant.*Microbiology Indonesia*, 1(1), 5-10.

Phillips, K. E., & Satchell, K. J. (2017). *Vibrio vulnificus*: From oyster colonist to human pathogen. *PLoS pathogens*, 13(1), e1006053.

Plotnikova,E.G., Yastrebova,O.V., Anan'ina,L.N.,Dorofeeva,L.V., Lysanskaya,V.Ya., and Demakov,V.A.(2011).Halotolerant bacteria of the genus *Arthrobacter* degrading polycyclic aromatic hydrocarbons. *Russian J. Ecol.* 42, 502–509.

Podschun, R., & Ullmann, U. (1998). *Klebsiella* spp. as nosocomial pathogens: epidemiology, taxonomy, typing methods, and pathogenicity factors. *Clinical microbiology reviews*, 11(4), 589-603.

Rasmussen, M. (2016). *Aerococcus*: an increasingly acknowledged human pathogen. *Clinical Microbiology and Infection*, 22(1), 22-27.

Rihs, J. D., Brenner, D. J., Weaver, R. E., Steigerwalt, A. G., Hollis, D. G., & Yu, V. L. (1993). *Roseomonas*, a new genus associated with bacteremia and other human infections. *Journal of clinical microbiology*, 31(12), 3275-3283.

Ron, E., & Rosenberg, E. (2010). *Acinetobacter* and *Alkanindiges*. In *Handbook of Hydrocarbon and lipid microbiology* (pp. 1799-1803). Springer, Berlin, Heidelberg.

Salazar, J. C., Hazlett, K. R., & Radolf, J. D. (2002). The immune response to infection with *Treponema pallidum*, the stealth pathogen. *Microbes and infection*, 4(11), 1133-1140.

Slack, M. P. E. (2012). *Haemophilus*: Respiratory infections; meningitis; chancroid. In *Medical Microbiology (Eighteenth Edition)* 324-330.

Smalley, J. W., Silver, J., Birss, A. J., Withnall, R., & Titler, P. J. (2003). The haem pigment of the oral anaerobes *Prevotella nigescens* and *Prevotella intermedia* is composed of iron (III) protoporphyrin IX in the monomeric form. *Microbiology*, 149(7), 1711-1718.

Snieszko, S. F., Griffin, P. J., & Friddle, S. B. (1950). A new bacterium (*Hemophilus piscium*. sp.) from ulcer disease of trout. *Journal of bacteriology*, 59(6), 699.

Starliper, C. E. (2001). Isolation of *Serratia liquefaciens* as a pathogen of Arctic char, *Salvelinus alpinus* (L.). *Journal of Fish Diseases*, 24(1), 53-56.

Stevens, D. A., Hamilton, J. R., Johnson, N., Kim, K. K., & Lee, J. S. (2009). *Halomonas*, a newly recognized human pathogen causing infections and contamination in a dialysis center: three new species. *Medicine*, 88(4), 244-249.

Stewart, J. E., Cornick, J. W., Zwicker, B. M., & Arie, B. (2004). Studies on the virulence of *Aerococcus viridans* (var.) homari, the causative agent of gaffkemia, a fatal disease of homarid lobsters. *Diseases of aquatic organisms*, 60(2), 149-155.

Tano, K., Von Essen, R., Eriksson, P. O., & Sjöstedt, A. (2008). *Alloioiococcus otitidis*—otitis media pathogen or normal bacterial flora?. *Apmis*, 116(9), 785-790.

Teramoto, M., Ohuchi, M., Hatmanti, A., Darmayati, Y., Widayastuti, Y., Harayama, S., & Fukunaga, Y. (2011). Oleibacter marinus gen. nov., sp. nov., a bacterium that degrades petroleum aliphatic hydrocarbons in a tropical marine environment. *International journal of systematic and evolutionary microbiology*, 61(2), 375-380.

Thomas, C., & Scott, S. (1997). *All stings considered: first aid and medical treatment of Hawai'i's Marine Injuries*. University of Hawaii Press.

Thompson, Janelle R., Luisa A. Marcelino, and Martin F. Polz. (2005). Diversity, sources, and detection of human bacterial pathogens in the marine environment. *Oceans and health: pathogens in the marine environment*. Springer, Boston, MA, 29-68.

Throne-Holst, M., Wentzel, A., Ellingsen, T. E., Kotlar, H. K., & Zotchev, S. B. (2007). Identification of novel genes involved in long-chain n-alkane degradation by *Acinetobacter* sp. strain DSM 17874. *Applied and environmental microbiology*, 73(10), 3327-3332.

Tomczak, H., Bilska-Stokłosa, J., Osmola, K., Marcinkowski, M., Błażejewska, W., Myczko, K., & Kaczmarek, I. (2013). *Rothia mucilaginosa*, rarely isolated pathogen as an etiological factor of infection of soft tissues in young, healthy woman. *Advances in Hygiene & Experimental Medicine*, 67, 1-5.

Toranzo, A. E., Magarinos, B., & Romalde, J. L. (2005). A review of the main bacterial fish diseases in mariculture systems. *Aquaculture*, 246(1-4), 37-61.

Torrent, A., Déniz, S., Ruiz, A., Calabuig, P., Sicilia, J., & Orós, J. (2002). Esophageal diverticulum associated with *Aerococcus viridans* infection in a loggerhead sea turtle (*Caretta caretta*). *Journal of wildlife diseases*, 38(1), 221-223.

Tryland, M. (2000). Zoonoses of arctic marine mammals. *Infectious Disease Review*, 2(2), 55-64.

Ulrich, S., Zbinden, R., Pagano, M., Fischler, M., & Speich, R. (2006). Central venous catheter infection with *Brevibacterium* sp. in an immunocompetent woman: case report and review of the literature. *Infection*, 34(2), 103-106.

Vogel, B. F., Holt, H. M., Gerner-Smidt, P., Bundvad, A., Søgaard, P., & Gram, L. (2000). Homogeneity of Danish environmental and clinical isolates of *Shewanella algae*. *Applied and environmental microbiology*, 66(1), 443-448.

von Graevenitz, A., Bowman, J., Del Notaro, C., & Ritzler, M. (2000). Human infection with *Halomonas venusta* following fish bite. *Journal of clinical microbiology*, 38(8), 3123.

Wang, X. B., Chi, C. Q., Nie, Y., Tang, Y. Q., Tan, Y., Wu, G., & Wu, X. L. (2011). Degradation of petroleum hydrocarbons (C6–C40) and crude oil by a novel *Dietzia* strain. *Bioresource technology*, 102(17), 7755-7761.

Wang, Y. N., Cai, H., Chi, C. Q., Lu, A. H., Lin, X. G., Jiang, Z. F., & Wu, X. L. (2007). *Halomonas shengliensis* sp. nov., a moderately halophilic, denitrifying, crude-oil-utilizing bacterium. *International journal of systematic and evolutionary microbiology*, 57(6), 1222-1226.

Watkins, D. A., Chahine, A., Creger, R. J., Jacobs, M. R., & Lazarus, H. M. (1993). *Corynebacterium striatum*: a diphtheroid with pathogenic potential. *Clinical infectious diseases*, 17(1), 21-25.

Weber, J. T., Hibbs Jr, R. G., Darwish, A., Mishu, B., Corwin, A. L., Rakha, M., Hatheway, C. L., Blake, P. A., Tauxe, R. V & Sarn, J. E. (1993). A massive outbreak of type E botulism associated with traditional salted fish in Cairo. *Journal of Infectious Diseases*, 167(2), 451-454.

Weinstein, M.R., Litt, M., Kertesz, D.A., Wyper, P., Rose, D., Coulter, M., McGeer, A., Facklam, R., Ostach, C., Willey, B.M. and Borczyk, A. (1997). Invasive infections due to a fish pathogen, *Streptococcus iniae*. *New England Journal of Medicine*, 337(9), 589-594.

Weinstein, R. A., Gaynes, R., Edwards, J. R., & National Nosocomial Infections Surveillance System. (2005). Overview of nosocomial infections caused by gram-negative bacilli. *Clinical infectious diseases*, 41(6), 848-854.

Weinstock, D. M., & Brown, A. E. (2002). *Rhodococcus equi*: an emerging pathogen. *Clinical Infectious Diseases*, 34(10), 1379-1385.

Yakimov, M. M., Golyshin, P. N., Lang, S., Moore, E. R., Abraham, W. R., Lünsdorf, H., & Timmis, K. N. (1998). *Alcanivorax borkumensis* gen. nov., sp. nov., a new, hydrocarbon-degrading and surfactant-producing marine bacterium. *International Journal of Systematic and Evolutionary Microbiology*, 48(2), 339-348.

Ye, D., Siddiqi, M. A., Maccubbin, A. E., Kumar, S., & Sikka, H. C. (1995). Degradation of polynuclear aromatic hydrocarbons by *Sphingomonas paucimobilis*. *Environmental science & technology*, 30(1), 136-142.

Yuan, J., Lai, Q., Zheng, T., & Shao, Z. (2009). *Novosphingobium indicum* sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from a deep-sea environment. *International journal of systematic and evolutionary microbiology*, 59(8), 2084-2088.

Yumoto, I., Nakamura, A., Iwata, H., Kojima, K., Kusumoto, K., Nodasaka, Y., & Matsuyama, H. (2002). *Dietzia psychralcaliphila* sp. nov., a novel, facultatively psychrophilic alkaliphile that grows on hydrocarbons. *International journal of systematic and evolutionary microbiology*, 52(1), 85-90.

Zhao, B., Wang, H., Li, R., & Mao, X. (2010). *Thalassospira xianhensis* sp. nov., a polycyclic aromatic hydrocarbon-degrading marine bacterium. *International journal of systematic and evolutionary microbiology*, 60(5), 1125-1129.